


## Composición da materia




## MODELO ESTÁNDAR DA MATERIA

### PARTÍCULAS ELEMENTAIS

	Primeira familia	Segunda familia	Terceira familia		Forzas	Partículas mensaxeiras
Leptóns	Neutrino electrón	Neutrino muón	Neutrino tau	¿Partícula de Higgs?	Forza electromagnética	Fotón
	Electrón	Muón	Tau		Forza débil	W,Z
Quarks	Up	Charm	Top		Forza forte	Gluóns
	Down	Strange	Bottom			

# Structure within the Atom



If the proton and neutrons in this picture were 10 cm across, then the quarks and electrons would be less than 0.1 mm in size and the entire atom would be about 10 km across.



# FERMIONS

matter constituents  
spin =  $1/2, 3/2, 5/2, \dots$

## Leptons spin = $1/2$

Flavor	Mass $\text{GeV}/c^2$	Electric charge
$\nu_L$ lightest neutrino*	$(0-0.13)\times 10^{-9}$	0
$e$ electron	0.000511	-1
$\nu_M$ middle neutrino*	$(0.009-0.13)\times 10^{-9}$	0
$\mu$ muon	0.106	-1
$\nu_H$ heaviest neutrino*	$(0.04-0.14)\times 10^{-9}$	0
$\tau$ tau	1.777	-1





## Quarks spin = $1/2$

Flavor	Approx. Mass $\text{GeV}/c^2$	Electric charge
$u$ up	0.002	$2/3$
$d$ down	0.005	$-1/3$
$c$ charm	1.3	$2/3$
$s$ strange	0.1	$-1/3$
$t$ top	173	$2/3$
$b$ bottom	4.2	$-1/3$


# BOSONS

force carriers  
spin = 0, 1, 2, ...

## Unified Electroweak spin = 1

Name	Mass GeV/c <sup>2</sup>	Electric charge
 photon	0	0
 W bosons	80.39	-1
 W bosons	80.39	+1
 Z boson	91.188	0

## Strong (color) spin = 1

Name	Mass GeV/c <sup>2</sup>	Electric charge
 gluon	0	0

# Baryons $qqq$ and Antibaryons $\bar{q}\bar{q}\bar{q}$

Baryons are fermionic hadrons.

These are a few of the many types of baryons.

Symbol	Name	Quark content	Electric charge	Mass $\text{GeV}/c^2$	Spin
<b>p</b>	proton	<b>uud</b>	1	0.938	1/2
<b><math>\bar{p}</math></b>	antiproton	<b><math>\bar{u}\bar{u}\bar{d}</math></b>	-1	0.938	1/2
<b>n</b>	neutron	<b>udd</b>	0	0.940	1/2
<b><math>\Lambda</math></b>	lambda	<b>uds</b>	0	1.116	1/2
<b><math>\Omega^-</math></b>	omega	<b>sss</b>	-1	1.672	3/2



## Properties of the Interactions

The strengths of the interactions (forces) are shown relative to the strength of the electromagnetic force for two u quarks separated by the specified distances.

Property	Gravitational Interaction	Weak Interaction (Electroweak)	Electromagnetic Interaction	Strong Interaction
Acts on:	Mass – Energy	Flavor	Electric Charge	Color Charge
Particles experiencing:	All	Quarks, Leptons	Electrically Charged	Quarks, Gluons
Particles mediating:	Graviton (not yet observed)	<b>W<sup>+</sup> W<sup>-</sup> Z<sup>0</sup></b>	<b>γ</b>	Gluons
Strength at {	$10^{-18}$ m	$10^{-41}$	0.8	25
	$3 \times 10^{-17}$ m	$10^{-41}$	$10^{-4}$	60

# Standard Model of FUNDAMENTAL PARTICLES AND INTERACTIONS

The Standard Model is a quantum theory that summarizes our current knowledge of the physics of fundamental particles and fundamental interactions (interactions are manifested by forces and by decay rates of unstable particles).

**FERMIONS** matter constituents  
spin = 1/2, 3/2, 5/2, ...

Leptons spin = 1/2			Quarks spin = 1/2		
Flavor	Mass GeV/c <sup>2</sup>	Electric charge	Flavor	Approx. Mass GeV/c <sup>2</sup>	Electric charge
$\nu_L$ lightest neutrino*	(0-0.13)×10 <sup>-9</sup>	0	<b>u</b> up	0.002	2/3
<b>e</b> electron	0.000511	-1	<b>d</b> down	0.005	-1/3
$\nu_M$ middle neutrino*	(0.009-0.13)×10 <sup>-9</sup>	0	<b>c</b> charm	1.3	2/3
$\mu$ muon	0.106	-1	<b>s</b> strange	0.1	-1/3
$\nu_H$ heaviest neutrino*	(0.04-0.14)×10 <sup>-9</sup>	0	<b>t</b> top	173	2/3
<b><math>\tau</math></b> tau	1.777	-1	<b>b</b> bottom	4.2	-1/3

\*See the neutrino paragraph below.

**Spin** is the intrinsic angular momentum of particles. Spin is given in units of  $\hbar$ , which is the quantum unit of angular momentum where  $\hbar = h/2\pi = 6.58 \times 10^{-25}$  GeV s =  $1.05 \times 10^{-34}$  J s.

**Electric charges** are given in units of the proton's charge. In SI units the electric charge of the proton is  $1.60 \times 10^{-19}$  coulombs.

**The energy** unit of particle physics is the electronvolt (eV), the energy gained by one electron in crossing a potential difference of one volt. **Masses** are given in GeV/c<sup>2</sup> (remember  $E = mc^2$ ) where  $1 \text{ GeV} = 10^9 \text{ eV} = 1.60 \times 10^{-10}$  joule. The mass of the proton is  $0.938 \text{ GeV}/c^2 = 1.67 \times 10^{-27}$  kg.

## Neutrinos

Neutrinos are produced in the sun, supernovae, reactors, accelerator collisions, and many other processes. Any produced neutrino can be described as one of three neutrino flavor states  $\nu_e$ ,  $\nu_\mu$ , or  $\nu_\tau$ , labelled by the type of charged lepton associated with its production. Each is a defined quantum mixture of the three definite mass neutrinos  $\nu_L$ ,  $\nu_M$ , and  $\nu_H$  for which currently allowed mass ranges are shown in the table. Further exploration of the properties of neutrinos may yield powerful clues to puzzles about matter and antimatter and the evolution of stars and galaxy structures.

## Matter and Antimatter

For every particle type there is a corresponding antiparticle type, denoted by a bar over the particle symbol (unless + or - charge is shown). Particle and antiparticle have identical mass and spin but opposite charges. Some electrically neutral bosons (e.g.,  $Z^0$ ,  $\gamma$ , and  $\eta_c = c\bar{c}$  but not  $K^0 = d\bar{s}$ ) are their own antiparticles.

## Particle Processes


These diagrams are an artist's conception. Blue-green shaded areas represent the cloud of gluons.

$n \rightarrow p e^- \bar{\nu}_e$

A free neutron (udd) decays to a proton (uud), an electron, and an antineutrino via a virtual (mediating) W boson. This is neutron  $\beta$  (beta) decay.

$e^+ e^- \rightarrow B^0 \bar{B}^0$

An electron and positron (antielectron) colliding at high energy can annihilate to produce  $B^0$  and  $B^0$  mesons via a virtual Z boson or a virtual photon.



**BOSONS** force carriers  
spin = 0, 1, 2, ...

Unified Electroweak spin = 1			Strong (color) spin = 1		
Name	Mass GeV/c <sup>2</sup>	Electric charge	Name	Mass GeV/c <sup>2</sup>	Electric charge
$\gamma$ photon	0	0	<b>g</b> gluon	0	0
$W^-$	80.39	-1			
$W^+$	80.39	+1			
$Z^0$ Z boson	91.188	0			

## Color Charge

Only quarks and gluons carry "strong charge" (also called "color charge") and can have strong interactions. Each quark carries three types of color charge. These charges have nothing to do with the colors of visible light. Just as electrically-charged particles interact by exchanging photons, in strong interactions, color-charged particles interact by exchanging gluons.

## Quarks Confined in Mesons and Baryons

Quarks and gluons cannot be isolated – they are confined in color-neutral particles called **hadrons**. This confinement (binding) results from multiple exchanges of gluons among the color-charged constituents. As color-charged particles (quarks and gluons) move apart, the energy in the color-force field between them increases. This energy eventually is converted into additional quark-antiquark pairs. The quarks and antiquarks then combine into hadrons; these are the particles seen to emerge.

Two types of hadrons have been observed in nature **mesons**  $q\bar{q}$  and **baryons**  $qqq$ . Among the many types of baryons observed are the proton (uud), antiproton ( $\bar{u}\bar{u}\bar{d}$ ), neutron (udd), lambda  $\Lambda$  (uds), and omega  $\Omega^-$  (sss). Quark charges add in such a way as to make the proton have charge 1 and the neutron charge 0. Among the many types of mesons are the pion  $\pi^+$  (u $\bar{d}$ ), kaon  $K^-$  (s $\bar{u}$ ),  $B^0$  (d $\bar{b}$ ), and  $\eta_c$  (c $\bar{c}$ ). Their charges are +1, -1, 0, 0 respectively.

## Properties of the Interactions

The strengths of the interactions (forces) are shown relative to the strength of the electromagnetic force for two u quarks separated by the specified distances.

Property	Gravitational Interaction	Weak Interaction (Electroweak)	Electromagnetic Interaction	Strong Interaction
Acts on:	Mass – Energy	Flavor	Electric Charge	Color Charge
Particles experiencing:	All	Quarks, Leptons	Electrically Charged	Quarks, Gluons
Particles mediating:	Graviton (not yet observed)	$W^+$ $W^-$ $Z^0$	$\gamma$	Gluons
Strength at $\left\{ \begin{array}{l} 10^{-18} \text{ m} \\ 3 \times 10^{-17} \text{ m} \end{array} \right.$	$10^{-41}$	0.8 $10^{-4}$	1 1	25 60

Visit the award-winning web feature *The Particle Adventure* at [ParticleAdventure.org](http://ParticleAdventure.org)

This chart has been made possible by the generous support of:  
U.S. Department of Energy  
U.S. National Science Foundation  
Lawrence Berkeley National Laboratory

©2006 Contemporary Physics Education Project. CPEP is a non-profit organization of teachers, physicists, and educators. For more information see

[CPEPweb.org](http://CPEPweb.org)

## Unsolved Mysteries

Driven by new puzzles in our understanding of the physical world, particle physicists are following paths to new wonders and startling discoveries. Experiments may even find extra dimensions of space, mini-black holes, and/or evidence of string theory.

### Universe Accelerating?

The expansion of the universe appears to be accelerating. Is this due to Einstein's Cosmological Constant? If not, will experiments reveal a new force of nature or even extra (hidden) dimensions of space?

### Why No Antimatter?

Matter and antimatter were created in the Big Bang. Why do we now see only matter except for the tiny amounts of antimatter that we make in the lab and observe in cosmic rays?

### Dark Matter?

Invisible forms of matter make up much of the mass observed in galaxies and clusters of galaxies. Does this dark matter consist of new types of particles that interact very weakly with ordinary matter?

### Origin of Mass?

In the Standard Model, for fundamental particles to have masses, there must exist a particle called the Higgs boson. Will it be discovered soon? Is supersymmetry theory correct in predicting more than one type of Higgs?



### Universo en aceleración?



A expansión do universe parece estar acelerando. É debido á cte cosmoloxica de Einstein? Se non, revelarán os experimentos do LHC novas forzas ou dimensións?

### Por que non antimateria?



Materia e antimateria foron creadas á vez no Big Bang. Por que vemos agora só materia, agás moi pequenas cantidades de antimateria?

### Materia escura?



Invisibles formas de materia forman parte da masa medida das galaxias e clusters. En que consiste esa materia escura?

### Orixe da masa?



No modelo estándar de partículas hai proposta unha partícula co nome de Higgs que é a responsable de que as outras teñan a masa que teñen. Será descuberta?