

# Annex I

## Glossary

**Editor:** A.P.M. Baede (Netherlands)

**Notes:** This glossary defines some specific terms as the lead authors intend them to be interpreted in the context of this report. Red, italicised words indicate that the term is defined in the Glossary.

**8.2ka event** Following the last post-glacial warming, a rapid *climate* oscillation with a cooling lasting about 400 years occurred about 8.2 ka. This event is also referred to as the *8.2kyr event*.

**Abrupt climate change** The *nonlinearity* of the *climate system* may lead to abrupt climate change, sometimes called *rapid climate change*, *abrupt events* or *even surprises*. The term *abrupt* often refers to time scales faster than the typical time scale of the responsible forcing. However, not all abrupt climate changes need be *externally forced*. Some possible abrupt events that have been proposed include a dramatic reorganisation of the *thermohaline circulation*, rapid deglaciation and massive melting of *permafrost* or increases in soil *respiration* leading to fast changes in the *carbon cycle*. Others may be truly unexpected, resulting from a strong, rapidly changing forcing of a nonlinear system.

**Active layer** The layer of ground that is subject to annual thawing and freezing in areas underlain by *permafrost* (Van Everdingen, 1998).

**Adiabatic process** An adiabatic process is a process in which no external heat is gained or lost by the system. The opposite is called a *diabatic process*.

**Adjustment time** See *Lifetime*; see also *Response time*.

**Advection** Transport of water or air along with its properties (e.g., temperature, chemical tracers) by the motion of the fluid. Regarding the general distinction between advection and *convection*, the former describes the predominantly horizontal, large-scale motions of the *atmosphere* or ocean, while convection describes the predominantly vertical, locally induced motions.

**Aerosols** A collection of airborne solid or liquid particles, with a typical size between 0.01 and 10  $\mu\text{m}$  that reside in the *atmosphere* for at least several hours. Aerosols may be of either natural or *anthropogenic* origin. Aerosols may influence *climate* in several ways: directly through scattering and absorbing radiation, and indirectly by acting as *cloud condensation nuclei* or modifying the optical properties and lifetime of clouds (see *Indirect aerosol effect*).

**Afforestation** Planting of new forests on lands that historically have not contained forests. For a discussion of the term *forest* and related terms such as afforestation, *reforestation* and *deforestation*, see the IPCC Special Report on Land Use, Land-Use Change and Forestry (IPCC, 2000). See also the report on Definitions and Methodological Options to Inventory Emissions from Direct Human-induced Degradation of Forests and Devegetation of Other Vegetation Types (IPCC, 2003).

**Air mass** A widespread body of air, the approximately homogeneous properties of which (1) have been established while that air was situated over a particular *region* of the Earth's surface, and (2) undergo specific modifications while in transit away from the source region (AMS, 2000).

**Albedo** The fraction of *solar radiation* reflected by a surface or object, often expressed as a percentage. Snow-covered surfaces have a high albedo, the surface albedo of soils ranges from high to low, and vegetation-covered surfaces and oceans have a low albedo. The Earth's planetary albedo varies mainly through varying cloudiness, snow, ice, leaf area and land cover changes.

**Albedo feedback** A *climate feedback* involving changes in the Earth's *albedo*. It usually refers to changes in the *cryosphere*, which has an albedo much larger ( $\sim 0.8$ ) than the average planetary albedo ( $\sim 0.3$ ). In a warming *climate*, it is anticipated that the cryosphere would shrink, the Earth's overall albedo would decrease and more *solar radiation* would be absorbed to warm the Earth still further.

**Alkalinity** A measure of the capacity of a solution to neutralize acids.

**Altimetry** A technique for measuring the height of the sea, lake or river, land or ice surface with respect to the centre of the Earth within a defined terrestrial reference frame. More conventionally, the height is with respect to a standard *reference ellipsoid* approximating the Earth's oblateness, and can be measured from space by using radar or laser with centimetric precision at present. Altimetry has the advantages of being a geocentric measurement, rather than a measurement relative to the Earth's crust as for a *tide gauge*, and of affording quasi-global coverage.

**Annular modes** Preferred patterns of change in atmospheric circulation corresponding to changes in the zonally averaged mid-latitude westerlies. The *Northern Annular Mode* has a bias to the North Atlantic and has a large correlation with the *North Atlantic Oscillation*. The *Southern Annular Mode* occurs in the Southern Hemisphere. The variability of the mid-latitude westerlies has also been known as *zonal flow* (or *wind*) vacillation, and defined through a *zonal index*. For the corresponding circulation indices, see Box 3.4.

**Anthropogenic** Resulting from or produced by human beings.

**Atlantic Multi-decadal Oscillation (AMO)** A multi-decadal (65 to 75 year) fluctuation in the North Atlantic, in which *sea surface temperatures* showed warm phases during roughly 1860 to 1880 and 1930 to 1960 and cool phases during 1905 to 1925 and 1970 to 1990 with a range of order 0.4°C.

**Atmosphere** The gaseous envelope surrounding the Earth. The dry atmosphere consists almost entirely of nitrogen (78.1% *volume mixing ratio*) and oxygen (20.9% volume mixing ratio), together with a number of trace gases, such as argon (0.93% volume mixing ratio), helium and radiatively active *greenhouse gases* such as *carbon dioxide* (0.035% volume mixing ratio) and *ozone*. In addition, the atmosphere contains the greenhouse gas water vapour, whose amounts are highly variable but typically around 1% volume mixing ratio. The atmosphere also contains clouds and *aerosols*.

**Atmospheric boundary layer** The atmospheric layer adjacent to the Earth's surface that is affected by friction against that boundary

surface, and possibly by transport of heat and other variables across that surface (AMS, 2000). The lowest 10 metres or so of the boundary layer, where mechanical generation of turbulence is dominant, is called the *surface boundary layer* or *surface layer*.

**Atmospheric lifetime** See *Lifetime*.

**Attribution** See *Detection and attribution*.

**Autotrophic respiration** *Respiration* by *photosynthetic* organisms (plants).

**Bayesian method** A Bayesian method is a method by which a statistical analysis of an unknown or uncertain quantity is carried out in two steps. First, a prior probability distribution is formulated on the basis of existing knowledge (either by eliciting expert opinion or by using existing data and studies). At this first stage, an element of subjectivity may influence the choice, but in many cases, the prior probability distribution is chosen as neutrally as possible, in order not to influence the final outcome of the analysis. In the second step, newly acquired data are introduced, using a theorem formulated by and named after the British mathematician Bayes (1702–1761), to update the prior distribution into a posterior distribution.

**Biomass** The total mass of living organisms in a given area or volume; dead plant material can be included as dead biomass.

**Biome** A biome is a major and distinct regional element of the *biosphere*, typically consisting of several *ecosystems* (e.g. *forests*, rivers, ponds, swamps within a *region*). Biomes are characterised by typical communities of plants and animals.

**Biosphere (terrestrial and marine)** The part of the Earth system comprising all *ecosystems* and living organisms, in the *atmosphere*, on land (*terrestrial biosphere*) or in the oceans (*marine biosphere*), including derived dead organic matter, such as litter, soil organic matter and oceanic detritus.

**Black carbon (BC)** Operationally defined *aerosol* species based on measurement of light absorption and chemical reactivity and/or thermal stability; consists of *soot*, *charcoal* and/or possible light-absorbing refractory organic matter (Charlson and Heintzenberg, 1995, p. 401).

**Blocking anticyclone** An anticyclone that remains nearly stationary for a week or more at middle to high latitudes, so that it blocks the normal eastward progression of high- and low-pressure systems.

**Bowen ratio** The ratio of *sensible* to *latent heat fluxes* from the Earth's surface up into the *atmosphere*. Values are low (order 0.1) for wet surfaces like the ocean, and greater than 2 for deserts and *drought* regions.

**Burden** The total mass of a gaseous substance of concern in the *atmosphere*.

**<sup>13</sup>C** Stable isotope of carbon having an atomic weight of approximately 13. Measurements of the ratio of <sup>13</sup>C/<sup>12</sup>C in *carbon dioxide* molecules are used to infer the importance of different *carbon cycle* and *climate* processes and the size of the terrestrial carbon *reservoir*.

**<sup>14</sup>C** Unstable isotope of carbon having an atomic weight of approximately 14, and a half-life of about 5,700 years. It is often used for dating purposes going back some 40 kyr. Its variation in time is affected by the magnetic fields of the Sun and Earth,

which influence its production from cosmic rays (see *Cosmogenic isotopes*).

**C3 plants** Plants that produce a three-carbon compound during *photosynthesis*, including most trees and agricultural crops such as rice, wheat, soybeans, potatoes and vegetables.

**C4 plants** Plants that produce a four-carbon compound during *photosynthesis*, mainly of tropical origin, including grasses and the agriculturally important crops maize, sugar cane, millet and sorghum.

**Carbonaceous aerosol** *Aerosol* consisting predominantly of organic substances and various forms of *black carbon* (Charlson and Heintzenberg, 1995, p. 401).

**Carbon cycle** The term used to describe the flow of carbon (in various forms, e.g., as *carbon dioxide*) through the *atmosphere*, ocean, terrestrial *biosphere* and *lithosphere*.

**Carbon dioxide (CO<sub>2</sub>)** A naturally occurring gas, also a by-product of burning fossil fuels from fossil carbon deposits, such as oil, gas and coal, of burning *biomass* and of *land use* changes and other industrial processes. It is the principal *anthropogenic greenhouse gas* that affects the Earth's radiative balance. It is the reference gas against which other greenhouse gases are measured and therefore has a *Global Warming Potential* of 1.

**Carbon dioxide (CO<sub>2</sub>) fertilization** The enhancement of the growth of plants as a result of increased atmospheric *carbon dioxide* (CO<sub>2</sub>) concentration. Depending on their mechanism of *photosynthesis*, certain types of plants are more sensitive to changes in atmospheric CO<sub>2</sub> concentration. In particular, *C3 plants* generally show a larger response to CO<sub>2</sub> than *C4 plants*.

**CFC** See *Halocarbons*.

**Chaos** A *dynamical system* such as the *climate system*, governed by nonlinear deterministic equations (see *Nonlinearity*), may exhibit erratic or chaotic behaviour in the sense that very small changes in the initial state of the system in time lead to large and apparently unpredictable changes in its temporal evolution. Such chaotic behaviour may limit the *predictability* of nonlinear dynamical systems.

**Charcoal** Material resulting from charring of *biomass*, usually retaining some of the microscopic texture typical of plant tissues; chemically it consists mainly of carbon with a disturbed graphitic structure, with lesser amounts of oxygen and hydrogen (Charlson and Heintzenberg, 1995, p. 402). See *Black carbon*; *Soot*.

**Chronology** Arrangement of events according to dates or times of occurrence.

**Clathrate (methane)** A partly frozen slushy mix of methane gas and ice, usually found in sediments.

**Climate** Climate in a narrow sense is usually defined as the average weather, or more rigorously, as the statistical description in terms of the mean and variability of relevant quantities over a period of time ranging from months to thousands or millions of years. The classical period for averaging these variables is 30 years, as defined by the World Meteorological Organization. The relevant quantities are most often surface variables such as temperature, precipitation and wind. Climate in a wider sense is the state, including a statistical description, of the *climate system*. In various chapters in this report different averaging periods, such as a period of 20 years, are also used.

**Climate change** Climate change refers to a change in the state of the *climate* that can be identified (e.g., by using statistical tests) by changes in the mean and/or the variability of its properties, and that persists for an extended period, typically decades or longer. Climate change may be due to natural internal processes or *external forcings*, or to persistent *anthropogenic* changes in the composition of the *atmosphere* or in *land use*. Note that the *Framework Convention on Climate Change* (UNFCCC), in its Article 1, defines *climate change* as: ‘a change of climate which is attributed directly or indirectly to human activity that alters the composition of the global atmosphere and which is in addition to natural climate variability observed over comparable time periods’. The UNFCCC thus makes a distinction between climate change attributable to human activities altering the atmospheric composition, and *climate variability* attributable to natural causes. See also *Climate variability; Detection and Attribution*.

**Climate change commitment** Due to the thermal inertia of the ocean and slow processes in the *biosphere*, the *cryosphere* and land surfaces, the *climate* would continue to change even if the atmospheric composition were held fixed at today’s values. Past change in atmospheric composition leads to a *committed climate change*, which continues for as long as a radiative imbalance persists and until all components of the *climate system* have adjusted to a new state. The further change in temperature after the composition of the *atmosphere* is held constant is referred to as the *constant composition temperature commitment* or simply *committed warming* or *warming commitment*. Climate change commitment includes other future changes, for example in the hydrological cycle, in *extreme weather* and climate events, and in *sea level change*.

**Climate feedback** An interaction mechanism between processes in the *climate system* is called a climate feedback when the result of an initial process triggers changes in a second process that in turn influences the initial one. A positive feedback intensifies the original process, and a negative feedback reduces it.

**Climate Feedback Parameter** A way to quantify the radiative response of the *climate system* to a *global surface temperature* change induced by a *radiative forcing* (units:  $\text{W m}^{-2} \text{ } ^\circ\text{C}^{-1}$ ). It varies as the inverse of the effective *climate sensitivity*. Formally, the Climate Feedback Parameter ( $\Lambda$ ) is defined as:  $\Lambda = (\Delta Q - \Delta F) / \Delta T$ , where  $Q$  is the global mean radiative forcing,  $T$  is the global mean air surface temperature,  $F$  is the heat flux into the ocean and  $\Delta$  represents a change with respect to an unperturbed *climate*.

**Climate model (spectrum or hierarchy)** A numerical representation of the *climate system* based on the physical, chemical and biological properties of its components, their interactions and *feedback* processes, and accounting for all or some of its known properties. The climate system can be represented by models of varying complexity, that is, for any one component or combination of components a *spectrum* or *hierarchy* of models can be identified, differing in such aspects as the number of spatial dimensions, the extent to which physical, chemical or biological processes are explicitly represented, or the level at which empirical *parametrizations* are involved. Coupled Atmosphere–Ocean General Circulation Models (AOGCMs) provide a representation of the climate system that is near the most comprehensive end of the spectrum currently available. There is an evolution towards more complex models with interactive chemistry and biology (see Chapter 8). Climate models are applied as a research tool to study and simulate the climate, and for operational purposes, including monthly, seasonal and interannual *climate predictions*.

**Climate prediction** A climate prediction or *climate forecast* is the result of an attempt to produce an estimate of the actual evolution

of the *climate* in the future, for example, at seasonal, interannual or long-term time scales. Since the future evolution of the *climate system* may be highly sensitive to initial conditions, such predictions are usually probabilistic in nature. See also *Climate projection; Climate scenario; Predictability*.

**Climate projection** A *projection* of the response of the *climate system* to *emission or concentration scenarios* of *greenhouse gases* and *aerosols*, or *radiative forcing* scenarios, often based upon simulations by *climate models*. Climate projections are distinguished from *climate predictions* in order to emphasize that climate projections depend upon the emission/concentration/radiative forcing scenario used, which are based on assumptions concerning, for example, future socioeconomic and technological developments that may or may not be realised and are therefore subject to substantial *uncertainty*.

**Climate response**  
See *Climate sensitivity*.

**Climate scenario** A plausible and often simplified representation of the future *climate*, based on an internally consistent set of climatological relationships that has been constructed for explicit use in investigating the potential consequences of *anthropogenic climate change*, often serving as input to impact models. *Climate projections* often serve as the raw material for constructing climate scenarios, but climate scenarios usually require additional information such as about the observed current climate. A *climate change scenario* is the difference between a climate scenario and the current climate.

**Climate sensitivity** In IPCC reports, *equilibrium climate sensitivity* refers to the equilibrium change in the annual mean *global surface temperature* following a doubling of the atmospheric *equivalent carbon dioxide concentration*. Due to computational constraints, the equilibrium climate sensitivity in a *climate model* is usually estimated by running an atmospheric general circulation model coupled to a mixed-layer ocean model, because equilibrium climate sensitivity is largely determined by atmospheric processes. Efficient models can be run to equilibrium with a dynamic ocean.

The *effective climate sensitivity* is a related measure that circumvents the requirement of equilibrium. It is evaluated from model output for evolving non-equilibrium conditions. It is a measure of the strengths of the *climate feedbacks* at a particular time and may vary with forcing history and *climate* state. The climate sensitivity parameter (units:  $^\circ\text{C} (\text{W m}^{-2})^{-1}$ ) refers to the equilibrium change in the annual mean *global surface temperature* following a unit change in *radiative forcing*.

The *transient climate response* is the change in the global surface temperature, averaged over a 20-year period, centred at the time of atmospheric carbon dioxide doubling, that is, at year 70 in a 1%  $\text{yr}^{-1}$  compound carbon dioxide increase experiment with a global coupled climate model. It is a measure of the strength and rapidity of the surface temperature response to *greenhouse gas* forcing.

**Climate shift or climate regime shift** An abrupt shift or jump in mean values signalling a change in *regime*. Most widely used in conjunction with the 1976/1977 climate shift that seems to correspond to a change in *El Niño–Southern Oscillation* behavior.

**Climate system** The climate system is the highly complex system consisting of five major components: the *atmosphere*, the *hydrosphere*, the *cryosphere*, the land surface and the *biosphere*, and the interactions between them. The climate system evolves in time under the influence of its own internal dynamics and because of *external forcings* such as volcanic eruptions, solar variations and

*anthropogenic* forcings such as the changing composition of the atmosphere and *land use change*.

**Climate variability** Climate variability refers to variations in the mean state and other statistics (such as standard deviations, the occurrence of extremes, etc.) of the *climate* on all *spatial and temporal scales* beyond that of individual weather events. Variability may be due to natural internal processes within the *climate system* (*internal variability*), or to variations in natural or *anthropogenic external forcing* (*external variability*). See also *Climate change*.

**Cloud condensation nuclei (CCN)** Airborne particles that serve as an initial site for the condensation of liquid water, which can lead to the formation of cloud droplets. See also *Aerosols*.

**Cloud feedback** A *climate feedback* involving changes in any of the properties of clouds as a response to other atmospheric changes. Understanding cloud feedbacks and determining their magnitude and sign require an understanding of how a change in *climate* may affect the spectrum of cloud types, the cloud fraction and height, and the radiative properties of clouds, and an estimate of the impact of these changes on the Earth's radiation budget. At present, cloud feedbacks remain the largest source of *uncertainty in climate sensitivity* estimates. See also *Cloud radiative forcing*; *Radiative forcing*.

**Cloud radiative forcing** Cloud radiative forcing is the difference between the all-sky Earth's radiation budget and the clear-sky Earth's radiation budget (units:  $W\ m^{-2}$ ).

**CO<sub>2</sub>-equivalent** See *Equivalent carbon dioxide*.

**Confidence** The *level of confidence* in the correctness of a result is expressed in this report, using a standard terminology defined in Box 1.1. See also *Likelihood*; *Uncertainty*.

**Convection** Vertical motion driven by buoyancy forces arising from static instability, usually caused by near-surface cooling or increases in salinity in the case of the ocean and near-surface warming in the case of the *atmosphere*. At the location of convection, the horizontal scale is approximately the same as the vertical scale, as opposed to the large contrast between these scales in the *general circulation*. The net vertical mass transport is usually much smaller than the upward and downward exchange.

**Cosmogenic isotopes** Rare isotopes that are created when a high-energy cosmic ray interacts with the nucleus of an *in situ* atom. They are often used as indications of solar magnetic activity (which can shield cosmic rays) or as tracers of atmospheric transport, and are also called *cosmogenic nuclides*.

**Cryosphere** The component of the *climate system* consisting of all snow, ice and *frozen ground* (including *permafrost*) on and beneath the surface of the Earth and ocean. See also *Glacier*; *Ice sheet*.

**Dansgaard-Oeschger events** Abrupt warming events followed by gradual cooling. The abrupt warming and gradual cooling is primarily seen in Greenland *ice cores* and in *palaeoclimate* records from the nearby North Atlantic, while a more general warming followed by a gradual cooling has been observed in other areas as well, at intervals of 1.5 to 7 kyr during glacial times.

**Deforestation** Conversion of forest to non-forest. For a discussion of the term *forest* and related terms such as *afforestation*, *reforestation*, and deforestation see the IPCC Special Report on Land Use, Land-Use Change and Forestry (IPCC, 2000). See also the report on Definitions and Methodological Options to Inventory

Emissions from Direct Human-induced Degradation of Forests and Devegetation of Other Vegetation Types (IPCC, 2003).

**Desertification** Land degradation in arid, semi-arid, and dry sub-humid areas resulting from various factors, including climatic variations and human activities. The United Nations Convention to Combat Desertification defines land degradation as a reduction or loss in arid, semi-arid, and dry sub-humid areas, of the biological or economic productivity and complexity of rain-fed cropland, irrigated cropland, or range, pasture, *forest*, and woodlands resulting from *land uses* or from a process or combination of processes, including processes arising from human activities and habitation patterns, such as (i) soil erosion caused by wind and/or water; (ii) deterioration of the physical, chemical and biological or economic properties of soil; and (iii) long-term loss of natural vegetation.

**Detection and attribution** *Climate* varies continually on all time scales. *Detection of climate change* is the process of demonstrating that climate has changed in some defined statistical sense, without providing a reason for that change. *Attribution* of causes of climate change is the process of establishing the most likely causes for the detected change with some defined level of *confidence*.

**Diatoms** Silt-sized algae that live in surface waters of lakes, rivers and oceans and form shells of opal. Their species distribution in ocean cores is often related to past *sea surface temperatures*.

**Diurnal temperature range** The difference between the maximum and minimum temperature during a 24-hour period.

**Dobson unit (DU)** A unit to measure the total amount of *ozone* in a vertical column above the Earth's surface (*total column ozone*). The number of Dobson units is the thickness in units of  $10^{-5}$  m that the ozone column would occupy if compressed into a layer of uniform density at a pressure of 1,013 hPa and a temperature of 0°C. One DU corresponds to a column of ozone containing  $2.69 \times 1,020$  molecules per square metre. A typical value for the amount of ozone in a column of the Earth's atmosphere, although very variable, is 300 DU.

**Downscaling** Downscaling is a method that derives local- to regional-scale (10 to 100 km) information from larger-scale models or data analyses. Two main methods are distinguished: *dynamical downscaling* and *empirical/statistical downscaling*. The dynamical method uses the output of regional *climate models*, global models with variable spatial resolution or high-resolution global models. The empirical/statistical methods develop statistical relationships that link the large-scale atmospheric variables with local/regional climate variables. In all cases, the quality of the downscaled product depends on the quality of the driving model.

**Drought** In general terms, drought is a 'prolonged absence or marked deficiency of precipitation', a 'deficiency that results in water shortage for some activity or for some group', or a 'period of abnormally dry weather sufficiently prolonged for the lack of precipitation to cause a serious hydrological imbalance' (Heim, 2002). Drought has been defined in a number of ways. *Agricultural drought* relates to moisture deficits in the topmost 1 metre or so of soil (the root zone) that affect crops, *meteorological drought* is mainly a prolonged deficit of precipitation, and *hydrologic drought* is related to below-normal streamflow, lake and groundwater levels. A *megadrought* is a long-drawn out and pervasive drought, lasting much longer than normal, usually a decade or more. For further information, see Box 3.1.

**Dynamical system** A process or set of processes whose evolution in time is governed by a set of deterministic physical laws. The *climate system* is a dynamical system. See *Abrupt climate change*; *Chaos*; *Nonlinearity*; *Predictability*.

**Ecosystem** A system of living organisms interacting with each other and their physical environment. The boundaries of what could be called an ecosystem are somewhat arbitrary, depending on the focus of interest or study. Thus, the extent of an ecosystem may range from very small spatial scales to, ultimately, the entire Earth.

**Efficacy** A measure of how effective a *radiative forcing* from a given *anthropogenic* or natural mechanism is at changing the equilibrium *global surface temperature* compared to an equivalent *radiative forcing* from *carbon dioxide*. A carbon dioxide increase by definition has an efficacy of 1.0.

**Ekman pumping** Frictional stress at the surface between two fluids (*atmosphere* and ocean) or between a fluid and the adjacent solid surface (Earth's surface) forces a circulation. When the resulting mass transport is converging, mass conservation requires a vertical flow away from the surface. This is called Ekman pumping. The opposite effect, in case of divergence, is called *Ekman suction*. The effect is important in both the *atmosphere* and the ocean.

**Ekman transport** The total transport resulting from a balance between the Coriolis force and the frictional stress due to the action of the wind on the ocean surface. See also *Ekman pumping*.

**El Niño-Southern Oscillation (ENSO)** The term *El Niño* was initially used to describe a warm-water current that periodically flows along the coast of Ecuador and Perú, disrupting the local fishery. It has since become identified with a basin-wide warming of the tropical Pacific Ocean east of the dateline. This oceanic event is associated with a fluctuation of a global-scale tropical and subtropical surface pressure pattern called the Southern Oscillation. This coupled *atmosphere*-ocean phenomenon, with preferred time scales of two to about seven years, is collectively known as the El Niño-Southern Oscillation (ENSO). It is often measured by the surface pressure anomaly difference between Darwin and Tahiti and the *sea surface temperatures* in the central and eastern equatorial Pacific. During an ENSO event, the prevailing trade winds weaken, reducing upwelling and altering ocean currents such that the sea surface temperatures warm, further weakening the trade winds. This event has a great impact on the wind, sea surface temperature and precipitation patterns in the tropical Pacific. It has climatic effects throughout the Pacific *region* and in many other parts of the world, through global *teleconnections*. The cold phase of ENSO is called *La Niña*.

**Emission scenario** A plausible representation of the future development of emissions of substances that are potentially radiatively active (e.g., *greenhouse gases*, *aerosols*), based on a coherent and internally consistent set of assumptions about driving forces (such as demographic and socioeconomic development, technological change) and their key relationships. *Concentration scenarios*, derived from emission scenarios, are used as input to a *climate model* to compute *climate projections*. In IPCC (1992) a set of emission scenarios was presented which were used as a basis for the climate projections in IPCC (1996). These emission scenarios are referred to as the IS92 scenarios. In the IPCC Special Report on Emission Scenarios (Nakićenović and Swart, 2000) new emission scenarios, the so-called SRES scenarios, were published, some of which were used, among others, as a basis for the climate projections presented in Chapters 9 to 11 of IPCC (2001) and Chapters 10 and 11 of this report. For the meaning of some terms related to these scenarios, see *SRES scenarios*.

**Energy balance** The difference between the total incoming and total outgoing energy. If this balance is positive, warming occurs; if it is negative, cooling occurs. Averaged over the globe and over long time periods, this balance must be zero. Because the *climate system* derives virtually all its energy from the Sun, zero balance

implies that, globally, the amount of incoming *solar radiation* on average must be equal to the sum of the outgoing reflected solar radiation and the outgoing *thermal infrared radiation* emitted by the climate system. A perturbation of this global radiation balance, be it *anthropogenic* or natural, is called *radiative forcing*.

**Ensemble** A group of parallel model simulations used for *climate projections*. Variation of the results across the ensemble members gives an estimate of *uncertainty*. Ensembles made with the same model but different initial conditions only characterise the uncertainty associated with internal *climate variability*, whereas multi-model ensembles including simulations by several models also include the impact of model differences. Perturbed-parameter ensembles, in which model parameters are varied in a systematic manner, aim to produce a more objective estimate of modelling uncertainty than is possible with traditional multi-model ensembles.

**Equilibrium and transient climate experiment** An *equilibrium climate experiment* is an experiment in which a *climate model* is allowed to fully adjust to a change in *radiative forcing*. Such experiments provide information on the difference between the initial and final states of the model, but not on the time-dependent response. If the forcing is allowed to evolve gradually according to a prescribed *emission scenario*, the time-dependent response of a climate model may be analysed. Such an experiment is called a *transient climate experiment*. See *Climate projection*.

**Equilibrium line** The boundary between the region on a *glacier* where there is a net annual loss of ice mass (ablation area) and that where there is a net annual gain (accumulation area). The altitude of this boundary is referred to as *equilibrium line altitude*.

#### Equivalent carbon dioxide (CO<sub>2</sub>) concentration

The concentration of *carbon dioxide* that would cause the same amount of *radiative forcing* as a given mixture of carbon dioxide and other *greenhouse gases*.

**Equivalent carbon dioxide (CO<sub>2</sub>) emission** The amount of *carbon dioxide* emission that would cause the same integrated *radiative forcing*, over a given time horizon, as an emitted amount of a well mixed *greenhouse gas* or a mixture of well mixed greenhouse gases. The equivalent carbon dioxide emission is obtained by multiplying the emission of a well mixed greenhouse gas by its *Global Warming Potential* for the given time horizon. For a mix of greenhouse gases it is obtained by summing the equivalent carbon dioxide emissions of each gas. Equivalent carbon dioxide emission is a standard and useful *metric* for comparing emissions of different greenhouse gases but does not imply exact equivalence of the corresponding *climate change* responses (see Section 2.10).

**Evapotranspiration** The combined process of evaporation from the Earth's surface and transpiration from vegetation.

**External forcing** External forcing refers to a forcing agent outside the *climate system* causing a change in the climate system. Volcanic eruptions, solar variations and *anthropogenic* changes in the composition of the *atmosphere* and *land use change* are external forcings.

**Extreme weather event** An extreme weather event is an event that is rare at a particular place and time of year. Definitions of *rare* vary, but an extreme weather event would normally be as rare as or rarer than the 10th or 90th *percentile* of the observed *probability density function*. By definition, the characteristics of what is called *extreme weather* may vary from place to place in an absolute sense. Single extreme events cannot be simply and directly attributed to

*anthropogenic* climate change, as there is always a finite chance the event in question might have occurred naturally. When a pattern of extreme weather persists for some time, such as a season, it may be classed as an *extreme climate event*, especially if it yields an average or total that is itself extreme (e.g., *drought* or heavy rainfall over a season).

**Faculae** Bright patches on the Sun. The area covered by faculae is greater during periods of high *solar activity*.

**Feedback** See *Climate feedback*.

**Fingerprint** The *climate* response pattern in space and/or time to a specific forcing is commonly referred to as a fingerprint. Fingerprints are used to detect the presence of this response in observations and are typically estimated using forced *climate model* simulations.

**Flux adjustment** To avoid the problem of coupled *Atmosphere-Ocean General Circulation Models* (AOGCMs) drifting into some unrealistic *climate* state, adjustment terms can be applied to the atmosphere-ocean fluxes of heat and moisture (and sometimes the surface stresses resulting from the effect of the wind on the ocean surface) before these fluxes are imposed on the model ocean and atmosphere. Because these adjustments are pre-computed and therefore independent of the coupled model integration, they are uncorrelated with the anomalies that develop during the integration. Chapter 8 of this report concludes that most models used in this report (Fourth Assessment Report AOGCMs) do not use flux adjustments, and that in general, fewer models use them.

**Forest** A vegetation type dominated by trees. Many definitions of the term *forest* are in use throughout the world, reflecting wide differences in biogeophysical conditions, social structure and economics. For a discussion of the term *forest* and related terms such as *afforestation*, *reforestation* and *deforestation* see the IPCC Report on Land Use, Land-Use Change and Forestry (IPCC, 2000). See also the Report on Definitions and Methodological Options to Inventory Emissions from Direct Human-induced Degradation of Forests and Devegetation of Other Vegetation Types (IPCC, 2003).

**Fossil fuel emissions** Emissions of *greenhouse gases* (in particular *carbon dioxide*) resulting from the combustion of fuels from fossil carbon deposits such as oil, gas and coal.

**Framework Convention on Climate Change** See *United Nations Framework Convention on Climate Change* (UNFCCC).

### Free atmosphere

The atmospheric layer that is negligibly affected by friction against the Earth's surface, and which is above the *atmospheric boundary layer*.

**Frozen ground** Soil or rock in which part or all of the *pore water* is frozen (Van Everdingen, 1998). Frozen ground includes *permafrost*. Ground that freezes and thaws annually is called *seasonally frozen ground*.

**General circulation** The large-scale motions of the *atmosphere* and the ocean as a consequence of differential heating on a rotating Earth, which tend to restore the *energy balance* of the system through transport of heat and momentum.

**General Circulation Model (GCM)** See *Climate model*.

**Geoid** The equipotential surface (i.e., having the same gravity potential at each point) that best fits the mean sea level (see *relative sea level*) in the absence of astronomical tides; ocean circulations;

hydrological, cryospheric and atmospheric effects; Earth rotation variations and polar motion; nutation and precession; tectonics and other effects such as *post-glacial rebound*. The geoid is global and extends over continents, oceans and *ice sheets*, and at present includes the effect of the permanent tides (zero-frequency gravitational effect from the Sun and the Moon). It is the surface of reference for astronomical observations, geodetic levelling, and for ocean, hydrological, glaciological and climate modelling. In practice, there exist various operational definitions of the geoid, depending on the way the time-variable effects mentioned above are modelled.

**Geostrophic winds or currents** A wind or current that is in balance with the horizontal pressure gradient and the Coriolis force, and thus is outside of the influence of friction. Thus, the wind or current is directly parallel to isobars and its speed is inversely proportional to the spacing of the isobaric contours.

**Glacial isostatic adjustment** See *Post-glacial rebound*.

**Glacier** A mass of land ice that flows downhill under gravity (through internal deformation and/or sliding at the base) and is constrained by internal stress and friction at the base and sides. A glacier is maintained by accumulation of snow at high altitudes, balanced by melting at low altitudes or discharge into the sea. See *Equilibrium line*; *Mass balance*.

**Global dimming** Global dimming refers to perceived widespread reduction of *solar radiation* received at the surface of the Earth from about the year 1961 to around 1990.

**Global surface temperature** The global surface temperature is an estimate of the global mean surface air temperature. However, for changes over time, only anomalies, as departures from a climatology, are used, most commonly based on the area-weighted global average of the *sea surface temperature* anomaly and *land surface air temperature* anomaly.

**Global Warming Potential (GWP)** An index, based upon radiative properties of well-mixed *greenhouse gases*, measuring the *radiative forcing* of a unit mass of a given well-mixed greenhouse gas in the present-day *atmosphere* integrated over a chosen time horizon, relative to that of *carbon dioxide*. The GWP represents the combined effect of the differing times these gases remain in the atmosphere and their relative effectiveness in absorbing outgoing *thermal infrared radiation*. The *Kyoto Protocol* is based on GWPs from pulse emissions over a 100-year time frame.

**Greenhouse effect** *Greenhouse gases* effectively absorb *thermal infrared radiation*, emitted by the Earth's surface, by the *atmosphere* itself due to the same gases, and by clouds. Atmospheric radiation is emitted to all sides, including downward to the Earth's surface. Thus, greenhouse gases trap heat within the surface-*troposphere* system. This is called the *greenhouse effect*. Thermal infrared radiation in the troposphere is strongly coupled to the temperature of the atmosphere at the altitude at which it is emitted. In the troposphere, the temperature generally decreases with height. Effectively, infrared radiation emitted to space originates from an altitude with a temperature of, on average,  $-19^{\circ}\text{C}$ , in balance with the net incoming *solar radiation*, whereas the Earth's surface is kept at a much higher temperature of, on average,  $+14^{\circ}\text{C}$ . An increase in the concentration of greenhouse gases leads to an increased infrared opacity of the atmosphere, and therefore to an effective radiation into space from a higher altitude at a lower temperature. This causes a *radiative forcing* that leads to an enhancement of the greenhouse effect, the so-called *enhanced greenhouse effect*.

**Greenhouse gas (GHG)** Greenhouse gases are those gaseous constituents of the *atmosphere*, both natural and *anthropogenic*, that absorb and emit radiation at specific wavelengths within the spectrum of *thermal infrared radiation* emitted by the Earth's surface, the atmosphere itself, and by clouds. This property causes the *greenhouse effect*. Water vapour (H<sub>2</sub>O), *carbon dioxide* (CO<sub>2</sub>), nitrous oxide (N<sub>2</sub>O), methane (CH<sub>4</sub>) and *ozone* (O<sub>3</sub>) are the primary greenhouse gases in the Earth's atmosphere. Moreover, there are a number of entirely human-made greenhouse gases in the atmosphere, such as the *halocarbons* and other chlorine- and bromine-containing substances, dealt with under the *Montreal Protocol*. Beside CO<sub>2</sub>, N<sub>2</sub>O and CH<sub>4</sub>, the *Kyoto Protocol* deals with the greenhouse gases sulphur hexafluoride (SF<sub>6</sub>), hydrofluorocarbons (HFCs) and perfluorocarbons (PFCs).

**Gross Primary Production (GPP)** The amount of energy fixed from the *atmosphere* through *photosynthesis*.

**Ground ice** A general term referring to all types of ice contained in freezing and seasonally *frozen ground* and *permafrost* (Van Everdingen, 1998).

**Ground temperature** The temperature of the ground near the surface (often within the first 10 cm). It is often called *soil temperature*.

**Grounding line/zone** The junction between a *glacier* or *ice sheet* and *ice shelf*; the place where ice starts to float.

**Gyre** Basin-scale ocean horizontal circulation pattern with slow flow circulating around the ocean basin, closed by a strong and narrow (100–200 km wide) boundary current on the western side. The subtropical gyres in each ocean are associated with high pressure in the centre of the gyres; the subpolar gyres are associated with low pressure.

**Hadley Circulation** A direct, thermally driven overturning cell in the *atmosphere* consisting of poleward flow in the upper *troposphere*, subsiding air into the subtropical anticyclones, return flow as part of the trade winds near the surface, and with rising air near the equator in the so-called *Inter-Tropical Convergence Zone*.

**Halocarbons** A collective term for the group of partially halogenated organic species, including the chlorofluorocarbons (CFCs), hydrochlorofluorocarbons (HCFCs), hydrofluorocarbons (HFCs), halons, methyl chloride, methyl bromide, etc. Many of the halocarbons have large *Global Warming Potentials*. The chlorine- and bromine-containing halocarbons are also involved in the depletion of the *ozone layer*.

**Halosteric** See *Sea level change*.

**HCFC** See *Halocarbons*.

**HFC** See *Halocarbons*.

**Heterotrophic respiration** The conversion of organic matter to *carbon dioxide* by organisms other than plants.

**Holocene** The Holocene geological epoch is the latter of two *Quaternary* epochs, extending from about 11.6 ka to and including the present.

**Hydrosphere** The component of the *climate system* comprising liquid surface and subterranean water, such as oceans, seas, rivers, fresh water lakes, underground water, etc.

**Ice age** An ice age or *glacial period* is characterised by a long-term reduction in the temperature of the Earth's *climate*,

resulting in growth of continental *ice sheets* and mountain *glaciers* (*glaciation*).

**Ice cap** A dome shaped ice mass, usually covering a highland area, which is considerably smaller in extent than an *ice sheet*.

**Ice core** A cylinder of ice drilled out of a *glacier* or *ice sheet*.

**Ice sheet** A mass of land ice that is sufficiently deep to cover most of the underlying bedrock topography, so that its shape is mainly determined by its dynamics (the flow of the ice as it deforms internally and/or slides at its base). An ice sheet flows outward from a high central ice plateau with a small average surface slope. The margins usually slope more steeply, and most ice is discharged through fast-flowing *ice streams* or outlet *glaciers*, in some cases into the sea or into *ice shelves* floating on the sea. There are only three large ice sheets in the modern world, one on Greenland and two on Antarctica, the East and West Antarctic Ice Sheets, divided by the Transantarctic Mountains. During glacial periods there were others.

**Ice shelf** A floating slab of ice of considerable thickness extending from the coast (usually of great horizontal extent with a level or gently sloping surface), often filling embayments in the coastline of the *ice sheets*. Nearly all ice shelves are in Antarctica, where most of the ice discharged seaward flows into ice shelves.

**Ice stream** A stream of ice flowing faster than the surrounding *ice sheet*. It can be thought of as a *glacier* flowing between walls of slower-moving ice instead of rock.

**Indirect aerosol effect** *Aerosols* may lead to an indirect *radiative forcing* of the *climate system* through acting as *cloud condensation nuclei* or modifying the optical properties and lifetime of clouds. Two indirect effects are distinguished:

**Cloud albedo effect** A radiative forcing induced by an increase in *anthropogenic* aerosols that cause an initial increase in droplet concentration and a decrease in droplet size for fixed liquid water content, leading to an increase in cloud *albedo*. This effect is also known as the *first indirect effect* or *Twomey effect*.

**Cloud lifetime effect** A forcing induced by an increase in anthropogenic aerosols that cause a decrease in droplet size, reducing the precipitation efficiency, thereby modifying the liquid water content, cloud thickness and cloud life time. This effect is also known as the *second indirect effect* or *Albrecht effect*.

Apart from these indirect effects, aerosols may have a *semi-direct effect*. This refers to the absorption of *solar radiation* by absorbing aerosol, which heats the air and tends to increase the static stability relative to the surface. It may also cause evaporation of cloud droplets.

**Industrial revolution** A period of rapid industrial growth with far-reaching social and economic consequences, beginning in Britain during the second half of the eighteenth century and spreading to Europe and later to other countries including the United States. The invention of the steam engine was an important trigger of this development. The industrial revolution marks the beginning of a strong increase in the use of fossil fuels and emission of, in particular, fossil *carbon dioxide*. In this report the terms *pre-industrial* and *industrial* refer, somewhat arbitrarily, to the periods before and after 1750, respectively.

**Infrared radiation** See *Thermal infrared radiation*.

**Insolation** The amount of *solar radiation* reaching the Earth by latitude and by season. Usually *insolation* refers to the radiation arriving at the top of the *atmosphere*. Sometimes it is specified as referring to the radiation arriving at the Earth's surface. See also: *Total Solar Irradiance*.

**Interglacials** The warm periods between *ice age* glaciations. The previous interglacial, dated approximately from 129 to 116 ka, is referred to as the *Last Interglacial* (AMS, 2000)

**Internal variability** See *Climate variability*.

**Inter-Tropical Convergence Zone (ITCZ)** The Inter-Tropical Convergence Zone is an equatorial zonal belt of low pressure near the equator where the northeast trade winds meet the southeast trade winds. As these winds converge, moist air is forced upward, resulting in a band of heavy precipitation. This band moves seasonally.

**Isostatic or Isostasy** Isostasy refers to the way in which the *lithosphere* and mantle respond visco-elastically to changes in surface loads. When the loading of the lithosphere and/or the mantle is changed by alterations in land ice mass, ocean mass, sedimentation, erosion or mountain building, vertical isostatic adjustment results, in order to balance the new load.

**Kyoto Protocol** The Kyoto Protocol to the *United Nations Framework Convention on Climate Change* (UNFCCC) was adopted in 1997 in Kyoto, Japan, at the Third Session of the Conference of the Parties (COP) to the UNFCCC. It contains legally binding commitments, in addition to those included in the UNFCCC. Countries included in Annex B of the Protocol (most Organisation for Economic Cooperation and Development countries and countries with economies in transition) agreed to reduce their *anthropogenic greenhouse gas* emissions (*carbon dioxide*, methane, nitrous oxide, hydrofluorocarbons, perfluorocarbons, and sulphur hexafluoride) by at least 5% below 1990 levels in the commitment period 2008 to 2012. The Kyoto Protocol entered into force on 16 February 2005.

**Land use and Land use change** *Land use* refers to the total of arrangements, activities and inputs undertaken in a certain land cover type (a set of human actions). The term land use is also used in the sense of the social and economic purposes for which land is managed (e.g., grazing, timber extraction and conservation). *Land use change* refers to a change in the use or management of land by humans, which may lead to a change in land cover. Land cover and land use change may have an impact on the surface *albedo*, *evapotranspiration*, *sources* and *sinks* of *greenhouse gases*, or other properties of the *climate system* and may thus have a *radiative forcing* and/or other impacts on *climate*, locally or globally. See also the IPCC Report on Land Use, Land-Use Change, and Forestry (IPCC, 2000).

**La Niña** See *El Niño-Southern Oscillation*.

**Land surface air temperature** The surface air temperature as measured in well-ventilated screens over land at 1.5 m above the ground.

**Lapse rate** The rate of change of an atmospheric variable, usually temperature, with height. The lapse rate is considered positive when the variable decreases with height.

**Last Glacial Maximum (LGM)** The Last Glacial Maximum refers to the time of maximum extent of the *ice sheets* during the last glaciation, approximately 21 ka. This period has been widely studied because the *radiative forcings* and boundary conditions are relatively well known and because the global cooling during that period is comparable with the projected warming over the 21st century.

**Last Interglacial (LIG)** See *Interglacial*.

**Latent heat flux** The flux of heat from the Earth's surface to the *atmosphere* that is associated with evaporation or condensation of water vapour at the surface; a component of the surface energy budget.

**Level of Scientific Understanding (LOSU)** This is an index on a 5-step scale (high, medium, medium-low, low and very low) designed to characterise the degree of scientific understanding of the *radiative forcing* agents that affect *climate change*. For each agent, the index represents a subjective judgement about the evidence for the physical/chemical mechanisms determining the forcing and the consensus surrounding the quantitative estimate and its *uncertainty*.

**Lifetime** Lifetime is a general term used for various time scales characterising the rate of processes affecting the concentration of trace gases. The following lifetimes may be distinguished:

*Turnover time (T)* (also called *global atmospheric lifetime*) is the ratio of the mass *M* of a *reservoir* (e.g., a gaseous compound in the *atmosphere*) and the total rate of removal *S* from the reservoir:  $T = M / S$ . For each removal process, separate turnover times can be defined. In soil carbon biology, this is referred to as *Mean Residence Time*.

*Adjustment time* or *response time (T<sub>a</sub>)* is the time scale characterising the decay of an instantaneous pulse input into the reservoir. The term adjustment time is also used to characterise the adjustment of the mass of a reservoir following a step change in the *source* strength. *Half-life* or *decay constant* is used to quantify a first-order exponential decay process. See *response time* for a different definition pertinent to *climate* variations.

The term *lifetime* is sometimes used, for simplicity, as a surrogate for *adjustment time*.

In simple cases, where the global removal of the compound is directly proportional to the total mass of the reservoir, the adjustment time equals the turnover time:  $T = T_a$ . An example is *CFC-11*, which is removed from the *atmosphere* only by photochemical processes in the *stratosphere*. In more complicated cases, where several reservoirs are involved or where the removal is not proportional to the total mass, the equality  $T = T_a$  no longer holds. *Carbon dioxide (CO<sub>2</sub>)* is an extreme example. Its turnover time is only about four years because of the rapid exchange between the atmosphere and the ocean and terrestrial biota. However, a large part of that CO<sub>2</sub> is returned to the atmosphere within a few years. Thus, the adjustment time of CO<sub>2</sub> in the atmosphere is actually determined by the rate of removal of carbon from the surface layer of the oceans into its deeper layers. Although an approximate value of 100 years may be given for the adjustment time of CO<sub>2</sub> in the atmosphere, the actual adjustment is faster initially and slower later on. In the case of methane (CH<sub>4</sub>), the adjustment time is different from the turnover time because the removal is mainly through a chemical reaction with the hydroxyl radical OH, the concentration of which itself depends on the CH<sub>4</sub> concentration. Therefore, the CH<sub>4</sub> removal rate *S* is not proportional to its total mass *M*.

**Likelihood** The likelihood of an occurrence, an outcome or a result, where this can be estimated probabilistically, is expressed in this report using a standard terminology, defined in Box 1.1. See also *Uncertainty*; *Confidence*.

**Lithosphere** The upper layer of the solid Earth, both continental and oceanic, which comprises all crustal rocks and the cold, mainly elastic part of the uppermost mantle. Volcanic activity, although part of the lithosphere, is not considered as part of the *climate system*, but acts as an *external forcing* factor. See *Isostatic*.

**Little Ice Age (LIA)** An interval between approximately AD 1400 and 1900 when temperatures in the Northern Hemisphere were generally colder than today's, especially in Europe.



**Mass balance (of glaciers, ice caps or ice sheets)** The balance between the mass input to the ice body (accumulation) and the mass loss (ablation, iceberg calving). Mass balance terms include the following:

*Specific mass balance*: net mass loss or gain over a hydrological cycle at a point on the surface of a *glacier*.

*Total mass balance* (of the glacier): The specific mass balance spatially integrated over the entire glacier area; the total mass a glacier gains or loses over a hydrological cycle.

*Mean specific mass balance*: The total mass balance per unit area of the glacier. If *surface* is specified (*specific surface mass balance*, etc.) then ice flow contributions are not considered; otherwise, mass balance includes contributions from ice flow and iceberg calving. The specific surface mass balance is positive in the accumulation area and negative in the ablation area.

**Mean sea level** See *Relative sea level*.

**Medieval Warm Period (MWP)** An interval between AD 1000 and 1300 in which some Northern Hemisphere *regions* were warmer than during the *Little Ice Age* that followed.

**Meridional Overturning Circulation (MOC)** Meridional (north-south) overturning circulation in the ocean quantified by zonal (east-west) sums of mass transports in depth or density layers. In the North Atlantic, away from the subpolar *regions*, the MOC (which is in principle an observable quantity) is often identified with the *Thermohaline Circulation* (THC), which is a conceptual interpretation. However, it must be borne in mind that the MOC can also include shallower, wind-driven overturning cells such as occur in the upper ocean in the tropics and subtropics, in which warm (light) waters moving poleward are transformed to slightly denser waters and *subducted* equatorward at deeper levels.

**Metadata** Information about meteorological and climatological data concerning how and when they were measured, their quality, known problems and other characteristics.

**Metric** A consistent measurement of a characteristic of an object or activity that is otherwise difficult to quantify.

**Mitigation** A human intervention to reduce the *sources* or enhance the *sinks* of *greenhouse gases*.

**Mixing ratio** See *Mole fraction*.

**Model hierarchy** See *Climate model* (spectrum or hierarchy).

**Modes of climate variability** Natural variability of the *climate system*, in particular on seasonal and longer time scales, predominantly occurs with preferred spatial patterns and time scales, through the dynamical characteristics of the atmospheric circulation and through interactions with the land and ocean surfaces. Such patterns are often called *regimes*, *modes* or *teleconnections*. Examples are the *North Atlantic Oscillation* (NAO), the *Pacific-North American pattern* (PNA), the *El Niño-Southern Oscillation* (ENSO), the *Northern Annular Mode* (NAM; previously called Arctic Oscillation, AO) and the *Southern Annular Mode* (SAM; previously called the Antarctic Oscillation, AAO). Many of the prominent modes of climate variability are discussed in section 3.6. See also *Patterns of climate variability*.

**Mole fraction** Mole fraction, or *mixing ratio*, is the ratio of the number of moles of a constituent in a given volume to the total number of moles of all constituents in that volume. It is usually reported for dry air. Typical values for long-lived *greenhouse gases* are in the order of  $\mu\text{mol mol}^{-1}$  (parts per million: *ppm*),  $\text{nmol mol}^{-1}$  (parts per billion: *ppb*), and  $\text{fmol mol}^{-1}$  (parts per trillion: *ppt*). Mole

fraction differs from *volume mixing ratio*, often expressed in ppmv etc., by the corrections for non-ideality of gases. This correction is significant relative to measurement precision for many greenhouse gases. (Schwartz and Warneck, 1995).

**Monsoon** A monsoon is a tropical and subtropical seasonal reversal in both the surface winds and associated precipitation, caused by differential heating between a continental-scale land mass and the adjacent ocean. Monsoon rains occur mainly over land in summer.

**Montreal Protocol** The Montreal Protocol on Substances that Deplete the Ozone Layer was adopted in Montreal in 1987, and subsequently adjusted and amended in London (1990), Copenhagen (1992), Vienna (1995), Montreal (1997) and Beijing (1999). It controls the consumption and production of chlorine- and bromine-containing chemicals that destroy stratospheric *ozone*, such as chlorofluorocarbons, methyl chloroform, carbon tetrachloride and many others.

**Microwave Sounding Unit (MSU)** A satellite-borne microwave sounder that estimates the temperature of thick layers of the *atmosphere* by measuring the thermal emission of oxygen molecules from a complex of emission lines near 60 GHz. A series of nine MSUs began making this kind of measurement in late 1978. Beginning in mid 1998, a follow-on series of instruments, the Advanced Microwave Sounding Units (AMSUs), began operation.

**MSU** See *Microwave Sounding Unit*.

**Nonlinearity** A process is called *nonlinear* when there is no simple proportional relation between cause and effect. The *climate system* contains many such nonlinear processes, resulting in a system with a potentially very complex behaviour. Such complexity may lead to *abrupt climate change*. See also *Chaos*; *Predictability*.

**North Atlantic Oscillation (NAO)** The North Atlantic Oscillation consists of opposing variations of barometric pressure near Iceland and near the Azores. It therefore corresponds to fluctuations in the strength of the main westerly winds across the Atlantic into Europe, and thus to fluctuations in the embedded cyclones with their associated frontal systems. See NAO Index, Box 3.4.

**Northern Annular Mode (NAM)** A winter fluctuation in the amplitude of a pattern characterised by low surface pressure in the Arctic and strong mid-latitude westerlies. The NAM has links with the northern polar vortex into the *stratosphere*. Its pattern has a bias to the North Atlantic and has a large correlation with the *North Atlantic Oscillation*. See NAM Index, Box 3.4.

**Ocean acidification** A decrease in the *pH* of sea water due to the *uptake* of *anthropogenic carbon dioxide*.

**Ocean heat uptake efficiency** This is a measure ( $\text{W m}^{-2} \text{ } ^\circ\text{C}^{-1}$ ) of the rate at which heat storage by the global ocean increases as global surface temperature rises. It is a useful parameter for *climate change* experiments in which the *radiative forcing* is changing monotonically, when it can be compared with the climate sensitivity parameter to gauge the relative importance of climate response and ocean heat uptake in determining the rate of climate change. It can be estimated from a  $1\% \text{ yr}^{-1}$  atmospheric *carbon dioxide* increase experiment as the ratio of the global average top-of-*atmosphere* net downward radiative flux to the *transient climate response* (see *climate sensitivity*).

**Organic aerosol** *Aerosol* particles consisting predominantly of organic compounds, mainly carbon, hydrogen, oxygen and lesser amounts of other elements. (Charlson and Heintzenberg, 1995, p. 405). See *Carbonaceous aerosol*.

**Ozone** Ozone, the triatomic form of oxygen (O<sub>3</sub>), is a gaseous atmospheric constituent. In the *troposphere*, it is created both naturally and by photochemical reactions involving gases resulting from human activities (*smog*). Tropospheric ozone acts as a *greenhouse gas*. In the *stratosphere*, it is created by the interaction between solar ultraviolet radiation and molecular oxygen (O<sub>2</sub>). Stratospheric ozone plays a dominant role in the stratospheric radiative balance. Its concentration is highest in the *ozone layer*.

**Ozone hole** See *Ozone layer*.

**Ozone layer** The *stratosphere* contains a layer in which the concentration of *ozone* is greatest, the so-called ozone layer. The layer extends from about 12 to 40 km above the Earth's surface. The ozone concentration reaches a maximum between about 20 and 25 km. This layer is being depleted by human emissions of chlorine and bromine compounds. Every year, during the Southern Hemisphere spring, a very strong depletion of the ozone layer takes place over the antarctic *region*, caused by *anthropogenic* chlorine and bromine compounds in combination with the specific meteorological conditions of that region. This phenomenon is called the *ozone hole*. See *Montreal Protocol*.

**Pacific decadal variability** Coupled decadal-to-inter-decadal variability of the atmospheric circulation and underlying ocean in the Pacific Basin. It is most prominent in the North Pacific, where fluctuations in the strength of the winter Aleutian Low pressure system co-vary with North Pacific *sea surface temperatures*, and are linked to decadal variations in atmospheric circulation, sea surface temperatures and ocean circulation throughout the whole Pacific Basin. Such fluctuations have the effect of modulating the *El Niño-Southern Oscillation* cycle. Key measures of Pacific decadal variability are the *North Pacific Index (NPI)*, the *Pacific Decadal Oscillation (PDO)* index and the *Inter-decadal Pacific Oscillation (IPO)* index, all defined in Box 3.4.

**Pacific-North American (PNA) pattern** An atmospheric large-scale wave pattern featuring a sequence of tropospheric high- and low-pressure anomalies stretching from the subtropical west Pacific to the east coast of North America. See PNA pattern index, Box 3.4.

**Palaeoclimate** *Climate* during periods prior to the development of measuring instruments, including historic and geologic time, for which only *proxy* climate records are available.

**Parametrization** In *climate models*, this term refers to the technique of representing processes that cannot be explicitly resolved at the spatial or temporal resolution of the model (sub-grid scale processes) by relationships between model-resolved larger-scale flow and the area- or time-averaged effect of such sub-grid scale processes.

**Patterns of climate variability** See *Modes of climate variability*.

**Percentile** A percentile is a value on a scale of one hundred that indicates the percentage of the data set values that is equal to or below it. The percentile is often used to estimate the extremes of a distribution. For example, the 90th (10th) percentile may be used to refer to the threshold for the upper (lower) extremes.

**Permafrost** Ground (soil or rock and included ice and organic material) that remains at or below 0°C for at least two consecutive years (Van Everdingen, 1998).

**pH** pH is a dimensionless measure of the acidity of water (or any solution) given by its concentration of hydrogen ions (H<sup>+</sup>). pH is measured on a logarithmic scale where

$\text{pH} = -\log_{10}(\text{H}^+)$ . Thus, a pH decrease of 1 unit corresponds to a 10-fold increase in the concentration of H<sup>+</sup>, or acidity.

**Photosynthesis** The process by which plants take carbon dioxide from the air (or bicarbonate in water) to build carbohydrates, releasing oxygen in the process. There are several pathways of photosynthesis with different responses to atmospheric carbon dioxide concentrations. See Carbon dioxide fertilization; C3 plants; C4 plants.

**Plankton** Microorganisms living in the upper layers of aquatic systems. A distinction is made between *phytoplankton*, which depend on *photosynthesis* for their energy supply, and *zooplankton*, which feed on phytoplankton.

**Pleistocene** The earlier of two *Quaternary* epochs, extending from the end of the Pliocene, about 1.8 Ma, until the beginning of the *Holocene* about 11.6 ka.

**Pollen analysis** A technique of both relative dating and environmental *reconstruction*, consisting of the identification and counting of pollen types preserved in peat, lake sediments and other deposits. See *Proxy*.

**Post-glacial rebound** The vertical movement of the land and sea floor following the reduction of the load of an ice mass, for example, since the *Last Glacial Maximum* (21 ka). The rebound is an *isostatic* land movement.

**Precipitable water** The total amount of atmospheric water vapour in a vertical column of unit cross-sectional area. It is commonly expressed in terms of the height of the water if completely condensed and collected in a vessel of the same unit cross section.

**Precursors** Atmospheric compounds that are not *greenhouse gases* or *aerosols*, but that have an effect on greenhouse gas or aerosol concentrations by taking part in physical or chemical processes regulating their production or destruction rates.

**Predictability** The extent to which future states of a system may be predicted based on knowledge of current and past states of the system.

Since knowledge of the *climate system*'s past and current states is generally imperfect, as are the models that utilise this knowledge to produce a *climate prediction*, and since the climate system is inherently *nonlinear* and *chaotic*, predictability of the climate system is inherently limited. Even with arbitrarily accurate models and observations, there may still be limits to the predictability of such a nonlinear system (AMS, 2000)

**Pre-industrial** See *Industrial revolution*.

**Probability Density Function (PDF)** A probability density function is a function that indicates the relative chances of occurrence of different outcomes of a variable. The function integrates to unity over the domain for which it is defined and has the property that the integral over a sub-domain equals the probability that the outcome of the variable lies within that sub-domain. For example, the probability that a temperature anomaly defined in a particular way is greater than zero is obtained from its PDF by integrating the PDF over all possible temperature anomalies greater than zero. Probability density functions that describe two or more variables simultaneously are similarly defined.

**Projection** A projection is a potential future evolution of a quantity or set of quantities, often computed with the aid of a model.

Projections are distinguished from *predictions* in order to emphasize that projections involve assumptions concerning, for example, future socioeconomic and technological developments that may or may not be realised, and are therefore subject to substantial *uncertainty*. See also *Climate projection*; *Climate prediction*.

**Proxy** A proxy *climate* indicator is a local record that is interpreted, using physical and biophysical principles, to represent some combination of climate-related variations back in time. Climate-related data derived in this way are referred to as proxy data. Examples of proxies include *pollen analysis*, *tree ring* records, characteristics of corals and various data derived from *ice cores*.

**Quaternary** The period of geological time following the *Tertiary* (65 Ma to 1.8 Ma). Following the current definition (which is under revision at present) the Quaternary extends from 1.8 Ma until the present. It is formed of two epochs, the *Pleistocene* and the *Holocene*.

**Radiative forcing** Radiative forcing is the change in the net, downward minus upward, irradiance (expressed in  $\text{W m}^{-2}$ ) at the *tropopause* due to a change in an external driver of *climate change*, such as, for example, a change in the concentration of *carbon dioxide* or the output of the Sun. Radiative forcing is computed with all tropospheric properties held fixed at their unperturbed values, and after allowing for stratospheric temperatures, if perturbed, to readjust to radiative-dynamical equilibrium. Radiative forcing is called *instantaneous* if no change in stratospheric temperature is accounted for. For the purposes of this report, radiative forcing is further defined as the change relative to the year 1750 and, unless otherwise noted, refers to a global and annual average value. Radiative forcing is not to be confused with *cloud radiative forcing*, a similar terminology for describing an unrelated measure of the impact of clouds on the irradiance at the top of the *atmosphere*.

**Radiative forcing scenario** A plausible representation of the future development of *radiative forcing* associated, for example, with changes in atmospheric composition or *land use change*, or with external factors such as variations in *solar activity*. Radiative forcing scenarios can be used as input into simplified *climate models* to compute *climate projections*.

**Rapid climate change** See *Abrupt climate change*.

**Reanalysis** Reanalyses are atmospheric and oceanic analyses of temperature, wind, current, and other meteorological and oceanographic quantities, created by processing past meteorological and oceanographic data using fixed state-of-the-art weather forecasting models and data assimilation techniques. Using fixed data assimilation avoids effects from the changing analysis system that occurs in operational analyses. Although continuity is improved, global reanalyses still suffer from changing coverage and biases in the observing systems.

**Reconstruction** The use of *climate* indicators to help determine (generally past) climates.

**Reforestation** Planting of forests on lands that have previously contained forests but that have been converted to some other use. For a discussion of the term *forest* and related terms such as *afforestation*, reforestation and *deforestation*, see the IPCC Report on Land Use, Land-Use Change and Forestry (IPCC, 2000). See also the Report on Definitions and Methodological Options to Inventory Emissions from Direct Human-induced Degradation of Forests and Devegetation of Other Vegetation Types (IPCC, 2003)

**Regime** A regime is preferred states of the *climate system*, often representing one phase of dominant patterns or *modes of climate variability*.

**Region** A region is a territory characterised by specific geographical and climatological features. The *climate* of a region is affected by regional and local scale forcings like topography, *land use* characteristics, lakes, etc., as well as remote influences from other regions. See *Teleconnection*.

**Relative sea level** Sea level measured by a *tide gauge* with respect to the land upon which it is situated. *Mean sea level* is normally defined as the average relative sea level over a period, such as a month or a year, long enough to average out transients such as waves and tides. See *Sea level change*.

**Reservoir** A component of the *climate system*, other than the *atmosphere*, which has the capacity to store, accumulate or release a substance of concern, for example, carbon, a *greenhouse gas* or a *precursor*. Oceans, soils and *forests* are examples of reservoirs of carbon. *Pool* is an equivalent term (note that the definition of pool often includes the atmosphere). The absolute quantity of the substance of concern held within a reservoir at a specified time is called the *stock*.

**Respiration** The process whereby living organisms convert organic matter to *carbon dioxide*, releasing energy and consuming molecular oxygen.

**Response time** The response time or *adjustment time* is the time needed for the *climate system* or its components to re-equilibrate to a new state, following a forcing resulting from external and internal processes or *feedbacks*. It is very different for various components of the climate system. The response time of the *troposphere* is relatively short, from days to weeks, whereas the *stratosphere* reaches equilibrium on a time scale of typically a few months. Due to their large heat capacity, the oceans have a much longer response time: typically decades, but up to centuries or millennia. The response time of the strongly coupled surface-troposphere system is, therefore, slow compared to that of the stratosphere, and mainly determined by the oceans. The *biosphere* may respond quickly (e.g., to *droughts*), but also very slowly to imposed changes. See *lifetime* for a different definition of response time pertinent to the rate of processes affecting the concentration of trace gases.

**Return period** The average time between occurrences of a defined event (AMS, 2000).

**Return value** The highest (or, alternatively, lowest) value of a given variable, on average occurring once in a given period of time (e.g., in 10 years).

**Scenario** A plausible and often simplified description of how the future may develop, based on a coherent and internally consistent set of assumptions about driving forces and key relationships. Scenarios may be derived from *projections*, but are often based on additional information from other sources, sometimes combined with a *narrative storyline*. See also *SRES scenarios*; *Climate scenario*; *Emission scenario*.

**Sea ice** Any form of ice found at sea that has originated from the freezing of seawater. Sea ice may be discontinuous pieces (ice floes) moved on the ocean surface by wind and currents (pack ice), or a motionless sheet attached to the coast (land-fast ice). Sea ice less than one year old is called *first-year ice*. *Multi-year ice* is sea ice that has survived at least one summer melt season.

**Sea level change** Sea level can change, both globally and locally, due to (i) changes in the shape of the ocean basins, (ii) changes in the total mass of water and (iii) changes in water density. Sea level changes induced by changes in water density are called *steric*. Density changes induced by temperature changes only are called *thermosteric*, while density changes induced by salinity changes are called *halosteric*. See also *Relative Sea Level*; *Thermal expansion*.

**Sea level equivalent (SLE)** The change in global average sea level that would occur if a given amount of water or ice were added to or removed from the oceans.

**Seasonally frozen ground** See *Frozen ground*.

**Sea surface temperature (SST)** The sea surface temperature is the temperature of the subsurface bulk temperature in the top few metres of the ocean, measured by ships, buoys and drifters. From ships, measurements of water samples in buckets were mostly switched in the 1940s to samples from engine intake water. Satellite measurements of *skin temperature* (uppermost layer; a fraction of a millimetre thick) in the infrared or the top centimetre or so in the microwave are also used, but must be adjusted to be compatible with the bulk temperature.

**Sensible heat flux** The flux of heat from the Earth's surface to the *atmosphere* that is not associated with phase changes of water; a component of the surface energy budget.

**Sequestration** See *Uptake*.

**Significant wave height** The average height of the highest one-third of the wave heights (sea and swell) occurring in a particular time period.

**Sink** Any process, activity or mechanism that removes a *greenhouse gas*, an *aerosol* or a *precursor* of a greenhouse gas or aerosol from the *atmosphere*.

**Slab-ocean model** A simplified presentation in a *climate model* of the ocean as a motionless layer of water with a depth of 50 to 100 m. Climate models with a slab ocean can only be used for estimating the equilibrium response of climate to a given forcing, not the transient evolution of climate. See *Equilibrium and transient climate experiment*.

**Snow line** The lower limit of permanent snow cover, below which snow does not accumulate.

**Soil moisture** Water stored in or at the land surface and available for evaporation.

**Soil temperature** See *Ground temperature*.

**Solar activity** The Sun exhibits periods of high activity observed in numbers of *sunspots*, as well as radiative output, magnetic activity and emission of high-energy particles. These variations take place on a range of time scales from millions of years to minutes. See *Solar cycle*.

**Solar ('11 year') cycle** A quasi-regular modulation of *solar activity* with varying amplitude and a period of between 9 and 13 years.

**Solar radiation** Electromagnetic radiation emitted by the Sun. It is also referred to as *shortwave radiation*. Solar radiation has a distinctive range of wavelengths (spectrum) determined by the temperature of the Sun, peaking in visible wavelengths. See also: *Thermal infrared radiation*, *Insolation*.

**Soot** Particles formed during the quenching of gases at the outer edge of flames of organic vapours, consisting predominantly of carbon, with lesser amounts of oxygen and hydrogen present as carboxyl and phenolic groups and exhibiting an imperfect graphitic structure. See *Black carbon*; *Charcoal* (Charlson and Heintzenberg, 1995, p. 406).

**Source** Any process, activity or mechanism that releases a *greenhouse gas*, an *aerosol* or a *precursor* of a greenhouse gas or aerosol into the *atmosphere*.

**Southern Annular Mode (SAM)** The fluctuation of a pattern like the *Northern Annular Mode*, but in the Southern Hemisphere. See SAM Index, Box 3.4.

**Southern Oscillation** See *El Niño-Southern Oscillation* (ENSO).

**Spatial and temporal scales** *Climate* may vary on a large range of spatial and temporal scales. Spatial scales may range from local (less than 100,000 km<sup>2</sup>), through regional (100,000 to 10 million km<sup>2</sup>) to continental (10 to 100 million km<sup>2</sup>). Temporal scales may range from seasonal to geological (up to hundreds of millions of years).

**SRES scenarios** SRES scenarios are *emission scenarios* developed by Nakićenović and Swart (2000) and used, among others, as a basis for some of the *climate projections* shown in Chapter 10 of this report. The following terms are relevant for a better understanding of the structure and use of the set of SRES scenarios:

**Scenario family** Scenarios that have a similar demographic, societal, economic and technical change storyline. Four scenario families comprise the SRES scenario set: A1, A2, B1 and B2.

**Illustrative Scenario** A scenario that is illustrative for each of the six scenario groups reflected in the Summary for Policymakers of Nakićenović and Swart (2000). They include four revised *scenario markers* for the scenario groups A1B, A2, B1, B2, and two additional scenarios for the A1FI and A1T groups. All scenario groups are equally sound.

**Marker Scenario** A scenario that was originally posted in draft form on the SRES website to represent a given scenario family. The choice of markers was based on which of the initial quantifications best reflected the storyline, and the features of specific models. Markers are no more likely than other scenarios, but are considered by the SRES writing team as illustrative of a particular storyline. They are included in revised form in Nakićenović and Swart (2000). These scenarios received the closest scrutiny of the entire writing team and via the SRES open process. Scenarios were also selected to illustrate the other two scenario groups.

**Storyline** A narrative description of a scenario (or family of scenarios), highlighting the main scenario characteristics, relationships between key driving forces and the dynamics of their evolution.

**Steric** See *Sea level change*.

**Stock** See *Reservoir*.

**Storm surge** The temporary increase, at a particular locality, in the height of the sea due to extreme meteorological conditions (low atmospheric pressure and/or strong winds). The storm surge is defined as being the excess above the level expected from the tidal variation alone at that time and place.

**Storm tracks** Originally, a term referring to the tracks of individual cyclonic weather systems, but now often generalised to refer to the *regions* where the main tracks of extratropical disturbances occur as sequences of low (cyclonic) and high (anticyclonic) pressure systems.

**Stratosphere** The highly stratified region of the *atmosphere* above the *troposphere* extending from about 10 km (ranging from 9 km at high latitudes to 16 km in the tropics on average) to about 50 km altitude.

**Subduction** Ocean process in which surface waters enter the ocean interior from the surface mixed layer through *Ekman pumping* and lateral *advection*. The latter occurs when surface waters are advected to a region where the local surface layer is less dense and therefore must slide below the surface layer, usually with no change in density.

**Sunspots** Small dark areas on the Sun. The number of sunspots is higher during periods of high *solar activity*, and varies in particular with the *solar cycle*.

**Surface layer** See *Atmospheric boundary layer*.

**Surface temperature** See *Global surface temperature*; *Ground temperature*; *Land surface air temperature*; *Sea surface temperature*.

**Teleconnection** A connection between *climate variations* over widely separated parts of the world. In physical terms, teleconnections are often a consequence of large-scale wave motions, whereby energy is transferred from source regions along preferred paths in the *atmosphere*.

**Thermal expansion** In connection with sea level, this refers to the increase in volume (and decrease in density) that results from warming water. A warming of the ocean leads to an expansion of the ocean volume and hence an increase in sea level. See *Sea level change*.

**Thermal infrared radiation** Radiation emitted by the Earth's surface, the *atmosphere* and the clouds. It is also known as *terrestrial* or *longwave radiation*, and is to be distinguished from the near-infrared radiation that is part of the solar spectrum. Infrared radiation, in general, has a distinctive range of wavelengths (*spectrum*) longer than the wavelength of the red colour in the visible part of the spectrum. The spectrum of thermal infrared radiation is practically distinct from that of shortwave or *solar radiation* because of the difference in temperature between the Sun and the Earth-atmosphere system.

**Thermocline** The layer of maximum vertical temperature gradient in the ocean, lying between the surface ocean and the abyssal ocean. In subtropical regions, its source waters are typically surface waters at higher latitudes that have *subducted* and moved equatorward. At high latitudes, it is sometimes absent, replaced by a *halocline*, which is a layer of maximum vertical salinity gradient.

**Thermohaline circulation (THC)** Large-scale circulation in the ocean that transforms low-density upper ocean waters to higher-density intermediate and deep waters and returns those waters back to the upper ocean. The circulation is asymmetric, with conversion to dense waters in restricted regions at high latitudes and the return to the surface involving slow upwelling and diffusive processes over much larger geographic regions. The THC is driven by high densities at or near the surface, caused by cold temperatures and/or high salinities, but despite its suggestive though common name, is also driven by mechanical forces such as wind and tides. Frequently,

the name THC has been used synonymously with *Meridional Overturning Circulation*.

**Thermokarst** The process by which characteristic landforms result from the thawing of ice-rich *permafrost* or the melting of massive *ground ice* (Van Everdingen, 1998).

**Thermosteric** See *Sea level change*.

**Tide gauge** A device at a coastal location (and some deep-sea locations) that continuously measures the level of the sea with respect to the adjacent land. Time averaging of the sea level so recorded gives the observed secular changes of the *relative sea level*.

**Total solar irradiance (TSI)** The amount of *solar radiation* received outside the Earth's *atmosphere* on a surface normal to the incident radiation, and at the Earth's mean distance from the Sun.

Reliable measurements of solar radiation can only be made from space and the precise record extends back only to 1978. The generally accepted value is 1,368 W m<sup>-2</sup> with an accuracy of about 0.2%. Variations of a few tenths of a percent are common, usually associated with the passage of *sunspots* across the solar disk. The *solar cycle* variation of TSI is of the order of 0.1% (AMS, 2000). See also *Insolation*.

**Transient climate response** See *Climate sensitivity*.

**Tree rings** Concentric rings of secondary wood evident in a cross-section of the stem of a woody plant. The difference between the dense, small-celled late wood of one season and the wide-celled early wood of the following spring enables the age of a tree to be estimated, and the ring widths or density can be related to *climate* parameters such as temperature and precipitation. See *Proxy*.

**Trend** In this report, the word *trend* designates a change, generally monotonic in time, in the value of a variable.

**Tropopause** The boundary between the *troposphere* and the *stratosphere*.

**Troposphere** The lowest part of the *atmosphere*, from the surface to about 10 km in altitude at mid-latitudes (ranging from 9 km at high latitudes to 16 km in the tropics on average), where clouds and weather phenomena occur. In the troposphere, temperatures generally decrease with height.

**Turnover time** See *Lifetime*.

**Uncertainty** An expression of the degree to which a value (e.g., the future state of the *climate system*) is unknown. Uncertainty can result from lack of information or from disagreement about what is known or even knowable. It may have many types of sources, from quantifiable errors in the data to ambiguously defined concepts or terminology, or uncertain *projections* of human behaviour. Uncertainty can therefore be represented by quantitative measures, for example, a range of values calculated by various models, or by qualitative statements, for example, reflecting the judgement of a team of experts (see Moss and Schneider, 2000; Manning et al., 2004). See also *Likelihood*; *Confidence*.

#### United Nations Framework Convention on Climate Change (UNFCCC)

The Convention was adopted on 9 May 1992 in New York and signed at the 1992 Earth Summit in Rio de Janeiro by more than 150 countries and the European Community. Its ultimate objective is the 'stabilisation of greenhouse gas concentrations in the atmosphere at a level that would prevent dangerous anthropogenic interference with the climate system'. It contains commitments for all Parties. Under the Convention, Parties included in Annex I (all OECD

countries and countries with economies in transition) aim to return *greenhouse gas* emissions not controlled by the *Montreal Protocol* to 1990 levels by the year 2000. The convention entered in force in March 1994. See *Kyoto Protocol*.

**Uptake** The addition of a substance of concern to a *reservoir*. The uptake of carbon containing substances, in particular *carbon dioxide*, is often called (carbon) *sequestration*.

**Urban heat island (UHI)** The relative warmth of a city compared with surrounding rural areas, associated with changes in runoff, the *concrete jungle* effects on heat retention, changes in surface *albedo*, changes in pollution and *aerosols*, and so on.

**Ventilation** The exchange of ocean properties with the *atmospheric surface layer* such that property concentrations are brought closer to equilibrium values with the *atmosphere* (AMS, 2000).

**Volume mixing ratio** See *Mole fraction*.

**Walker Circulation** Direct thermally driven zonal overturning circulation in the *atmosphere* over the tropical Pacific Ocean, with rising air in the western and sinking air in the eastern Pacific.

**Water mass** A volume of ocean water with identifiable properties (temperature, salinity, density, chemical tracers) resulting from its unique formation process. Water masses are often identified through a vertical or horizontal extremum of a property such as salinity.

**Younger Dryas** A period 12.9 to 11.6 kya, during the deglaciation, characterised by a temporary return to colder conditions in many locations, especially around the North Atlantic.

## REFERENCES

- AMS, 2000: *AMS Glossary of Meteorology*, 2nd Ed. American Meteorological Society, Boston, MA, <http://amsglossary.allenpress.com/glossary/browse>.
- Charlson, R.J., and J. Heintzenberg (eds.), 1995: *Aerosol Forcing of Climate*. John Wiley and Sons Limited, pp. 91–108. Copyright 1995 ©John Wiley and Sons Limited. Reproduced with permission.
- Heim, R.R., 2002: *A Review of Twentieth-Century Drought Indices Used in the United States*. *Bull. Am. Meteorol. Soc.*, **83**, 1149–1165
- IPCC, 1992: *Climate Change 1992: The Supplementary Report to the IPCC Scientific Assessment* [Houghton, J.T., B.A. Callander, and S.K. Varney (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 116 pp.
- IPCC, 1996: *Climate Change 1995: The Science of Climate Change. Contribution of Working Group I to the Second Assessment Report of the Intergovernmental Panel on Climate Change* [Houghton, J.T., et al. (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 572 pp.
- IPCC, 2000: *Land Use, Land-Use Change, and Forestry. Special Report of the Intergovernmental Panel on Climate Change* [Watson, R.T., et al. (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 377 pp.
- IPCC, 2001: *Climate Change 2001: The Scientific Basis. Contribution of Working Group I to the Third Assessment Report of the Intergovernmental Panel on Climate Change* [Houghton, J.T., et al. (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 881 pp.
- IPCC, 2003: *Definitions and Methodological Options to Inventory Emissions from Direct Human-Induced Degradation of Forests and Devegetation of Other Vegetation Types* [Penman, J., et al. (eds.)]. The Institute for Global Environmental Strategies (IGES), Japan, 32 pp.
- Manning, M., et al., 2004: *IPCC Workshop on Describing Scientific Uncertainties in Climate Change to Support Analysis of Risk of Options*. Workshop Report. Intergovernmental Panel on Climate Change, Geneva.
- Moss, R., and S. Schneider, 2000: *Uncertainties in the IPCC TAR: Recommendations to Lead Authors for More Consistent Assessment and Reporting*. In: IPCC Supporting Material: Guidance Papers on Cross Cutting Issues in the Third Assessment Report of the IPCC. [Pachauri, R., T. Taniguchi, and K. Tanaka (eds.)]. Intergovernmental Panel on Climate Change, Geneva, pp. 33–51.
- Nakićenović, N., and R. Swart (eds.), 2000: *Special Report on Emissions Scenarios. A Special Report of Working Group III of the Intergovernmental Panel on Climate Change*. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 599 pp.
- Schwartz, S.E., and P. Warneck, 1995: Units for use in atmospheric chemistry. *Pure Appl. Chem.*, **67**, 1377–1406.
- Van Everdingen, R. (ed.): 1998. *Multi-Language Glossary of Permafrost and Related Ground-Ice Terms*, revised May 2005. National Snow and Ice Data Center/World Data Center for Glaciology, Boulder, CO, <http://nsidc.org/fgdc/glossary/>.

# Annex II

## Contributors to the IPCC WGI Fourth Assessment Report

**ACHUTARAO, Krishna**

Lawrence Livermore National Laboratory  
USA

**ADLER, Robert**

National Aeronautics and  
Space Administration  
USA

**ALEXANDER, Lisa**

Hadley Centre for Climate Prediction  
and Research, Met Office  
UK, Australia, Ireland

**ALEXANDERSSON, Hans**

Swedish Meteorological and  
Hydrological Institute  
Sweden

**ALLAN, Richard**

Environmental Systems Science  
Centre, University of Reading  
UK

**ALLEN, Myles**

Climate Dynamics Group, Atmospheric,  
Oceanic and Planetary Physics, Department  
of Physics, University of Oxford  
UK

**ALLEY, Richard B.**

Department of Geosciences,  
Pennsylvania State University  
USA

**ALLISON, Ian**

Australian Antarctic Division and  
Antarctic Climate and Ecosystems  
Cooperative Research Centre  
Australia

**AMBENJE, Peter**

Kenya Meteorological Department  
Kenya

**AMMANN, Caspar**

Climate and Global Dynamics Division,  
National Center for Atmospheric Research  
USA

**ANDRONOVA, Natalia**

University of Michigan  
USA

**ANNAN, James**

Frontier Research Center for Global  
Change, Japan Agency for Marine-  
Earth Science and Technology  
Japan, UK

**ANTONOV, John**

National Oceanic and  
Atmospheric Administration  
USA, Russian Federation

**ARBLASTER, Julie**

National Center for Atmospheric Research  
and Bureau of Meteorology Research Center  
USA, Australia

**ARCHER, David**

University of Chicago  
USA

**ARORA, Vivek**

Canadian Centre for Climate Modelling  
and Analysis, Environment Canada  
Canada

**ARRITT, Raymond**

Iowa State University  
USA

**ARTALE, Vincenzo**

Italian National Agency for  
New Technologies, Energy and  
the Environment (ENEA)  
Italy

**ARTAXO, Paulo**

Instituto de Fisica, Universidade  
de Sao Paulo  
Brazil

**AUER, Ingeborg**

Central Institute for Meteorology  
and Geodynamics  
Austria

**AUSTIN, John**

National Oceanic and Atmospheric  
Administration, Geophysical  
Fluid Dynamics Laboratory  
USA

**BAEDE, Alphonsus**

Royal Netherlands Meteorological  
Institute (KNMI) and Ministry of Housing,  
Spatial Planning and the Environment  
Netherlands

**BAKER, David**

National Center for Atmospheric Research  
USA

**BALDWIN, Mark P.**

Northwest Research Associates  
USA

**BARNOLA, Jean-Marc**

Laboratoire de Glaciologie et  
Géophysique de l'Environnement  
France

**BARRY, Roger**

National Snow and Ice Data  
Center, University of Colorado  
USA

**BATES, Nicholas Robert**

Bermuda Institute of Ocean Sciences  
Bermuda

**BAUER, Eva**

Potsdam Institute for Climate  
Impact Research  
Germany

**BENESTAD, Rasmus**

Norwegian Meteorological Institute  
Norway

**BENISTON, Martin**

University of Geneva  
Switzerland

**BERGER, André**

Université catholique de Louvain,  
Institut d'Astronomie et de  
Géophysique G. Lemaître  
Belgium

**BERNTSEN, Terje**

Centre for International Climate and  
Environmental Research (CICERO)  
Norway

**BERRY, Joseph A.**

Carnegie Institute of Washington,  
Department of Global Ecology  
USA

**BETTS, Richard A.**

Hadley Centre for Climate Prediction  
and Research, Met Office  
UK

**BIERCAMP, Joachim**

Deutsches Klimarechenzentrum GmbH  
Germany

**BINDOFF, Nathaniel L.**

Antarctic Climate and Ecosystems  
Cooperative Research Centre and CSIRO  
Marine and Atmospheric Research  
Australia

**BITZ, Cecilia**

University of Washington  
USA

**BLATTER, Heinz**

Institute for Atmospheric and  
Climate Science, ETH Zurich  
Switzerland

**BODEKER, Greg**

National Institute of Water and  
Atmospheric Research  
New Zealand

**BOJARIU, Roxana**

National Institute of Meteorology  
and Hydrology (NIMH)  
Romania

**BONAN, Gordon**

National Center for Atmospheric Research  
USA

*Coordinating lead authors, lead authors, and contributing authors are listed alphabetically by surname.*

**BONFILS, C line**

School of Natural Sciences,  
University of California, Merced  
USA, France

**BONY, Sandrine**

Laboratoire de M t orologie Dynamique,  
Institut Pierre Simon Laplace  
France

**BOONE, Aaron**

CNRS CNRM at M teo France  
France, USA

**BOONPRAGOB, Kansri**

Department of Biology, Faculty of  
Science, Ramkhamhaeng University  
Thailand

**BOUCHER, Olivier**

Hadley Centre for Climate Prediction  
and Research, Met Office  
UK, France

**BOUSQUET, Philippe**

Institut Pierre Simon Laplace,  
Laboratoire des Sciences du  
Climat et de l'Environnement  
France

**BOX, Jason**

Ohio State University  
USA

**BOYER, Tim**

National Oceanic and  
Atmospheric Administration  
USA

**BRACONNOT, Pascale**

Pascale Braconnot Institut Pierre Simon  
Laplace, Laboratoire des Sciences  
du Climat et de l'Environnement  
France

**BRADY, Esther**

National Center for Atmospheric Research  
USA

**BRASSEUR, Guy**

Earth and Sun Systems Laboratory,  
National Center for Atmospheric Research  
USA, Germany

**BREHERTON, Christopher**

Department of Atmospheric Sciences,  
University of Washington  
USA

**BRIFFA, Keith R.**

Climatic Research Unit, School  
of Environmental Sciences,  
University of East Anglia  
UK

**BROCCOLI, Anthony J.**

Rutgers University  
USA

**BROCKMANN, Patrick**

Laboratoire des Sciences du  
Climat et de l'Environnement  
France

**BROMWICH, David**

Byrd Polar Research Center,  
The Ohio State University  
USA

**BROVKIN, Victor**

Potsdam Institute for Climate  
Impact Research  
Germany, Russian Federation

**BROWN, Ross**

Environment Canada  
Canada

**BUJA, Lawrence**

National Center for Atmospheric Research  
USA

**BUSUIOC, Aristita**

National Meteorological Administration  
Romania

**CADULE, Patricia**

Institut Pierre Simon Laplace  
France

**CAI, Wenju**

CSIRO Marine and Atmospheric Research  
Australia

**CAMILLONI, In s**

Universidad de Buenos Aires, Centro de  
Investigaciones del Mar y la Atm sfera  
Argentina

**CANADELL, Josep**

Global Carbon Project, CSIRO  
Australia

**CARRASCO, Jorge**

Direcci n Meteorol gica de Chile  
and Centro de Estudios Cient ficos  
Chile

**CASSOU, Christophe**

Centre National de Recherche Scientifique,  
Centre Europeen de Recherche et de  
Formation Avanc e en Calcul Scientifique  
France

**CAYA, Daniel**

Consortium Ouranos  
Canada

**CAYAN, Daniel R.**

Scripps Institution of Oceanography,  
University of California, San Diego  
USA

**CAZENAVE, Anny**

Laboratoire d'Etudes en G ophysique et  
Oc anographie Spatiale (LEGOS), CNES  
France

**CHAMBERS, Don**

Center for Space Research, The  
University of Texas at Austin  
USA

**CHANDLER, Mark**

Columbia University and NASA  
Goddard Institute for Space Studies  
USA

**CHANG, Edmund K.M.**

Stony Brook University, State  
University of New York  
USA

**CHAO, Ben**

NASA Goddard Institute for Space Studies  
USA

**CHEN, Anthony**

Department of Physics, University  
of the West Indies  
Jamaica

**CHEN, Zhenlin**

Dept of International Cooperation,  
China Meteorological Administration  
China

**CHIDTHAISONG, Amnat**

The Joint Graduate School of Energy  
and Environment, King Mongkut's  
University of Technology Thonburi  
Thailand

**CHRISTENSEN, Jens Hesselbjerg**

Danish Meteorological Institute  
Denmark

**CHRISTIAN, James**

Fisheries and Oceans, Canada, Canadian  
Centre for Climate Modelling and Analysis  
Canada

**CHRISTY, John**

University of Alabama in Huntsville  
USA

**CHURCH, John**

CSIRO Marine and Atmospheric  
Research and Ecosystems  
Cooperative Research Centre  
Australia

**CIAIS, Philippe**

Laboratoire des Sciences du  
Climat et de l'Environnement  
France

**CLARK, Deborah A.**

University of Missouri, St. Louis  
USA

**CLARKE, Garry**

Earth and Ocean Sciences,  
University of British Columbia  
Canada

**CLAUSSEN, Martin**

Potsdam Institute for Climate  
Impact Research  
Germany

**CLEMENT, Amy**

University of Miami, Rosenstiel School  
of Marine and Atmospheric Science  
USA

**COGLEY, J. Graham**

Department of Geography, Trent University  
Canada

**COLE, Julia**

University of Arizona  
USA

**COLLIER, Mark**

CSIRO Marine and Atmospheric Research  
Australia

**COLLINS, Matthew**

Hadley Centre for Climate Prediction  
and Research, Met Office  
UK



**COLLINS, William D.**

Climate and Global Dynamics Division,  
National Center for Atmospheric Research  
USA

**COLMAN, Robert**

Bureau of Meteorology Research Centre  
Australia

**COMISO, Josefino**

National Aeronautics and Space  
Administration, Goddard  
Space Flight Center  
USA

**CONWAY, Thomas J.**

National Oceanic and Atmospheric  
Administration, Earth System  
Research Laboratory  
USA

**COOK, Edward**

Lamont-Doherty Earth Observatory  
USA

**CORTIJO, Elsa**

Laboratoire des Sciences du Climat et de  
l'Environnement, CNRS-CEA-UVSQ  
France

**COVEY, Curt**

Lawrence Livermore National Laboratory  
USA

**COX, Peter M.**

School of Engineering, Computer Science  
and Mathematics, University of Exeter  
UK

**CROOKS, Simon**

University of Oxford  
UK

**CUBASCH, Ulrich**

Institut für Meteorologie,  
Freie Universität Berlin  
Germany

**CURRY, Ruth**

Woods Hole Oceanographic Institution  
USA

**DAI, Aiguo**

National Center for Atmospheric Research  
USA

**DAMERIS, Martin**

German Aerospace Center  
Germany

**DE ELÍA, Ramón**

Ouranos Consortium  
Canada, Argentina

**DELWORTH, Thomas L.**

Geophysical Fluid Dynamics  
Laboratory, National Oceanic and  
Atmospheric Administration  
USA

**DENMAN, Kenneth L.**

Canadian Centre for Climate Modelling  
and Analysis, Environment Canada and  
Department of Fisheries and Oceans  
Canada

**DENTENER, Frank**

European Commission Joint Research  
Centre; Institute of Environment and  
Sustainability Climate Change Unit  
EU

**DESER, Clara**

National Center for Atmospheric Research  
USA

**DETHLOFF, Klaus**

Alfred Wegener Institute for Polar and  
Marine Research, Research Unit Potsdam  
Germany

**DIANSKY, Nikolay A.**

Institute of Numerical Mathematics,  
Russian Academy of Sciences  
Russian Federation

**DICKINSON, Robert E.**

School of Earth and Atmospheric Sciences,  
Georgia Institute of Technology  
USA

**DING, Yihui**

National Climate Centre, China  
Meteorological Administration  
China

**DIRMEYER, Paul**

Center for Ocean-Land-Atmosphere Studies  
USA

**DIX, Martin**

CSIRO  
Australia

**DIXON, Keith**

National Oceanic and  
Atmospheric Administration  
USA

**DLUGOKENCKY, Ed**

National Oceanic and Atmospheric  
Administration, Earth System  
Research Laboratory  
USA

**DOKKEN, Trond**

Bjerknes Centre for Climate Research  
Norway

**DOTZEK, Nikolai**

Deutsches Zentrum für Luft und Raumfahrt,  
Institut für Physik der Atmosphäre  
Germany

**DOUTRIAUX, Charles**

Program for Climate Model  
Diagnosis and Intercomparison  
USA, France

**DRANGE, Helge**

Nansen Environmental and  
Remote Sensing Center, Bjerknes  
Centre for Climate Research  
Norway

**DRIESSCHAERT, Emmanuelle**

Université catholique de Louvain,  
Institut d'Astronomie et de  
Géophysique G. Lemaître  
Belgium

**DUFRESNE, Jean-Louis**

Laboratoire de Météorologie Dynamique,  
Institut Pierre Simon Laplace  
France

**DUPLESSY, Jean-Claude**

Centre National de la Recherche  
Scientifique, Laboratoire des Sciences  
du Climat et de l'Environnement  
France

**DYURGEROV, Mark**

Institute of Arctic and Alpine Research,  
University of Colorado at Boulder  
& Department of Geography and  
Quaternary Geology at Stockholm  
Sweden, USA

**EASTERLING, David**

National Oceanic and Atmospheric  
Administration, Earth System  
Research Laboratory  
USA

**EBY, Michael**

University of Victoria  
Canada

**EDWARDS, Neil R.**

The Open University  
UK

**ELKINS, James W.**

National Oceanic and Atmospheric  
Administration, Earth System  
Research Laboratory  
USA

**EMERSON, Steven**

School of Oceanography,  
University of Washington  
USA

**EMORI, Seita**

National Institute for Environmental  
Studies and Frontier Research Center  
for Global Change, Japan Agency for  
Marine-Earth Science and Technology  
Japan

**ETHERIDGE, David**

CSIRO Marine and Atmospheric Research  
Australia

**EYRING, Veronika**

Deutsches Zentrum für Luft und Raumfahrt,  
Institut für Physik der Atmosphäre  
Germany

**FAHEY, David W.**

National Oceanic and Atmospheric  
Administration, Earth System  
Research Laboratory  
USA

**FASULLO, John**

National Center for Atmospheric Research  
USA

- FEDDEMA, Johannes**  
University of Kansas  
USA
- FEELY, Richard**  
National Oceanic and Atmospheric Administration, Pacific Marine Environmental Laboratory  
USA
- FEICHTER, Johann**  
Max Planck Institute for Meteorology  
Germany
- FICHEFET, Thierry**  
Université catholique de Louvain, Institut d'Astronomie et de Géophysique G. Lemaître  
Belgium
- FITZHARRIS, Blair**  
Department of Geography, University of Otago  
New Zealand
- FLATO, Gregory**  
Canadian Centre for Climate Modelling and Analysis, Environment Canada  
Canada
- FLEITMANN, Dominik**  
Institute of Geological Sciences, University of Bern  
Switzerland, Germany
- FLEMING, James Rodger**  
Colby College  
USA
- FOGT, Ryan**  
Polar Meteorology Group, Byrd Polar Research Center and Atmospheric Sciences Program, Department of geography, The Ohio State University  
USA
- FOLLAND, Christopher**  
Hadley Centre for Climate Prediction and Research, Met Office  
UK
- FOREST, Chris**  
Massachusetts Institute of Technology  
USA
- FORSTER, Piers**  
School of Earth and Environment, University of Leeds  
UK
- FOUKAL, Peter**  
Heliophysics, Inc.  
USA
- FRASER, Paul**  
CSIRO Marine and Atmospheric Research  
Australia
- FRAUENFELD, Oliver**  
National Snow and Ice Data Center, University of Colorado at Boulder  
USA, Austria
- FREE, Melissa**  
Air Resources Laboratory, National Oceanic and Atmospheric Administration  
USA
- FREI, Allan**  
Hunter College, City University of New York  
USA
- FREI, Christoph**  
Federal Office of Meteorology and Climatology MeteoSwiss  
Switzerland
- FRICKER, Helen**  
Scripps Institution of Oceanography, University of California, San Diego  
USA
- FRIEDLINGSTEIN, Pierre**  
Institut Pierre Simon Laplace, Laboratoire des Sciences du Climat et de l'Environnement  
France, Belgium
- FU, Congbin**  
Start Regional Center for Temperate East Asia, Institute of Atmospheric Physics, Chinese Academy of Science  
China
- FUJII, Yoshiyuki**  
Arctic Environment Research Center, National Institute of Polar Research  
Japan
- FUNG, Inez**  
University of California, Berkeley  
USA
- FURRER, Reinhard**  
Colorado School of Mines  
USA, Switzerland
- FUZZI, Sandro**  
National Research Council, Institute of Atmospheric Sciences and Climate  
Italy
- FYFE, John**  
Canadian Centre for Climate Modelling and Analysis, Environment Canada  
Canada
- GANOPOLSKI, Andrey**  
Potsdam Institute for Climate Impact Research  
Germany
- GAO, Xuejie**  
Laboratory for Climate Change, National Climate Centre, China Meteorological Administration  
China
- GARCIA, Hernan**  
National Oceanic and Atmospheric Administration, National Oceanographic Data Center  
USA
- GARCÍA-HERRERA, Ricardo**  
Universidad Complutense de Madrid  
Spain
- GAYE, Amadou Thierno**  
Laboratory of Atmospheric Physics, ESP/CAD, Dakar University  
Senegal
- GELLER, Marvin**  
Stony Brook University  
USA
- GENT, Peter**  
National Center for Atmospheric Research  
USA
- GERDES, Rüdiger**  
Alfred-Wegener-Institute für Polar und Meeresforschung  
Germany
- GILLETT, Nathan P.**  
Climatic Research Unit, School of Environmental Sciences, University of East Anglia  
UK
- GIORGI, Filippo**  
Abdus Salam International Centre for Theoretical Physics  
Italy
- GLEASON, Byron**  
National Climatic Data Center, National Oceanic and Atmospheric Administration  
USA
- GLECKLER, Peter**  
Lawrence Livermore National Laboratory  
USA
- GONG, Sunling**  
Air Quality Research Division, Science & Technology Branch, Environment Canada  
Canada
- GONZÁLEZ-DAVILA, Melchor**  
University of Las Palmas de Gran Canaria  
Spain
- GONZÁLEZ-ROUCO, Jesus Fidel**  
Universidad Complutense de Madrid  
Spain
- GOOSSE, Hugues**  
Université catholique de Louvain  
Belgium
- GRAHAM, Richard**  
Hadley Centre, Met Office  
UK
- GREGORY, Jonathan M.**  
Department of Meteorology, University of Reading and Hadley Centre for Climate Prediction and Research, Met Office  
UK
- GRIESER, Jürgen**  
Deutscher Wetterdienst, Global Precipitation Climatology Centre  
Germany
- GRIGGS, David**  
Hadley Centre for Climate Prediction and Research, Met Office  
UK
- GROISMAN, Pavel**  
University Corporation for Atmospheric Research at the National Climatic Data Center, National Oceanic and Atmospheric Administration  
USA, Russian Federation

**GRUBER, Nicolas**

Institute of Geophysics and Planetary Physics, University of California, Los Angeles and Department of Environmental Sciences, ETH Zurich USA, Switzerland

**GUDGEL, Richard**

National Oceanic and Atmospheric Administration USA

**GUDMUNDSSON, G. Hilmar**

British Antarctic Survey UK, Iceland

**GUENTHER, Alex**

National Center for Atmospheric Research USA

**GULEV, Sergiy**

P. P. Shirshov Institute of Oceanography Russian Federation

**GURNEY, Kevin**

Department of Earth and Atmospheric Science, Purdue University USA

**GUTOWSKI, William**

Iowa State University USA

**HAAS, Christian**

Alfred Wegener Institute Germany

**HABIBI NOKHANDAN, Majid**

National Center for Climatology Iran

**HAGEN, Jon Ove**

University of Oslo Norway

**HAIGH, Joanna**

Imperial College London UK

**HALL, Alex**

Department of Atmospheric and Oceanic Sciences, University of California, Los Angeles USA

**HALLEGATTE, Stéphane**

Centre International de Recherche sur l'Environnement et le Développement, Ecole Nationale des Ponts-et-Chaussées and Centre National de Recherches Meteorologique, Meteo-France USA, France

**HANAWA, Kimio**

Physical Oceanography Laboratory, Department of Geophysics, Graduate School of Science, Tohoku University Japan

**HANSEN, James**

Goddard Institute for Space Studies USA

**HANSEN-BAUER, Inger**

Norwegian Meteorological Institute Norway

**HARRIS, Charles**

School of Earth, Ocean and Planetary Science, Cardiff University UK

**HARRIS, Glen**

Hadley Centre for Climate Prediction and Research, Met Office UK, New Zealand

**HARVEY, Danny**

University of Toronto Canada

**HASUMI, Hiroyasu**

Center for Climate System Research, University of Tokyo Japan

**HAUGLUSTAINE, Didier**

Institut Pierre Simon Laplace, Laboratoire des Sciences du Climat et de l'Environnement, CEA-CNRS-UVSQ France

**HAYWOOD, James**

Hadley Centre for Climate Prediction and Research, Met Office UK

**HEGERL, Gabriele C.**

Division of Earth and Ocean Sciences, Nicholas School for the Environment and Earth Sciences, Duke University USA, Germany

**HEIMANN, Martin**

Max-Planck-Institut für Biogeochemie Germany, Switzerland

**HEINZE, Christoph**

University of Bergen, Geophysical Institute and Bjerknes Centre for Climate Research Norway, Germany

**HELD, Isaac**

National Oceanic and Atmospheric Administration, Geophysical Fluid Dynamics Laboratory USA

**HENDERSON-SELLERS, Ann**

World Meteorological Organization Switzerland

**HENDON, Henry**

Bureau of Meteorology Research Centre Australia

**HEWITSON, Bruce**

Department of Environmental and Geographical Sciences, University of Cape Town South Africa

**HINZMAN, Larry**

University of Alaska, Fairbanks USA

**HOCK, Regine**

Stockholm University Sweden

**HODGES, Kevin**

Environmental Systems Science Centre UK

**HOELZLE, Martin**

University of Zürich, Department of Geography Switzerland

**HOLLAND, Elisabeth**

Atmospheric Chemistry Division, National Center for Atmospheric Research (NCAR) USA

**HOLLAND, Marika**

National Center for Atmospheric Research USA

**HOLTSLAG, Albert A. M.**

Wageningen University Netherlands

**HOSKINS, Brian J.**

Department of Meteorology, University of Reading UK

**HOUSE, Joanna**

Quantifying and Understanding the Earth System Programme, University of Bristol UK

**HU, Aixue**

National Center for Atmospheric Research USA, China

**HUNKE, Elizabeth**

Los Alamos National Laboratory USA

**HURRELL, James**

National Center for Atmospheric Research USA

**HUYBRECHTS, Philippe**

Departement Geografie, Vrije Universiteit Brussel Belgium

**INGRAM, William**

Hadley Centre for Climate Prediction and Research, Met Office UK

**ISAKSEN, Ketil**

Norwegian Meteorological Institute Norway

**ISHII, Masayoshi**

Frontier Research Center for Global Change, Japan Agency for Marine-Earth Science and Technology Japan

**JACOB, Daniel**

Department of Earth and Planetary Sciences, Harvard University USA, France

**JALLOW, Bubou**

Department of Water Resources The Gambia

**JANSEN, Eystein**

University of Bergen, Department of Earth Sciences and Bjerknes Centre for Climate Research Norway

**JANSSON, Peter**

Department of Physical Geography and Quaternary Geology, Stockholm University Sweden

**JENKINS, Adrian**

British Antarctic Survey, Natural Environment Research Council UK

**JONES, Andy**

Hadley Centre for Climate Prediction and Research, Met Office UK

**JONES, Christopher**

Hadley Centre for Climate Prediction and Research, Met Office UK

**JONES, Colin**

Universite du Quebec a Montreal, Canadian Regional Climate Modelling Network Canada

**JONES, Gareth S.**

Hadley Centre for Climate Prediction and Research, Met Office UK

**JONES, Julie**

GKSS Research Centre Germany, UK

**JONES, Philip D.**

Climatic Research Unit, School of Environmental Sciences, University of East Anglia UK

**JONES, Richard**

Hadley Centre for Climate Prediction and Research, Met Office UK

**JOOS, Fortunat**

Climate and Environmental Physics, Physics Institute, University of Bern Switzerland

**JOSEY, Simon**

National Oceanography Centre, University of Southampton UK

**JOUGHIN, Ian**

Applied Physics Laboratory, University of Washington USA

**JOUZEL, Jean**

Institut Pierre Simon Laplace, Laboratoire des Sciences du Climat et de l'Environnement, CEA-CNRS-UVSQ France

**JOYCE, Terrence**

Woods Hole Oceanographic Institution USA

**JUNGCLAUS, Johann H.**

Max Planck Institute for Meteorology Germany

**KAGEYAMA, Masa**

Laboratoire des Sciences du Climat et de l'Environnement France

**KÅLLBERG, Per**

European Centre for Medium-Range Weather Forecasts ECMWF

**KÄRCHER, Bernd**

Deutsches Zentrum für Luft und Raumfahrt, Institut für Physik der Atmosphäre Germany

**KARL, Thomas R.**

National Oceanic and Atmospheric Administration, National Climatic Data Center USA

**KAROLY, David J.**

University of Oklahoma USA, Australia

**KASER, Georg**

Institut für Geographie, University of Innsbruck Austria, Italy

**KATTSOV, Vladimir**

Voeikov Main Geophysical Observatory Russian Federation

**KATZ, Robert**

National Center for Atmospheric Research USA

**KAWAMIYA, Michio**

Frontier Research Center for Global Change, Japan Agency for Marine-Earth Science and Technology Japan

**KEELING, C. David**

Scripps Institution of Oceanography USA

**KEELING, Ralph**

Scripps Institution of Oceanography USA

**KENNEDY, John**

Hadley Centre, Met Office UK

**KENYON, Jesse**

Duke University USA

**KETTLEBOROUGH, Jamie**

British Atmospheric Data Centre, Space Science and Technology Department, Council for the Central Laboratory of the Research Councils UK

**KHARIN, Viatcheslar**

Canadian Centre for Climate Modelling and Analysis, Environment Canada Canada

**KHODRI, Myriam**

Institut de Recherche Pour le Developpement France

**KILADIS, George**

National Oceanic and Atmospheric Administration USA

**KIM, Kuh**

Seoul National University Republic of Korea

**KIMOTO, Masahide**

Center for Climate System Research, University of Tokyo Japan

**KING, Brian**

National Oceanography Centre, Southampton UK

**KINNE, Stefan**

Max-Planck Institute for Meteorology Germany

**KIRTMAN, Ben**

Center for Ocean-Land-Atmosphere Studies, George Mason University USA

**KITOH, Akio**

First Research Laboratory, Climate Research Department, Meteorological Research Institute, Japan Meteorological Agency Japan

**KLEIN, Stephen A.**

Lawrence Livermore National Laboratory USA

**KLEIN TANK, Albert**

Royal Netherlands Meteorological Institute (KNMI) Netherlands

**KNUTSON, Thomas**

Geophysical Fluid Dynamics Laboratory, National Oceanic and Atmospheric Administration USA

**KNUTTI, Reto**

Climate and Global Dynamics Division, National Center for Atmospheric Research Switzerland

**KOERTZINGER, Arne**

Leibniz Institut für Meereswissenschaften an der Universität Kiel and Institut für Ostseeforschung Warnemünde Germany

**KOIKE, Toshio**

Department of Civil Engineering, University of Tokyo Japan

**KOLLI, Rupa Kumar**

Climatology and Hydrometeorology Division, Indian Institute of Tropical Meteorology India

**KOSTER, Randal**

National Aeronautics and Space Administration USA

**KOTTMEIER, Christoph**

Institut für Meteorologie, und Klimaforschung, Universität Karlsruhe/ Forschungszentrum Karlsruhe Germany

- KRIPALANI, Ramesh**  
Indian Institute of Tropical Meteorology  
India
- KRYNYTZKY, Marta**  
University of Washington  
USA
- KUNKEL, Kenneth**  
Illinois State Water Survey  
USA
- KUSHNER, Paul J.**  
Department of Physics,  
University of Toronto  
Canada
- KWOK, Ron**  
Jet Propulsion Laboratory, California  
Institute of Technology  
USA
- KWON, Won-Tae**  
Climate Research Laboratory,  
Meteorological Research Institute (METRI),  
Korean Meteorological Administration  
Republic of Korea
- LABEYRIE, Laurent**  
Laboratoire des Sciences du  
Climat et de l'Environnement  
France
- LAINÉ, Alexandre**  
Laboratoire des Sciences du  
Climat et de l'Environnement  
France
- LAM, Chiu-Ying**  
Hong Kong Observatory  
China
- LAMBECK, Kurt**  
Australia National University  
Australia
- LAMBERT, F. Hugo**  
Atmospheric, Oceanic and Planetary  
Physics, University of Oxford  
UK
- LANZANTE, John**  
National Oceanic and  
Atmospheric Administration  
USA
- LAPRISE, René**  
Département des Sciences de la Terre  
et de l'Atmosphère, University  
of Quebec at Montreal  
Canada
- LASSEY, Keith**  
National Institute of Water and  
Atmospheric Research  
New Zealand
- LATIF, Mojib**  
Leibniz Institut für Meereswissenschaften,  
IFM-GEOMAR  
Germany
- LAU, Ngar-Cheung**  
Geophysical Fluid Dynamics  
Laboratory, National Oceanic and  
Atmospheric Administration  
USA
- LAVAL, Katia**  
Laboratoire de Météorologie  
Dynamique du CNRS  
France
- LAVINE, Michael**  
Duke University  
USA
- LAWRENCE, David**  
National Center for Atmospheric Research  
USA
- LAWRIMORE, Jay**  
National Oceanic and Atmospheric  
Administration, National  
Climatic Data Center  
USA
- LAXON, Seymour**  
Centre for Polar Observation and  
Modelling, University College London  
UK
- LE BROCCQ, Anne**  
Centre for Polar Observation and  
Modelling, University of Bristol  
UK
- LE QUÉRÉ, Corrine**  
University of East Anglia and  
British Antarctic Survey  
UK, France, Canada
- LE TREUT, Hervé**  
Laboratoire de Météorologie  
Dynamique du CNRS  
France
- LEAN, Judith**  
Naval Research Laboratory  
USA
- LECK, Caroline**  
Department of Meteorology,  
Stockholm University  
Sweden
- LEE, Terry C.K.**  
University of Victoria  
Canada
- LEE-TAYLOR, Julia**  
National Center for Atmospheric Research  
USA, UK
- LEFEVRE, Nathalie**  
Institut de Recherche Pour le  
Développement, Laboratoire  
d'Océanographie et de Climatologie  
France
- LEMKE, Peter**  
Alfred Wegener Institute for  
Polar and Marine Research  
Germany
- LEULIETTE, Eric**  
University of Colorado, Boulder  
USA
- LEUNG, Ruby**  
Pacific Northwest National  
Laboratory, National Oceanic and  
Atmospheric Administration  
USA
- LEVERMANN, Anders**  
Potsdam Institute for Climate  
Impact Research  
Germany
- LEVINSON, David**  
National Oceanic and Atmospheric  
Administration, National  
Climatic Data Center  
USA
- LEVITUS, Sydney**  
National Oceanic and  
Atmospheric Administration  
USA
- LIE, Øyvind**  
Bjerknes Centre for Climate Research  
Norway
- LIEPERT, Beate**  
Lamont-Doherty Earth Observatory,  
Columbia University  
USA
- LIU, Shiyin**  
Cold and Arid Regions Environmental  
and Engineering Research Institute,  
Chinese Academy of Sciences  
China
- LOHMANN, Ulrike**  
ETH Zürich, Institute for Atmospheric  
and Climate Science  
Switzerland
- LOUTRE, Marie-France**  
Université catholique de Louvain,  
Institut d'Astronomie et de  
Géophysique G. Lemaître  
Belgium
- LOWE, David C.**  
National Institute of Water and  
Atmospheric Research  
New Zealand
- LOWE, Jason**  
Hadley Centre for Climate Prediction  
and Research, Met Office  
UK
- LUO, Yong**  
Laboratory for Climate Change,  
National Climate Centre, China  
Meteorological Administration  
China
- LUTERBACHER, Jürg**  
Institute of Geography, Climatology  
and Meteorology, and National  
Centre of Competence in Research  
on Climate, University of Bern  
Switzerland
- LYNCH, Amanda H.**  
School of Geography and Environmental  
Science, Monash University  
Australia
- MACAYEAL, Douglas**  
University of Chicago  
USA
- MACCRACKEN, Michael**  
Climate Institute  
USA

**MAGAÑA RUEDA, Victor**

Centro de Ciencias de la Atmósfera,  
Ciudad Universitaria, Universidad  
Nacional Autonomía de México  
México

**MALHI, Yadvinder**

University of Oxford  
UK

**MALANOTTE-RIZZOLI, Paola**

Massachusetts Institute of Technology  
USA, Italy

**MANNING, Andrew C.**

University of East Anglia  
UK, New Zealand

**MANNING, Martin**

IPCC WGI TSU, National Oceanic  
and Atmospheric Administration,  
Earth System Research Laboratory  
USA, New Zealand

**MANZINI, Elisa**

National Institute for Geophysics  
and Volcanology  
Italy

**MARENGO ORSINI, Jose Antonio**

CPTEC/INPE  
Brazil, Peru

**MARSH, Robert**

National Oceanography Centre,  
University of Southampton  
UK

**MARSHALL, Gareth**

British Antarctic Survey  
UK

**MARTELO, Maria**

Ministerio del Ambiente y los Recursos  
Naturales, Dir. de Hidrología y Meteorología  
Venezuela

**MASARIE, Ken**

National Oceanic and Atmospheric  
Administration, Earth System Research  
Laboratory, Global Monitoring Division  
USA

**MASSON-DELMOTTE, Valérie**

Laboratoire des Sciences du  
Climat et de l'Environnement  
France

**MATSUMOTO, Katsumi**

University of Minnesota, Twin Cities  
USA

**MATSUNO, Taroh**

Frontier Research Center for Global  
Change, Japan Agency for Marine-  
Earth Science and Technology  
Japan

**MATTHEWS, H. Damon**

University of Calgary and  
Concordia University  
Canada

**MATULLA, Christoph**

Environment Canada  
Canada, Austria

**MAURITZEN, Cecilie**

Norwegian Meteorological Institute  
Norway

**MCAVANEY, Bryant**

Bureau of Meteorology Research Centre  
Australia

**MCFIGGANS, Gordon**

University of Manchester  
UK

**MCINNES, Kathleen**

CSIRO, Marine and Atmospheric  
Chemistry Research  
Australia

**MCPHADEN, Michael**

National Oceanic and  
Atmospheric Administration  
USA

**MEARNS, Linda**

National Center for Atmospheric Research  
USA

**MEARS, Carl**

Remote Sensing Systems  
USA

**MEEHL, Gerald A.**

Climate and Global Dynamics Division,  
National Center for Atmospheric Research  
USA

**MEINSHAUSEN, Malte**

Potsdam Institute for Climate  
Impact Research  
Germany

**MELLING, Humphrey**

Fisheries and Oceans Canada  
Canada

**MENÉNDEZ, Claudio Guillermo**

Centro de Investigaciones del Mar y  
de la Atmósfera, (CONICET-UBA)  
Argentina

**MENON, Surabi**

Lawrence Berkeley National Laboratory  
USA

**MESCHERSKAYA, Anna V.**

Russian Federation

**MILLER, John B.**

National Oceanic and  
Atmospheric Administration  
USA

**MILLOT, Claude**

Centre National de la Recherche Scientifique  
France

**MILLY, Chris**

United States Geological Survey  
USA

**MITCHELL, John**

Hadley Centre for Climate Prediction  
and Research, Met Office  
UK

**MOKSSIT, Abdalah**

Direction de la météorologie Nationale  
Morocco

**MOLINA, Mario**

Scripps Institution of Oceanography,  
Dept. of Chemistry and Biochemistry,  
University of California, San Diego  
USA, Mexico

**MOLINARI, Robert**

National Oceanic and Atmospheric  
Administration, Atlantic Oceanographic  
and Meteorological Laboratory  
USA

**MONAHAN, Adam H.**

School of Earth and Ocean  
Sciences, University of Victoria  
Canada

**MONNIN, Eric**

Climate and Environmental Physics,  
Physics Institute, University of Bern  
Switzerland

**MONTZKA, Steve**

National Oceanic and  
Atmospheric Administration  
USA

**MOSLEY-THOMPSON, Ellen**

Ohio State University  
USA

**MOTE, Philip**

Climate Impacts Group, Joint Institute for  
the Study of the Atmosphere and Oceans  
(JIASO), University of Washington  
USA

**MUHS, Daniel**

United States Geological Survey  
USA

**MULLAN, A. Brett**

National Institute of Water and  
Atmospheric Research  
New Zealand

**MÜLLER, Simon A.**

Climate and Environmental Physics,  
Physics Institute, University of Bern  
Switzerland

**MURPHY, James M.**

Hadley Centre for Climate Prediction  
and Research, Met Office  
UK

**MUSCHELER, Raimund**

Goddard Earth Sciences and Technology  
Center, University of Maryland &  
NASA/Goddard Space Flight Center,  
Climate & Radiation Branch  
USA

**MYHRE, Gunnar**

Department of Geosciences,  
University of Oslo  
Norway

**NAKAJIMA, Teruyuki**

Center for Climate System  
Research, University of Tokyo  
Japan

**NAKAMURA, Hisashi**

Department of Earth, Planetary  
Science, University of Tokyo  
Japan

**NAWRATH, Susanne**

Potsdam Institute for Climate  
Impact Research  
Germany

**NEREM, R. Steven**

University of Colorado at Boulder  
USA

**NEW, Mark**

Centre for the Environment,  
University of Oxford  
UK

**NGANGA, John**

University of Nairobi  
Kenya

**NICHOLLS, Neville**

Monash University  
Australia

**NODA, Akira**

Meteorological Research Institute,  
Japan Meteorological Agency  
Japan

**NOJIRI, Yukihiko**

Secretariat of Council for Science and  
Technology Policy, Cabinet Office  
Japan

**NOKHANDAN, Majid Habibi**

Iranian Meteorological Organization  
Iran

**NORRIS, Joel**

Scripps Institution of Oceanography  
USA

**NOZAWA, Toru**

National Institute for Environmental Studies  
Japan

**OERLEMANS, Johannes**

Institute for Marine and Atmospheric  
Research, Utrecht University  
Netherlands

**OGALLO, Laban**

IGAD Climate Prediction and  
Application Centre  
Kenya

**OHMURA, Atsumu**

Swiss Federal Institute of Technology  
Switzerland

**OKI, Taikan**

Institute of Industrial Science,  
The University of Tokyo  
Japan

**OLAGO, Daniel**

Department of Geology,  
University of Nairobi  
Kenya

**ONO, Tsuneo**

Hokkaido National Fisheries Research  
Institute, Fisheries Research Agency  
Japan

**OPPENHEIMER, Michael**

Princeton University  
USA

**ORAM, David**

University of East Anglia  
UK

**ORR, James C.**

Marine Environment Laboratories,  
International Atomic Energy Agency  
Monaco, USA

**OSBORN, Tim**

University of East Anglia  
UK

**O'SHAUGHNESSY, Kath**

National Institute of Water and  
Atmospheric Research  
New Zealand

**OTTO-BLIESNER, Bette**

Climate and Global Dynamics Division,  
National Center for Atmospheric Research  
USA

**OVERPECK, Jonathan**

Institute for the Study of Planet  
Earth, University of Arizona  
USA

**PAASCHE, Øyvind**

Bjerknes Centre for Climate Research  
Norway

**PAHLOW, Markus**

Dalhousie University, Bedford  
Institute of Oceanography  
Canada

**PAL, Jeremy S.**

Loyola Marymount University,  
The Abdus Salam International  
Centre for Theoretical Physics  
USA, Italy

**PALMER, Timothy**

European Centre for Medium-  
Range Weather Forecasting  
ECMWF, UK

**PANT, Govind Ballabh**

Indian Institute of Tropical Meteorology  
India

**PARKER, David**

Hadley Centre for Climate Prediction  
and Research, Met Office  
UK

**PARRENIN, Frédéric**

Laboratoire de Glaciologie et  
Géophysique de l'Environnement  
France

**PAVLOVA, Tatyana**

Voeikov Main Geophysical Observatory  
Russian Federation

**PAYNE, Antony**

University of Bristol  
UK

**PELTIER, W. Richard**

Department of Physics,  
University of Toronto  
Canada

**PENG, Tsung-Hung**

Atlantic Oceanographic and Meteorological  
Laboratory, National Oceanic and  
Atmospheric Administration  
USA

**PENNER, Joyce E.**

Department of Atmospheric, Oceanic, and  
Space Sciences, University of Michigan  
USA

**PETERSON, Thomas**

National Oceanic and Atmospheric  
Administration, National  
Climatic Data Center  
USA

**PETOUKHOV, Vladimir**

Potsdam Institute for Climate  
Impact Research  
Germany

**PEYLIN, Philippe**

Laboratoire des Modélisation du  
Climat et de l'Environnement  
France

**PFISTER, Christian**

University of Bern  
Switzerland

**PHILLIPS, Thomas**

Program for Climate Model Diagnosis  
and Intercomparison, Lawrence  
Livermore National Laboratory  
USA

**PIERCE, David**

Scripps Institution of Oceanography  
USA

**PIPER, Stephen**

Scripps Institution of Oceanography  
USA

**PITMAN, Andrew**

Department of Physical Geography,  
Macquarie University  
Australia

**PLANTON, Serge**

Météo-France  
France

**PLATTNER, Gian-Kasper**

Climate and Environmental Physics,  
Physics Institute, University of Bern  
Switzerland

**PLUMMER, David**

Environment Canada  
Canada

**POLLACK, Henry**

University of Michigan  
USA

**PONATER, Michael**

Deutsches Zentrum für Luft und Raumfahrt,  
Institut für Physik der Atmosphäre  
Germany

**POWER, Scott**

Bureau of Meteorology Research Centre  
Australia

**PRATHER, Michael**

Earth System Science Department,  
University of California at Irvine  
USA

**PRINN, Ronald**

Department of Earth, Atmospheric  
and Planetary Sciences, Massachusetts  
Institute of Technology  
USA, New Zealand

**PROSHUTINSKY, Andrey**

Woods Hole Oceanographic Institution  
USA

**PROWSE, Terry**

Environment Canada, University of Victoria  
Canada

**QIN, Dahe**

Co-Chair, IPCC WGI, China  
Meteorological Administration  
China

**QIU, Bo**

University of Hawaii  
USA

**QUAAS, Johannes**

Max Planck Institute for Meteorology  
Germany

**QUADFASSEL, Detlef**

Institut für Meereskunde, Centre for Marine  
and Atmospheric Sciences Hamburg  
Germany

**RAGA, Graciela**

Centro de Ciencias de la Atmósfera,  
Universidad Nacional Autónoma de México  
México, Argentina

**RAHIMZADEH, Fatemeh**

Atmospheric Science & Meteorological  
Research Center (ASMEC), I.R. of Iran  
Meteorological Organization (IRIMO)  
Iran

**RAHMSTORF, Stefan**

Potsdam Institute for Climate  
Impact Research  
Germany

**RÄISÄNEN, Jouni**

Department of Physical Sciences,  
University of Helsinki  
Finland

**RAMACHANDRAN, Srikanthan**

Space & Atmospheric Sciences Division,  
Physical Research Laboratory  
India

**RAMANATHAN, Veerabhadran**

Scripps Institution of Oceanography  
USA

**RAMANKUTTY, Navin**

University of Wisconsin, Madison  
USA, India

**RAMASWAMY, Venkatachalam**

National Oceanic and Atmospheric  
Administration, Geophysical  
Fluid Dynamics Laboratory  
USA

**RAMESH, Rengaswamy**

Physical Research Laboratory  
India

**RANDALL, David A.**

Department of Atmospheric Science,  
Colorado State University  
USA

**RAPER, Sarah C.B.**

Manchester Metropolitan University  
UK

**RAUP, Bruce H.**

National Snow and Ice Data  
Center, University of Colorado  
USA

**RAUPACH, Michael**

CSIRO  
Australia

**RAYMOND, Charles**

University of Washington, Department  
of Earth and Space Sciences  
USA

**RAYNAUD, Dominique**

Laboratoire de Glaciologie et  
Géophysique de l'Environnement  
France

**RAYNER, Peter**

Institut Pierre Simon Laplace,  
Laboratoire des Sciences du  
Climat et de l'Environnement  
France

**REHDER, Gregor**

Leibniz Institut für Meereswissenschaften  
an der Universität Kiel and Institut  
für Ostseeforschung Warnemünde  
Germany

**REID, George**

National Oceanic and  
Atmospheric Administration  
USA

**REN, Jiawen**

Cold and Arid Regions Environmental  
and Engineering Research Institute,  
Chinese Academy of Sciences  
China

**RENSSEN, Hans**

Faculty of Earth and Life Sciences,  
Vrije Universiteit Amsterdam  
Netherlands

**RENWICK, James A.**

National Institute of Water and  
Atmospheric Research  
New Zealand

**RIEBESSELL, Ulf**

Leibniz Institute for Marine  
Sciences, IFM-GEOMAR  
Germany

**RIGNOT, Eric**

Jet Propulsion Laboratory  
USA

**RIGOR, Ignatius**

Polar Science Center, Applied Physics  
Laboratory, University of Washington  
USA

**RIND, David**

National Aeronautics and Space  
Administration, Goddard  
Institute for Space Studies  
USA

**RINKE, Annette**

Alfred Wegener Institute for  
Polar and Marine Research  
Germany

**RINTOUL, Stephen**

CSIRO, Marine and Atmospheric  
Research and Antarctic Climate and  
Ecosystems Cooperative Research Centre  
Australia

**RIXEN, Michel**

University of Liege and NATO  
Undersea Research Center  
NATO, Belgium

**RIZZOLI, Paola**

Massachusetts Institute of Technology  
USA, Italy

**ROBERTS, Malcolm**

Hadley Centre for Climate Prediction  
and Research, Met Office  
UK

**ROBERTSON, Franklin R.**

National Aeronautics and  
Space Administration  
USA

**ROBINSON, David**

Rutgers University  
USA

**RÖDENBECK, Christian**

Max Planck Institute for  
Biogeochemistry Jena  
Germany

**ROECKNER, Erich**

Max Planck Institute for Meteorology  
Germany

**ROSATI, Anthony**

National Oceanic and  
Atmospheric Administration  
USA

**ROSENLOF, Karen**

National Oceanic and  
Atmospheric Administration  
USA

**ROTHROCK, David**

University of Washington  
USA

**ROTSTAYN, Leon**

CSIRO Marine and Atmospheric Research  
Australia

**ROULET, Nigel**

McGill University  
Canada



**RUMMUKAINEN, Markku**

Rosby Centre, Swedish Meteorological and Hydrological Institute  
Sweden, Finland

**RUSSELL, Gary L.**

National Aeronautics and Space Administration, Goddard Institute for Space Studies  
USA

**RUSTICUCCI, Matilde**

Departamento de Ciencias de la Atmósfera y los Océanos, FCEN, Universidad de Buenos Aires  
Argentina

**SABINE, Christopher**

National Oceanic and Atmospheric Administration, Pacific Marine Environmental Laboratory  
USA

**SAHAGIAN, Dork**

Lehigh University  
USA

**SALAS Y MÉLIA, David**

Météo-France, Centre National de Recherches Météorologiques  
France

**SANTER, Ben D.**

Program for Climate Model Diagnosis and Intercomparison, Lawrence Livermore National Laboratory  
USA

**SARR, Abdoulaye**

Service Météorologique, DMN Sénégal  
Senegal

**SAUSEN, Robert**

Deutsches Zentrum für Luft und Raumfahrt, Institut für Physik der Atmosphäre  
Germany

**SCHÄR, Christoph**

ETH Zürich, Institute for Atmospheric and Climate Science  
Switzerland

**SCHERRER, Simon Christian**

Federal Office of Meteorology and Climatology MeteoSwiss  
Switzerland

**SCHMIDT, Gavin**

National Aeronautics and Space Administration, Goddard Institute for Space Studies  
USA, UK

**SCHMITTNER, Andreas**

College of Oceanic and Atmospheric Sciences, Oregon State University  
USA, Germany

**SCHNEIDER, Birgit**

Leibniz Institut für Meereswissenschaften  
Germany

**SCHOTT, Friedrich**

Leibniz Institut für Meereswissenschaften, IFM-GEOMAR  
Germany

**SCHULTZ, Martin G.**

Max Planck Institute for Meteorology  
Germany

**SCHULZ, Michael**

Institut Pierre Simon Laplace, Laboratoire des Sciences du Climat et de l'Environnement, CEA-CNRS-UVSQ  
France, Germany

**SCHWARTZ, Stephen E.**

Brookhaven National Laboratory  
USA

**SCHWARZKOPF, Dan**

National Oceanic and Atmospheric Administration  
USA

**SCINOCCHA, John**

Canadian Centre for Climate Modelling and Analysis, Environment Canada  
Canada

**SEIDOV, Dan**

Pennsylvania State University  
USA

**SEMAZZI, Fred H.**

North Carolina State University  
USA

**SENIOR, Catherine**

Hadley Centre for Climate Prediction and Research, Met Office  
UK

**SEXTON, David**

Hadley Centre for Climate Prediction and Research, Met Office  
UK

**SHEA, Dennis**

National Center for Atmospheric Research  
USA

**SHEPHERD, Andrew**

School of Geosciences, The University of Edinburgh  
UK

**SHEPHERD, J. Marshall**

University of Georgia, Department of Geography  
USA

**SHEPHERD, Theodore G.**

University of Toronto  
Canada

**SHERWOOD, Steven**

Yale University  
USA

**SHUKLA, Jagadish**

Center for Ocean-Land-Atmosphere Studies, George Mason University  
USA

**SHUM, C.K.**

Geodetic Science, School of Earth Sciences, The Ohio State University  
USA

**SIEGMUND, Peter**

Royal Netherlands Meteorological Institute (KNMI)  
Netherlands

**SILVA DIAS, Pedro Leite da**

Universidade de Sao Paulo  
Brazil

**SIMMONDS, Ian**

University of Melbourne  
Australia

**SIMMONS, Adrian**

European Centre for Medium-Range Weather Forecasts  
ECMWF, UK

**SIROCKO, Frank**

University of Mainz  
Germany

**SLATER, Andrew G.**

Cooperative Institute for Research in Environmental Sciences, University of Colorado, Boulder  
USA, Australia

**SLINGO, Julia**

National Centre for Atmospheric Science, University of Reading  
UK

**SMITH, Doug**

Hadley Centre for Climate Prediction and Research, Met Office  
UK

**SMITH, Sharon**

Geological Survey of Canada, Natural Resources Canada  
Canada

**SODEN, Brian**

University of Miami, Rosentiel School for Marine and Atmospheric Science  
USA

**SOKOLOV, Andrei**

Massachusetts Institute of Technology  
USA, Russian Federation

**SOLANKI, Sami K.**

Max Planck Institute for Solar System Research  
Germany, Switzerland

**SOLOMINA, Olga**

Institute of Geography RAS  
Russian Federation

**SOLOMON, Susan**

Co-Chair, IPCC WGI, National Oceanic and Atmospheric Administration, Earth System Research Laboratory  
USA

**SOMERVILLE, Richard**

Scripps Institution of Oceanography, University of California, San Diego  
USA

**SOMOT, Samuel**

Météo-France, Centre National de Recherches Météorologiques  
France

**SONG, Yuhe**

Jet Propulsion Laboratory  
USA

**SPAANI, Renato**

Climate and Environmental Physics,  
Physics Institute, University of Bern  
Switzerland

**SRINIVASAN, Jayaraman**

Centre for Atmospheric and Oceanic  
Sciences, Indian Institute of Science  
India

**STAINFORTH, David**

Atmospheric, Oceanic and  
Planetary Physics, Department of  
Physics, University of Oxford  
UK

**STAMMER, Detlef**

Institut fuer Meereskunde Zentrum  
fuer Meeres und Klimaforschung  
Universitaet Hamburg  
Germany

**STANFORTH, Andrew**

Hadley Centre for Climate Prediction  
and Research, Met Office  
UK

**STARK, Sheila**

Hadley Centre for Climate Prediction  
and Research, Met Office  
UK

**STEFFEN, Will**

Australian National University  
Australia

**STENCHIKOV, Georgiy**

Rutgers, The State University of New Jersey  
USA

**STERN, William**

National Oceanic and  
Atmospheric Administration  
USA

**STEVENSON, David**

University of Edinburgh  
UK

**STOCKER, Thomas F.**

Climate and Environmental Physics,  
Physics Institute, University of Bern  
Switzerland

**STONE, Daíthí A.**

University of Oxford  
UK, Canada

**STOTT, Lowell D.**

Department of Earth Sciences,  
University of Southern California  
USA

**STOTT, Peter A.**

Hadley Centre for Climate Prediction  
and Research, Met Office  
UK

**STOUFFER, Ronald J.**

National Oceanic and Atmospheric  
Administration, Geophysical  
Fluid Dynamics Laboratory  
USA

**STUBER, Nicola**

Department of Meteorology,  
University of Reading  
UK, Germany

**SUDO, Kengo**

Nagoya University  
Japan

**SUGA, Toshio**

Tohoku University  
Japan

**SUMI, Akimasa**

Center for Climate System  
Research, University of Tokyo  
Japan

**SUPPIAH, Ramasamy**

CSIRO  
Australia

**SWEENEY, Colm**

Princeton University  
USA

**TADROSS, Mark**

Climate Systems Analysis Group,  
University of Cape Town  
South Africa

**TAKEMURA, Toshihiko**

Research Institute for Applied  
Mechanics, Kyushu University  
Japan

**TALLEY, Lynne D.**

Scripps Institution of Oceanography,  
University of California, San Diego  
USA

**TAMISIEA, Mark**

Harvard-Smithsonian Center  
for Astrophysics  
USA

**TAYLOR, Karl E.**

Program for Climate Model Diagnosis  
and Intercomparison, Lawrence  
Livermore National Laboratory  
USA

**TEBALDI, Claudia**

National Center for Atmospheric Research  
USA

**TENG, Haiyan**

National Center for Atmospheric Research  
USA, China

**TENNANT, Warren**

South African Weather Service  
South Africa

**TERRAY, Laurent**

European Centre for Research and Advanced  
Training in Scientific Computation  
France

**TETT, Simon**

Hadley Centre for Climate Prediction  
and Research, Met Office  
UK

**TEXTOR, Christiane**

Laboratoire des Sciences du  
Climat et de l'Environnement  
France, Germany

**THOMAS, Robert H.**

EG&G Technical Services, Inc. and  
Centro de Estudios Científicos (CECS)  
USA, Chile

**THOMPSON, Lonnie**

Ohio State University  
USA

**THORNCROFT, Chris**

Department of Earth and Atmospheric  
Science, University at Albany, SUNY  
USA, UK

**THORNE, Peter**

Hadley Centre for Climate Prediction  
and Research, Met Office  
UK

**TIAN, Yuhong**

Georgia Institute of Technology  
USA, China

**TRENBERTH, Kevin E.**

Climate Analysis Section, National  
Center for Atmospheric Research  
USA

**TSELIODIS, George**

National Aeronautics and Space  
Administration, Goddard Institute for  
Space Studies, Columbia University  
USA, Greece

**TSIMPLIS, Michael**

National Oceanography Centre,  
University of Southampton  
UK, Greece

**UNNIKRISHNAN, Alakkat S.**

National Institute of Oceanography  
India

**UPPALA, Sakari**

European Centre for Medium-  
Range Weather Forecasts  
ECMWF

**VAN DE WAL, Roderik Sylvester Willo**

Institute for Marine and Atmospheric  
Research, Utrecht University  
Netherlands

**VAN DORLAND, Robert**

Royal Netherlands Meteorological  
Institute (KNMI)  
Netherlands

**VAN NOIJE, Twan**

Royal Netherlands Meteorological  
Institute (KNMI)  
Netherlands

**VAUGHAN, David**

British Antarctic Survey  
UK

**VILLALBA, Ricardo**

Departamento de Dendrocronología e Historia Ambiental, Instituto Argentino de Novología, Glaciología y Ciencias Ambientales (IANIGLA - CRICYT) Argentina

**VOLODIN, Evgeny M.**

Institute of Numerical Mathematics of Russian Academy of Sciences Russian Federation

**VOSE, Russell**

National Oceanic and Atmospheric Administration, National Climatic Data Center USA

**WALBROECK, Claire**

Institut Pierre Simon Laplace, Laboratoire des Sciences du Climat et de l'Environnement, CNRS France

**WALSH, John**

University of Alaska USA

**WANG, Bin**

National Key Laboratory of Numerical Modeling for Atmospheric Sciences and Geophysical Fluid Dynamics, Institute of Atmospheric Physics, Chinese Academy of Sciences China

**WANG, Bin**

University of Hawaii USA

**WANG, Minghuai**

Department of Atmospheric, Oceanic, and Space Sciences, University of Michigan USA

**WANG, Ray**

Georgia Institute of Technology USA

**WANNINKHOF, Rik**

Atlantic Oceanographic and Meteorological Laboratory, National Oceanic and Atmospheric Administration USA

**WARREN, Stephen**

University of Washington USA  
WASHINGTON, Richard  
UK, South Africa

**WATTERSON, Ian G.**

CSIRO Marine and Atmospheric Research Australia

**WEAVER, Andrew J.**

School of Earth and Ocean Sciences, University of Victoria Canada

**WEBB, Mark**

Hadley Centre for Climate Prediction and Research, Met Office UK

**WEISHEIMER, Antje**

European Centre for Medium-Range Weather Forecasting and Free University, Berlin ECMWF, Germany

**WEISS, Ray**

Scripps Institution of Oceanography, University of California, San Diego USA

**WHEELER, Matthew**

Bureau of Meteorology Research Centre Australia

**WHETTON, Penny**

CSIRO Marine and Atmospheric Research Australia

**WHORF, Tim**

Scripps Institution of Oceanography, University of California, San Diego USA

**WIDMANN, Martin**

GKSS Research Centre, Geesthacht and School of Geography, Earth and Environmental Sciences, University of Birmingham Germany, UK

**WIELICKI, Bruce**

National Aeronautics and Space Administration, Langley Research Center USA

**WIGLEY, Tom M.L.**

National Center for Atmospheric Research USA

**WILBY, Rob**

Environment Agency of England and Wales UK

**WILD, Martin**

ETH Zürich, Institute for Atmospheric and Climate Science Switzerland

**WILD, Oliver**

Frontier Research Center for Global Change, Japan Agency for Marine-Earth Science and Technology Japan, UK

**WILES, Gregory**

The College of Wooster USA

**WILLEBRAND, Jürgen**

Leibniz Institut für Meereswissenschaften an der Universität Kiel Germany

**WILLIS, Josh**

Jet Propulsion Laboratory USA

**WOFSY, Steven C.**

Division of Engineering and Applied Science, Harvard University USA

**WONG, A.P.S.**

School of Oceanography, University of Washington USA, Australia

**WONG, Takmeng**

National Aeronautics and Space Administration, Langley Research Center USA

**WOOD, Richard A.**

Hadley Centre for Climate Prediction and Research, Met Office UK

**WOODWORTH, Philip**

Proudman Oceanographic Laboratory UK

**WORBY, Anthony**

Australian Antarctic Division and Antarctic Climate and Ecosystems Cooperative Research Centre Australia

**WRATT, David**

National Climate Centre, National Institute of Water and Atmospheric Research New Zealand

**WUERTZ, David**

National Oceanic and Atmospheric Administration, National Climatic Data Center USA

**WYMAN, Bruce L.**

Geophysical Fluid Dynamics Laboratory, National Oceanic and Atmospheric Administration USA

**XU, Li**

Department of Atmospheric, Oceanic, and Space Sciences, University of Michigan USA, China

**YAMADA, Tomomi**

Japanese Society of Snow and Ice Japan

**YASHAYAEV, Igor**

Maritimes Region of the Department of Fisheries and Oceans Canada

**YASUDA, Ichiro**

University of Tokyo Japan

**YOSHIMURA, Jun**

Meteorological Research Institute Japan

**YU, Rucong**

China Meteorological Administration China

**YUKIMOTO, Seiji**

Meteorological Research Institute Japan

**ZACHOS, James**

University of California, Santa Cruz USA

**ZHAI, Panmao**

National Climate Center, China  
Meteorological Administration  
China

**ZHANG, De'er**

National Climate Center, China  
Meteorological Administration  
China

**ZHANG, Tingjun**

National Snow and Ice Data Center, CIRES,  
University of Colorado at Boulder  
USA, China

**ZHANG, Xiaoye**

Chinese Academy of Meteorological  
Sciences, Centre for Atmosphere  
Watch & Services  
China

**ZHANG, Xuebin**

Climate Research Division,  
Environment Canada  
Canada

**ZHAO, Lin**

Cold and Arid Regions Environmental  
and Engineering Research Institute,  
Chinese Academy of Science  
China

**ZHAO, Zong-Ci**

National Climate Center, China  
Meteorological Administration  
China

**ZHENGTEG, Guo**

Institute of Geology and Geophysics,  
Chinese Academy of Science  
China

**ZHOU, Liming**

Georgia Institute of Technology  
USA, China

**ZORITA, Eduardo**

Helmholtz Zentrum Geesthacht  
Germany, Spain

**ZWIERS, Francis**

Canadian Centre for Climate Modelling  
and Analysis, Environment Canada  
Canada

# Annex III

## Reviewers of the IPCC WGI Fourth Assessment Report

### Algeria

**AMAR, Matari**  
IHFR, Oran

**MATARI, Amar**  
IHFR, Oran

### Australia

**CAI, Wenju**  
CSIRO Marine and Atmospheric Research

**CHURCH, John**  
CSIRO Marine and Atmospheric  
Research and Ecosystems  
Cooperative Research Centre

**COLMAN, Robert**  
Bureau of Meteorology Research Centre

**ENTING, Ian**  
University of Melbourne

**GIFFORD, Roger**  
CSIRO Plant Industry

**HIRST, Anthony**  
CSIRO Marine and Atmospheric Research

**HOBBINS, Michael**  
Australian National University

**HOWARD, William**  
Antarctic Climate and Ecosystems  
Cooperative Research Centre

**HUNTER, John**  
Antarctic Climate and Ecosystems  
Cooperative Research Centre

**JONES, Roger**  
CSIRO Marine and Atmospheric Research

**KININMONTH, William**

**LYNCH, Amanda H.**  
School of Geography and Environmental  
Science, Monash University

**MANTON, Michael**  
Bureau of Meteorology Research Centre

**MCAVANEY, Bryant**  
Bureau of Meteorology Research Centre

**MCDUGALL, Trevor**  
CSIRO Marine and Atmospheric Research

**MCGREGOR, John**  
CSIRO Marine and Atmospheric Research

**MCNEIL, Ben**  
University of New South Wales

**MOISE, Aurel**  
Bureau of Meteorology Research Centre

**NICHOLLS, Neville**  
Monash University

**PITMAN, Andrew**  
Department of Physical Geography,  
Macquarie University

**RAUPACH, Michael**  
CSIRO

**RINTOUL, Stephen**  
CSIRO, Marine and Atmospheric  
Research and Antarctic Climate and  
Ecosystems Cooperative Research Centre

**RODERICK, Michael**  
Australian National University

**ROTSTAYN, Leon**  
CSIRO Marine and Atmospheric Research

**SIEMS, Steven**  
Monash University

**SIMMONDS, Ian**  
University of Melbourne

**TREWIN, Blair**  
National Climate Centre,  
Bureau of Meteorology

**VAN OMMEN, Tas**  
Australian Antarctic Division

**WALSH, Kevin**  
School of Earth Sciences,  
University of Melbourne

**WATKINS, Andrew**  
National Climate Centre,  
Bureau of Meteorology

**WHEELER, Matthew**  
Bureau of Meteorology Research Centre

**WHITE, Neil**  
CSIRO Marine and Atmospheric Research

### Austria

**BÖHM, Reinhard**  
Central Institute for Meteorology  
and Geodynamics

**KIRCHENGAST, Gottfried**  
University of Graz

**O'NEILL, Brian**  
IIASA and Brown University

**RADUNSKY, Klaus**  
Umweltbundesamt

### Belgium

**BERGER, André**  
Université catholique de Louvain,  
Institut d'Astronomie et de  
Géophysique G. Lemaître

**DE BACKER, Hugo**  
Royal Meteorological Institute

**GOOSSE, Hugues**  
Université catholique de Louvain

**JANSSENS, Ivan A.**  
University of Antwerp

**LOUTRE, Marie-France**  
Université catholique de Louvain,  
Institut d'Astronomie et de  
Géophysique G. Lemaître

**VAN LIPZIG, Nicole**  
Katholieke Universiteit Leuven

### Benin

**BOKO, Michel**  
Université de Bourgogne

**GUENDEHOU, G. H. Sabin**  
Benin Centre for Scientific  
and Technical Review

**VISSIN, Expédit Wilfrid**  
LECREDE/DGAT/FLASH/  
Université d'Abomey-Calavi

**YABI, Ibouaïma**  
Laboratoire de Climatologie/DGAT/UAC

### Brazil

**CARDIA SIMÕES, Jefferson**  
Departamento de Geografia, Instituto  
de Geociências, Universidade  
Federal do Rio Grande do Sul

**GOMES, Marcos S.P.**  
Department of Mechanical  
Research, Pontifical Catholic  
University of Rio de Janeiro

**MARENGO ORSINI, Jose Antonio**  
CPTEC/INPE

### Canada

**BELTRAMI, Hugo**  
St. Francis Xavier University

**BROWN, Ross**  
Environment Canada

*Expert reviewers are listed by country. Experts from international organizations are listed at the end.*

**CAYA, Daniel**

Consortium Ouranos

**CHYLEK, Petr**

Dalhousie University, Departments of Physics and Oceanography

**CLARKE, Garry**

Earth and Ocean Sciences, University of British Columbia

**CLARKE, R. Allyn**

Bedford Institute of Oceanography

**CULLEN, John**

Dalhousie University

**DERKSEN, Chris**

Climate Research Branch, Meteorological Service of Canada

**FERNANDES, Richard**

Canada Centre for Remote Sensing, Natural Resources Canada

**FORBES, Donald L.**

Natural Resources Canada, Geological Survey of Canada

**FREELAND, Howard**

Department of Fisheries and Oceans

**GARRETT, Chris**

University of Victoria

**HARVEY, Danny**

University of Toronto

**ISAAC, George**

Environment Canada

**JAMES, Thomas**

Geological Survey of Canada, Natural Resources Canada

**LEWIS, C.F. Michael**

Geological Survey of Canada, Natural Resources Canada

**MACDONALD, Robie**

Department of Fisheries and Oceans

**MATTHEWS, H. Damon**

University of Calgary and Concordia University

**MCINTYRE, Stephen**

University of Toronto

**MCKITRICK, Ross**

University of Guelph

**PELTIER, Wm. Richard**

Department of Physics, University of Toronto

**SAVARD, Martine M.**

Geological Survey of Canada, Natural Resources Canada

**SMITH, Sharon**

Geological Survey of Canada, Natural Resources Canada

**TRISHCHENKO, Alexander P.**

Canada Centre for Remote Sensing, Natural Resources Canada

**WANG, Shusen**

Canada Centre for Remote Sensing, Natural Resources Canada

**WANG, Xiaolan L.**

Climate Research Branch, Meteorological Service of Canada

**ZWIERS, Francis**

Canadian Centre for Climate Modelling and Analysis, Environment Canada

**Chile****ACEITUNO, Patricio**

Department Geophysics, Universidad de Chile

**China****CAI, Zucong**

Institute of Soil Science, Chinese Academy of Sciences

**CHAN, Johnny**

City University of Hong Kong

**DONG, Zhaoqian**

Polar Research Institute of China

**GONG, Dao-Yi**

College of Resources Science and Technology, Beijing Normal University

**GUO, Xueliang**

Institute of Atmospheric Physics, Chinese Academy of Sciences

**LAM, Chiu-Ying**

Hong Kong Observatory

**REN, Guoyu**

National Climate Center, China Meteorological Administration

**SHI, Guang-yu**

Institute of Atmospheric Physics, Chinese Academy of Sciences

**SU, Jilan**

Lab of Ocean Dynamic Processes and Satellite Oceanography, Second Institute of Oceanography, State Oceanic Administration

**SUN, Junying**

Centre for Atmosphere Watch and Services, Chinese Academy of Meteorological Sciences, CMA

**WANG, Dongxiao**

South China Sea Institute of Oceanology, Chinese Academy of Sciences

**WANG, Mingxing**

Institute of Atmospheric Physics, Chinese Academy of Sciences

**XIE, Zhenghui**

Institute of Atmospheric Physics, Chinese Academy of Sciences

**XU, Xiaobin**

Chinese Academy of Meteorological Sciences

**YU, Rucong**

China Meteorological Administration

**ZHAO, Zong-Ci**

National Climate Center, China Meteorological Administration

**ZHOU, Tianjun**

Institute of Atmospheric Physics, Chinese Academy of Sciences

**Denmark****GLEISNER, Hans**

Atmosphere Space Research Division, Danish Met. Institute

**STENDEL, Martin**

Danish Meteorological Institute

**Egypt****EL-SHAHAWY, Mohamed**

Cairo University, Egyptian Environmental Affairs Agency

**Estonia****JAAGUS, Jaak**

University of Tartu

**Fiji****LAL, Murari**

University of the South Pacific

**Finland****CARTER, Timothy**

Finnish Environment Institute

**KORTELAJAINEN, Pirkko**

Finnish Environment Institute

**KULMALA, Markku**

University of Helsinki

**LAAKSONEN, Ari**

University of Kuopio

**MÄKIPÄÄ, Raisa**

Finnish Forest Research Institute

**RÄISÄNEN, Jouni**

Department of Physical Sciences, University of Helsinki

**SAVOLAINEN, Ilkka**

Technical Research Centre of Finland

**France****BONY, Sandrine**

Laboratoire de Météorologie Dynamique, Institut Pierre Simon Laplace

**BOUSQUET, Philippe**

Institut Pierre Simon Laplace, Laboratoire des Sciences du Climat et de l'Environnement

**BRACONNOT, Pascale**

Pascale Braconnot Institut Pierre Simon Laplace, Laboratoire des Sciences du Climat et de l'Environnement

**CAZENAVE, Anny**

Laboratoire d'Etudes en Géophysique et Océanographie Spatiale (LEGOS), CNES

**CLERBAUX, Cathy**

Centre National de Recherche Scientifique

**CORTIJO, Elsa**

Laboratoire des Sciences du Climat et de l'Environnement, CNRS-CEA-UVSQ

**DECLEUSE, Pascale**

CEA, CNRS

**DÉQUÉ, Michel**

Météo-France

**DUFRESNE, Jean-Louis**

Laboratoire de Météorologie Dynamique, Institut Pierre Simon Laplace

**FRIEDLINGSTEIN, Pierre**

Institut Pierre Simon Laplace, Laboratoire des Sciences du Climat et de l'Environnement

**GENTHON, Christophe**

Centre National de Recherche Scientifique, Laboratoire de Glaciologie et Géophysique de l'Environnement

**GUILYARDI, Eric**

Laboratoire des Sciences du Climat et de l'Environnement

**GUIOT, Joel**

CEREGE, Centre National de Recherche Scientifique

**HAUGLUSTAINE, Didier**

Institut Pierre Simon Laplace, Laboratoire des Sciences du Climat et de l'Environnement, CEA-CNRS-UVSQ

**JOUSSAUME, Sylvie**

Centre National de Recherche Scientifique

**KANDEL, Robert**

Laboratoire de Météorologie Dynamique, Ecole Polytechnique

**KHODRI, Myriam**

Institut de Recherche Pour le Développement

**LABEYRIE, Laurent**

Laboratoire des Sciences du Climat et de l'Environnement

**MARTIN, Eric**

Météo-France

**MOISSELIN, Jean-Marc**

Météo-France

**PAILLARD, Didier**

Laboratoire des Sciences du Climat et de l'Environnement

**PETIT, Michel**

CGTI

**PLANTON, Serge**

Météo-France

**RAMSTEIN, Gilles**

Laboratoire des Sciences du Climat et de l'Environnement

**SCHULZ, Michael**

Institut Pierre Simon Laplace, Laboratoire des Sciences du Climat et de l'Environnement, CEA-CNRS-UVSQ

**SEGUIN, Bernard**

INRA

**TEXTOR, Christiane**

Laboratoire des Sciences du Climat et de l'Environnement

**WALBROECK, Claire**

Institut Pierre Simon Laplace, Laboratoire des Sciences du Climat et de l'Environnement, CNRS

**Germany****BANGE, Hermann W.**

Leibniz Institut für Meereswissenschaften, IFM-GEOMAR

**BAUER, Eva**

Potsdam Institute for Climate Impact Research

**BECK, Christoph**

Global Precipitation Climatology Centre

**BROVKIN, Victor**

Potsdam Institute for Climate Impact Research

**CHURKINA, Galina**

Max Planck Institute for Biogeochemistry

**COTRIM DA CUNHA, Leticia**

Max-Planck-Institut für Biogeochemie

**DOTZEK, Nikolai**

Deutsches Zentrum für Luft und Raumfahrt, Institut für Physik der Atmosphäre

**FEICHTER, Johann**

Max Planck Institute for Meteorology

**GANOPOLSKI, Andrey**

Potsdam Institute for Climate Impact Research

**GIORGETTA, Marco A.**

Max Planck Institute for Meteorology

**GRASSL, Hartmut**

Max Planck Institute for Meteorology

**GREWE, Volker**

Deutsches Zentrum für Luft und Raumfahrt, Institut für Physik der Atmosphäre

**GRIESER, Jürgen**

Deutscher Wetterdienst, Global Precipitation Climatology Centre

**HARE, William**

Potsdam Institute for Climate Impact Research

**HELD, Hermann**

Potsdam Institute for Climate Impact Research

**HOFZUMAHAUS, Andreas**

Forschungszentrum Jülich, Institut für Chemie und Dynamik der Geosphäre II: Troposphäre

**KOPPMANN, Ralf**

Institut für Chemie und Dynamik der Geosphäre, Institut II: Troposphäre, Forschungszentrum Jülich, Jülich, Germany

**LATIF, Mojib**

Leibniz Institut für Meereswissenschaften, IFM-GEOMAR

**LAWRENCE, Mark**

Max Planck Institute for Chemistry

**LELIEVELD, Jos**

Max Planck Institute for Chemistry

**LEVERMANN, Anders**

Potsdam Institute for Climate Impact Research

**LINGNER, Stephan**

Europäische Akademie Bad Neuenahr-Ahrweiler GmbH

**LUCHT, Wolfgang**

Potsdam Institute for Climate Impact Research

**MAROTZKE, Jochem**

Max Planck Institute for Meteorology

**MATA, Louis Jose**

Center for Development Research, University of Bonn

**MEINSHAUSEN, Malte**

Potsdam Institute for Climate Impact Research

**MICHAELOWA, Axel**

Hamburg Institute of International Economics

**MÜLLER, Rolf**

Research Centre Jülich

**RAHMSTORF, Stefan**

Potsdam Institute for Climate Impact Research

**RHEIN, Monika**

Institute for Environmental Physics, University Bremen

**SAUSEN, Robert**

Deutsches Zentrum für Luft und Raumfahrt, Institut für Physik der Atmosphäre

**SCHOENWIESE, Christian-D.**

University Frankfurt a.M., Institute for Atmosphere and Environment

**SCHOTT, Friedrich**

Leibniz Institut für Meereswissenschaften, IFM-GEOMAR

**SCHULZ, Michael**  
University of Bremen

**SCHÜTZENMEISTER, Falk**  
Technische Universität Dresden,  
Institut für Soziologie

**STAMMER, Detlef**  
Institut fuer Meereskunde Zentrum  
fuer Meeres und Klimaforschung  
Universitaet Hamburg

**TEGEN, Ina**  
Institute for Tropospheric Research

**VÖLKER, Christoph**  
Alfred Wegener Institute for  
Polar and Marine Research

**WEFER, Gerold**  
University of Bremen, Research  
Center Ocean Margins

**WURZLER, Sabine**  
North Rhine-Westphalia State  
Environment Agency

**ZENK, Walter**  
Leibniz Institut für Meereswissenschaften,  
IFM-GEOMAR

**ZOLINA, Olga**  
Meteorologisches Institut  
der Universität Bonn

**ZORITA, Eduardo**  
Helmholtz Zentrum Geesthacht

## Hungary

**ZAGONI, Miklos**  
Budapest University

## India

**SRIKANTHAN, Ramachandran**  
Physical Research Laboratory

**TULKENS, Philippe**  
The Energy and Research Institute (TERI)

## Iran

**RAHIMZADEH, Fatemeh**  
Atmospheric Science & Meteorological  
Research Center (ASMER), I.R. of Iran  
Meteorological Organization (IRIMO)

## Ireland

**FEALY, Rowan**  
National University of Ireland, Maynooth

**SWEENEY, John**  
National University of Ireland, Maynooth

## Italy

**ARTALE, Vincenzo**  
Italian National Agency for  
New Technologies, Energy and  
the Environment (ENEA)

**BALDI, Marina**  
Consiglio Nazionale delle Ricerche  
(CNR), Inst of Biometeorology

**BERGAMASCHI, Peter**  
European Commission, Joint  
Research Centre, Institute for  
Environment and Sustainability

**BRUNETTI, Michele**  
Istituto di Scienze dell'atmosfera  
e del Clima (ISAC) Consiglio  
Nazionale delle Ricerche (CNR)

**CAMPOSTRINI, Pierpaolo**  
CORILA

**COLOMBO, Tiziano**  
Italian Met Service

**CORTI, Susanna**  
Istituto di Scienze dell'atmosfera  
e del Clima (ISAC) Consiglio  
Nazionale delle Ricerche (CNR)

**DESIATO, Franco**  
Agenzia per la protezione dell'ambiente  
e per i servizi tecnici (APAT)

**DI SARRA, Alcide**  
Italian National Agency for  
New Technologies, Energy and  
the Environment (ENEA)

**DRAGONI, Walter**  
Perugia University

**ETIOPE, Giuseppe**  
Istituto Nazionale di Geofisica e  
Vulcanologia

**FACCHINI, Maria Cristina**  
Consiglio Nazionale delle Ricerche (CNR)

**GIORGI, Filippo**  
Abdus Salam International Centre  
for Theoretical Physics

**LIONELLO, Piero**  
Univ. of Lecce, Dept. "Scienza dei materiali"

**MARIOTTI, Annarita**  
Italian National Agency for New  
Technologies, Energy and the Environment  
(ENEA) and Earth System Science  
Interdisciplinary Center (ESSIC-USA)

**MOSETTI, Renzo**  
OGS

**NANNI, Teresa**  
Istituto di Scienze dell'atmosfera e  
del Clima (ISAC) Consiglio  
Nazionale delle Ricerche (CNR)

**RUTI, Paolo Michele**  
Italian National Agency for New  
Technologies, Energy and the Environment

**SANTINELLI, Chiara**  
Consiglio Nazionale delle Ricerche (CNR)

**VAN DINGENEN, Rita**  
European Commission, Joint  
Research Centre, Institute for  
Environment and Sustainability

**VIGNUDELLI, Stefano**  
Consiglio Nazionale delle Ricerche  
(CNR), Istituto di Biofisica

## Japan

**ALEXANDROV, Georgii**  
National Institute for Environmental Studies

**ANNAN, James**  
Frontier Research Center for Global  
Change, Japan Agency for Marine-  
Earth Science and Technology

**AOKI, Teruo**  
Meteorological Research Institute,  
Japan Meteorological Agency

**AWAJI, Toshiyuki**  
Kyoto University

**EMORI, Seita**  
National Institute for Environmental  
Studies and Frontier Research Center  
for Global Change, Japan Agency for  
Marine-Earth Science and Technology

**HARGREAVES, Julia**  
Frontier Research Center for Global  
Change, Japan Agency for Marine-  
Earth Science and Technology

**HAYASAKA, Tadahiro**  
Research Institute for Humanity and Nature

**IKEDA, Motoyoshi**  
Hokkaido University

**ITOH, Kiminori**  
Yokohama National University

**KAWAMIYA, Michio**  
Frontier Research Center for Global  
Change, Japan Agency for Marine-  
Earth Science and Technology

**KIMOTO, Masahide**  
Center for Climate System  
Research, University of Tokyo

**KITOH, Akio**  
First Research Laboratory, Climate Research  
Department, Meteorological Research  
Institute, Japan Meteorological Agency

**KOBAYASHI, Shigeki**  
TRDL

**KONDO, Hiroki**  
Frontier Research Center for Global  
Change, Japan Agency for Marine-  
Earth Science and Technology

**MAKI, Takashi**  
Meteorological Research Institute,  
Japan Meteorological Agency



**MAKSYUTOV, Shamil**

National Institute for Environmental Studies

**MARUYAMA, Koki**

CRIEPI

**MATSUNO, Taroh**

Frontier Research Center for Global Change, Japan Agency for Marine-Earth Science and Technology

**MIKAMI, Masao**

Meteorological Research Institute, Japan Meteorological Agency

**MIKAMI, Takehiko**

Tokyo Metropolitan University

**NAKAJIMA, Teruyuki**

Center for Climate System Research, University of Tokyo

**NAKAWO, Masayoshi**

Research Institute for Humanity and Nature

**NODA, Akira**

Meteorological Research Institute, Japan Meteorological Agency

**OHATO, Tetsuo**

JAMSTEC

**ONO, Tsuneo**

Hokkaido National Fisheries Research Institute, Fisheries Research Agency

**SASAKI, Hidetaka**

Meteorological Research Institute, Japan Meteorological Agency

**SATO, Yasuo**

Meteorological Research Institute, Japan Meteorological Agency

**SEKIYA, Akira**

National Institute of Advanced Industrial Science and Technology (AIST)

**SHINODA, Masato**

Tottori University, Arid Land Research Center

**SUGA, Toshio**

Tohoku University

**SUGI, Masato**

Meteorological Research Institute, Japan Meteorological Agency

**TOKIOKA, Tatsushi**

Frontier Research Center for Global Change, Japan Agency for Marine-Earth Science and Technology

**TOKUHASHI, Kazuaki**

National Institute of Advanced Industrial Science and Technology (AIST)

**TSUSHIMA, Yoko**

Japan Agency for Marine-Earth Science and Technology

**UCHIYAMA, Akihiro**

Meteorological Research Institute, Japan Meteorological Agency

**YAMAMOTO, Susumu**

Graduate School of Environmental Science, Okayama University

**YAMANOUCI, Takashi**

National Institute of Polar Research

**YAMASAKI, Masanori**

Japan Agency for Marine-Earth Science and Technology

**YAMAZAKI, Koji**

Graduate School of Environmental Science, Hokkaido University

**YOKOYAMA, Yusuke**

Department of Earth and Planetary Sciences, University of Tokyo

**TSUTSUMI, Yukitomo**

Meteorological Research Institute, Japan Meteorological Agency

**Republic of Korea****KIM, Kyung-Ryul**

Seoul National University, School of Earth and Environmental Services

**Mexico****LLUCH-BELDA, Daniel**

Centro Interdisciplinario de Ciencias Marinas del IPN

**Mozambique****QUEFACE, Antonio Joaquim**

Physics Department, Eduardo Mondlane University

**Netherlands, Antilles and Aruba****MARTIS, Albert**

Climate Research Center, Meteorological Service Netherlands, Antilles & Aruba

**Netherlands****BAEDE, Alphonsus**

Royal Netherlands Meteorological Institute (KNMI) and Ministry of Housing, Spatial Planning and the Environment

**BURGERS, Gerrit**

Royal Netherlands Meteorological Institute (KNMI)

**DE BRUIN, Henk**

Meteorology and Air Quality Group, Wageningen University

**DE WIT, Florens****DILLINGH, Douwe**

National Institute for Coastal and Marine Management / RIKZ

**HAARSMA, Reindert**

Royal Netherlands Meteorological Institute (KNMI)

**HAZELEGER, Wilco**

Royal Netherlands Meteorological Institute (KNMI)

**HOLTSLAG, Albert A. M.**

Wageningen University

**KROON, Dick**

Vrije Universiteit, Amsterdam

**SIEGMUND, Peter**

Royal Netherlands Meteorological Institute (KNMI)

**STERL, Andreas**

Royal Netherlands Meteorological Institute (KNMI)

**VAN AKEN, Hendrik M.**

Royal Netherlands Institute for Sea Research (NIOZ)

**VAN DE WAL, Roderik Sylvester Willo**

Institute for Marine and Atmospheric Research, Utrecht University

**VAN DEN HURK, Bart**

Royal Netherlands Meteorological Institute (KNMI)

**VAN NOIJE, Twan**

Royal Netherlands Meteorological Institute (KNMI)

**VAN VELTHOVEN, Peter**

Royal Netherlands Meteorological Institute (KNMI)

**VANDEBERGHE, Jef**

Vrije Universiteit, Inst. of Earth Sciences

**VEEFKIND, Pepijn**

Royal Netherlands Meteorological Institute (KNMI)

**VELDERS, Guus J.M.**

Netherlands Environmental Assessment Agency (MNP)

**New Zealand****ALLOWAY, Brent**

Institute of Geological and Nuclear Sciences

**BARRETT, Peter**

Antarctic Research Centre, Victoria University of Wellington

**BODEKER, Greg**

National Institute of Water and Atmospheric Research

**BOWEN, Melissa**

National Institute of Water and Atmospheric Research

**CRAMPTON, James**

Institute of Geological and Nuclear Sciences

**GRAY, Vincent**

Climate Consultant

**LASSEY, Keith**

National Institute of Water and Atmospheric Research

**LAW, Cliff**

National Institute of Water and Atmospheric Research

**MACLAREN, Piers**

NZ Forest Research Institute

**MULLAN, A. Brett**

National Institute of Water and Atmospheric Research

**NODDER, Scott**

National Institute of Water and Atmospheric Research

**RENWICK, James A.**

National Institute of Water and Atmospheric Research

**SALINGER, M. James**

National Institute of Water and Atmospheric Research

**SHULMEISTER, James**

University of Canterbury

**WILLIAMS, Paul W.**

Auckland University

**WRATT, David**

National Climate Centre, National Institute of Water and Atmospheric Research

**Norway****BENESTAD, Rasmus**

Norwegian Meteorological Institute

**FUGLESTVEDT, Jan**

Centre for International Climate and Environmental Research (CICERO)

**GODAL, Odd**

Department of Economics, University of Bergen

**HANSSSEN-BAUER, Inger**

Norwegian Meteorological Institute

**ISAKSEN, Ketil**

Norwegian Meteorological Institute

**JOHANNESSEN, Ola M.**

Nansen Environmental and Remote Sensing Center

**KRISTJÁNSSON, Jón Egill**

University of Oslo

**NESJE, Atle**

Department of Earth Science, University of Bergen

**PAASCHE, Øyvind**

Bjerknes Centre for Climate Research

**Peru****GAMBOA, Nadia**

Pontificia Universidad Católica del Perú

**Romania****BOJARIU, Roxana**

National Institute of Meteorology and Hydrology (NIMH)

**BORONEANT, Constanta-Emilia**

National Meteorological Administration

**BUSUIOC, Aristita**

National Meteorological Administration

**MARES, Constantin**

Romanian Academy, Geodynamics Institute

**MARES, Ileana**

Romanian Academy of Technical Studies

**Russian Federation****MELESHKO, Valentin**

Voeykov Main Geophysical Observatory

**Slovakia****LAPIN, Milan**

Slovak National Climate Program

**Spain****AGUILAR, Enric**

Climate Change Research Group, Universitat Rovira i Virgili de Tarragona

**BLADÉ, Ileana**

Department of Astronomy and Meteorology, University of Barcelona

**BRUNET, Manola**

University Rovira i Virgili

**CALVO COSTA, Eva**

Institut de Ciències del Mar

**GARCÍA-HERRERA, Ricardo**

Universidad Complutense de Madrid

**GONZÁLEZ-ROUCO, Jesus Fidel**

Universidad Complutense de Madrid

**LAVIN, Alicia M.**

Instituto Español de Oceanografía

**MARTIN-VIDE, Javier**

Physical Geography of the University of Barcelona

**MONTOYA, Marisa**

Dpto. Astrofísica y Física de la Atmosfera, Facultad de Ciencias Físicas, Universidad Complutense de Madrid

**PELEJERO, Carles**

Institut de Ciències del Mar, CMIMA-CSIC

**RIBERA, Pedro**

Universidad Pablo de Olavide

**Sweden****HOLMLUND, Per**

Stockholm University

**KJELLSTRÖM, Erik**

Swedish Meteorological and Hydrological Institute

**LECK, Caroline**

Department of Meteorology, Stockholm University

**RUMM AINEN, Markku**

Rosby Centre, Swedish Meteorological and Hydrological Institute

**Switzerland****APPENZELLER, Christof**

Federal Office of Meteorology and Climatology MeteoSwiss

**BLUNIER, Thomas**

Climate and Environmental Physics, University of Bern

**BRÖNNIMANN, Stefan**

ETH Zürich

**CASTY, Carlo**

Climate and Environmental Physics

**CHERUBINI, Paolo**

Swiss Federal Research Institute WSL

**ESPER, Jan**

Swiss Federal Research Institute WSL

**FREI, Christoph**

Federal Office of Meteorology and Climatology MeteoSwiss

**GHOSH, Sucharita**

Swiss Federal Research Institute WSL

**HAEBERLI, Wilfried**

Geography Department, University of Zürich

**JOOS, Fortunat**

Climate and Environmental Physics, Physics Institute, University of Bern

**KNUTTI, Reto**

Climate and Global Dynamics Division, National Center for Atmospheric Research

**LUTERBACHER, Jürg**

Institute of Geography, Climatology and Meteorology, and National Centre of Competence in Research on Climate, University of Bern

**MARCOLLI, Claudia**

ETH Zürich, Institute for Atmosphere and Climate

**PETER, Thomas**

ETH Zürich

**PHILIPONA, Rolf**

Observatory Davos

**PLATTNER, Gian-Kasper**

Climate and Environmental Physics, Physics Institute, University of Bern

**RAIBLE, C. Christoph**

Climate and Environmental Physics, University of Bern

**REBETEZ, Martine**

Swiss Federal Research Institute WSL

**ROSSI, Michel J.**

Ecole Polytechnique Fédérale de Lausanne, Laboratoire de Pollution Atmosphérique et Sol

**ROZANOV, Eugene**

IAC ETHZ and PMOD/WRC

**SCHÄR, Christoph**

ETH Zürich, Institute for Atmospheric and Climate Science

**SIDDALL, Mark**

Climate and Environmental Physics, University of Bern

**SPAHNI, Renato**

Climate and Environmental Physics, Physics Institute, University of Bern

**STAEHELIN, Johannes**

ETH Zürich

**STOCKER, Thomas F.**

Climate and Environmental Physics, Physics Institute, University of Bern

**WANNER, Heinz**

National Centre of Competence in Research on Climate, University of Bern

**WILD, Martin**

ETH Zürich, Institute for Atmospheric and Climate Science

**Thailand****GARIVAIT, Savitri**

The Joint Graduate School of Energy and Environment, King Mongkut's University of Technology Thonburi

**LIMMEECHOKCHAI, Bundit**

Sirindhorn International Institute of Technology, Thammasat Univ.

**Togo****AJAVON, Ayite-Lo N.**

Atmospheric Chemistry Laboratory

**UK****ALEXANDER, Lisa**

Hadley Centre for Climate Prediction and Research, Met Office

**ALLAN, Richard**

Environmental Systems Science Centre, University of Reading

**BANKS, Helene**

Hadley Centre for Climate Prediction and Research, Met Office

**BETTS, Richard A.**

Hadley Centre for Climate Prediction and Research, Met Office

**BODAS-SALCEDO, Alejandro**

Hadley Centre for Climate Prediction and Research, Met Office

**BOUCHER, Olivier**

Hadley Centre for Climate Prediction and Research, Met Office

**BROWN, Simon**

Hadley Centre for Climate Prediction and Research, Met Office

**BRYDEN, Harry**

University of Southampton

**CAESAR, John**

Hadley Centre for Climate Prediction and Research, Met Office

**CARSLAW, Kenneth**

University of Leeds

**COLLINS, Matthew**

Hadley Centre for Climate Prediction and Research, Met Office

**CONNOLLEY, William**

British Antarctic Survey

**COURTNEY, Richard S.**

European Science and Environment Forum

**CRUCIFIX, Michel**

Hadley Centre for Climate Prediction and Research, Met Office

**FALLOON, Pete**

Hadley Centre for Climate Prediction and Research, Met Office

**FOLLAND, Christopher**

Hadley Centre for Climate Prediction and Research, Met Office

**FORSTER, Piers**

School of Earth and Environment, University of Leeds

**FOWLER, Hayley**

Newcastle University

**GEDNEY, Nicola**

Hadley Centre for Climate Prediction and Research, Met Office

**GILLETT, Nathan P.**

Climatic Research Unit, School of Environmental Sciences, University of East Anglia

**GRAY, Lesley**

Reading University

**GREGORY, Jonathan M.**

Department of Meteorology, University of Reading and Hadley Centre for Climate Prediction and Research, Met Office

**GRIGGS, David**

Hadley Centre for Climate Prediction and Research, Met Office

**HAIGH, Joanna**

Imperial College London

**HARANGOZO, Steve**

British Antarctic Survey

**HAWKINS, Stephen J.**

The Marine Biological Association of the UK

**HIGHWOOD, Eleanor**

University of Reading

**HINDMARSH, Richard**

British Antarctic Survey

**HOSKINS, Brian J.**

Department of Meteorology, University of Reading

**HOUSE, Joanna**

Quantifying and Understanding the Earth System Programme, University of Bristol

**INGRAM, William**

Hadley Centre for Climate Prediction and Research, Met Office

**JOHNS, Timothy**

Hadley Centre for Climate Prediction and Research, Met Office

**JONES, Christopher**

Hadley Centre for Climate Prediction and Research, Met Office

**JONES, Gareth S.**

Hadley Centre for Climate Prediction and Research, Met Office

**JONES, Philip D.**

Climatic Research Unit, School of Environmental Sciences, University of East Anglia

**JOSEY, Simon**

National Oceanography Centre, University of Southampton

**KING, John**

British Antarctic Survey

**LE QUÉRE, Corrine**

University of East Anglia and British Antarctic Survey

**LEE, David**

Manchester Metropolitan University

**LOWE, Jason**

Hadley Centre for Climate Prediction and Research, Met Office

**MARSH, Robert**

National Oceanography Centre, University of Southampton

**MARTIN, Gill**

Hadley Centre for Climate Prediction and Research, Met Office

**MCCARTHY, Mark**

Hadley Centre for Climate Prediction and Research, Met Office

**MCDONALD, Ruth**

Hadley Centre for Climate Prediction and Research, Met Office

**MITCHELL, John**

Hadley Centre for Climate Prediction and Research, Met Office

**MURPHY, James**

Hadley Centre for Climate Prediction and Research, Met Office

**NICHOLLS, Robert**

School of Civil Engineering and the Environment, University of Southampton

**PARKER, David**

Hadley Centre for Climate Prediction and Research, Met Office

**PRENTICE, Iain Colin**

Quantifying and Understanding the Earth System Programme, Department of Earth Sciences, University of Bristol

**RAPER, Sarah**

Manchester Metropolitan University

**RAYNER, Nick**

Hadley Centre for Climate Prediction and Research, Met Office

**REISINGER, Andy**

IPCC Synthesis Report TSU

**RIDLEY, Jeff**

Hadley Centre for Climate Prediction and Research, Met Office

**ROBERTS, C. Neil**

University of Plymouth, School of Geography

**RODGER, Alan**

British Antarctic Survey

**ROSCOE, Howard**

British Antarctic Survey

**ROUGIER, Jonathan**

Durham University

**ROWELL, Dave**

Hadley Centre for Climate Prediction and Research, Met Office

**SENIOR, Catherine**

Hadley Centre for Climate Prediction and Research, Met Office

**SEXTON, David**

Hadley Centre for Climate Prediction and Research, Met Office

**SHINE, Keith**

University of Reading

**SLINGO, Julia**

National Centre for Atmospheric Science, University of Reading

**SMITH, Leonard A.**

London School of Economics

**SROKOSZ, Meric**

National Oceanography Centre

**STARK, Sheila**

Hadley Centre for Climate Prediction and Research, Met Office

**STEPHENSON, David**

Department of Meteorology, University of Reading

**STONE, Daithí A.**

University of Oxford

**STOTT, Peter A.**

Hadley Centre for Climate Prediction and Research, Met Office

**THORNE, Peter**

Hadley Centre for Climate Prediction and Research, Met Office

**TSIMPLIS, Michael**

National Oceanography Centre, University of Southampton

**TURNER, John**

British Antarctic Survey

**VAUGHAN, David**

British Antarctic Survey

**VELLINGA, Michael**

Hadley Centre for Climate Prediction and Research, Met Office

**WASDELL, David**

Meridian Programme

**WILLIAMS, Keith**

Hadley Centre for Climate Prediction and Research, Met Office

**WOLFF, Eric**

British Antarctic Survey

**WOOD, Richard A.**

Hadley Centre for Climate Prediction and Research, Met Office

**WOODWORTH, Philip**

Proudman Oceanographic Laboratory

**WU, Peili**

Hadley Centre for Climate Prediction and Research, Met Office

## Uruguay

**BIDEGAIN, Mario**

Universidad de la Republica

## USA

**ALEXANDER, Becky**

University of Washington

**ALEXANDER, Michael**

National Oceanic and Atmospheric Administration, Climate Diagnostics Branch, Physical Science Division, Earth System Research Lab

**ALLEY, Richard B.**

Department of Geosciences, Pennsylvania State University

**ANDERSON, David M.**

National Center for Atmospheric Research, Paleoclimatology

**ANDERSON, Theodore**

University of Washington

**ANDERSON, Wilmer**

University of Wisconsin, Madison, Physics Department

**ANTHES, Richard**

University Corporation for Atmospheric Research

**ARRITT, Raymond**

Iowa State University

**AVERYT, Kristen**

IPCC WGI TSU, National Oceanic and Atmospheric Administration, Earth System Research Laboratory

**BAER, Paul**

Stanford University, Center for Environmental Science and Policy

**BAKER, Marcia**

University of Washington

**BARRY, Roger**

National Snow and Ice Data Center, University of Colorado

**BATES, Timothy**

National Oceanic and Atmospheric Administration

**BAUGHUM, Steven**

Boeing Company

**BENTLEY, Charles R.**

University of Wisconsin, Madison

**BERNSTEIN, Lenny**

International Petroleum Industry Environmental Conservation Association & L.S. Bernstein & Associates, LLC

**BOND, Tami**

University of Illinois at Urbana-Champaign

**BROCCOLI, Anthony J.**

Rutgers University

**BROMWICH, David**

Byrd Polar Research Center, The Ohio State University

**BROOKS, Harold**

National Oceanic and Atmospheric Administration, National Severe Storms Laboratory

**BRYAN, Frank**

National Center for Atmospheric Research

**CAMERON-SMITH, Philip**

Lawrence Livermore National Laboratory

**CHIN, Mian**

National Aeronautics and Space Administration, Goddard Space Flight Center

**CHRISTY, John**

University of Alabama in Huntsville

**CLEMENS, Steven**

Brown University

**COFFEY, Michael**

National Center for Atmospheric Research

- COLLINS, William D.**  
Climate and Global Dynamics Division,  
National Center for Atmospheric Research
- CROWLEY, Thomas**  
Duke University
- CUNNOLD, Derek**  
School of Earth and Atmospheric Sciences,  
Georgia Institute of Technology
- DAI, Aiguo**  
National Center for Atmospheric Research
- DANIEL, John S.**  
National Oceanic and Atmospheric  
Administration, Earth System  
Research Laboratory
- DANILIN, Mikhail**  
The Boeing Company
- D'ARRIGO, Rosanne**  
Lamont Doherty Earth Observatory
- DAVIES, Roger**  
Jet Propulsion Laboratory, California  
Institute of Technology
- DEL GENIO, Anthony**  
National Aeronautics and Space  
Administration, Goddard  
Institute for Space Studies
- DIAZ, Henry**  
National Oceanic and Atmospheric  
Administration, Climate Diagnostics  
Branch, Physical Science Division,  
Earth System Research Lab
- DICKINSON, Robert E.**  
School of Earth and Atmospheric Sciences,  
Georgia Institute of Technology
- DIXON, Keith**  
National Oceanic and  
Atmospheric Administration
- DONNER, Leo**  
Geophysical Fluid Dynamics  
Laboratory, National Oceanic and  
Atmospheric Administration
- DOUGLAS, Bruce**  
International Hurricane Research Center
- DOUGLASS, Anne**  
National Aeronautics and Space  
Administration, Goddard  
Space Flight Center
- DUTTON, Ellsworth**  
National Oceanic and Atmospheric  
Administration, Earth System Research  
Laboratory, Global Monitoring Division
- EASTERLING, David**  
National Oceanic and Atmospheric  
Administration, Earth System  
Research Laboratory
- EMANUEL, Kerry A.**  
Massachusetts Institute of Technology
- EVANS, Wayne F.J.**  
North West Research Associates
- FAHEY, David W.**  
National Oceanic and Atmospheric  
Administration, Earth System  
Research Laboratory
- FEELY, Richard**  
National Oceanic and Atmospheric  
Administration, Pacific Marine  
Environmental Laboratory
- FEINGOLD, Graham**  
National Oceanic and  
Atmospheric Administration
- FELDMAN, Howard**  
American Petroleum Institute
- FEYNMAN, Joan**  
Jet Propulsion Laboratory, California  
Institute of Technology
- FITZPATRICK, Melanie**  
University of Washington
- FOGT, Ryan**  
Polar Meteorology Group, Byrd Polar  
Research Center and Atmospheric  
Sciences Program, Department of  
geography, The Ohio State University
- FREE, Melissa**  
Air Resources Laboratory, National  
Oceanic and Atmospheric Administration
- FU, Qiang**  
Department of Atmospheric Sciences,  
University of Washington
- GALLO, Kevin**  
National Oceanic and Atmospheric  
Administration, NESDIS
- GARCIA, Hernan**  
National Oceanic and Atmospheric  
Administration, National  
Oceanographic Data Center
- GASSÓ, Santiago**  
University of Maryland, Baltimore  
County and NASA
- GENT, Peter**  
National Center for Atmospheric Research
- GERHARD, Lee C.**  
Thomason Partner Associates
- GHAN, Steven**  
Pacific Northwest National Laboratory
- GNANADESIKAN, Anand**  
National Oceanic and Atmospheric  
Administration, Geophysical  
Fluid Dynamics Laboratory
- GORNITZ, Vivien**  
National Aeronautics and Space  
Administration, Goddard Institute for  
Space Studies, Columbia University
- GROISMAN, Pavel**  
University Corporation for Atmospheric  
Research at the National Climatic  
Data Center, National Oceanic and  
Atmospheric Administration
- GRUBER, Nicolas**  
Institute of Geophysics and Planetary  
Physics, University of California,  
Los Angeles and Department of  
Environmental Sciences, ETH Zurich
- GURWICK, Noel**  
Carnegie Institution of Washington,  
Department of Global Ecology
- HAKKARINEN, Chuck**  
Electric Power Research Institute, retired
- HALLEGATTE, Stéphane**  
Centre International de Recherche sur  
l'Environnement et le Développement,  
Ecole Nationale des Ponts-et-Chaussées  
and Centre National de Recherches  
Météorologique, Météo-France
- HALLETT, John**  
Desert Research Institute
- HAMILL, Patrick**  
San Jose State University
- HARTMANN, Dennis**  
University of Washington
- HAYHOE, Katharine**  
Texas Tech University
- HEGERL, Gabriele**  
Division of Earth and Ocean Sciences,  
Nicholas School for the Environment  
and Earth Sciences, Duke University
- HELD, Isaac**  
National Oceanic and Atmospheric  
Administration, Geophysical  
Fluid Dynamics Laboratory
- HEMMING, Sidney**  
Lamont Doherty Earth Observatory,  
Columbia University
- HOULTON, Benjamin**  
Stanford University, Dept. of Biological  
Sciences; Carnegie Institution of  
Washington, Dept. of Global Ecology
- HU, Aixue**  
National Center for Atmospheric Research
- HUGHES, Dan**  
Hughes and Associates
- ICHOKU, Charles**  
Science Systems & Applications,  
Inc. (SSAI), NASA-GSFC
- JACOB, Daniel**  
Department of Earth and Planetary  
Sciences, Harvard University
- JACOBSON, Mark**  
Stanford University
- JIN, Menglin**  
Department of Atmospheric and  
Oceanic Sciences, University of  
Maryland, College Park
- JOYCE, Terrence**  
Woods Hole Oceanographic Institution

- KARL, Thomas R.**  
National Oceanic and Atmospheric Administration, National Climatic Data Center
- KAROLY, David J.**  
University of Oklahoma
- KAUFMAN, Yoram**  
National Aeronautics and Space Administration, Goddard Space Flight Center
- KELLER, Klaus**  
Pennsylvania State University
- KHESHGI, Haroon**  
ExxonMobil Research and Engineering Company
- KNUTSON, Thomas**  
Geophysical Fluid Dynamics Laboratory, National Oceanic and Atmospheric Administration
- KO, Malcolm**  
National Aeronautics and Space Administration, Langley Research Center
- KOUTNIK, Michelle**  
University of Washington
- KUETER, Jeffrey**  
Marshall Institute
- LACIS, Andrew**  
National Aeronautics and Space Administration, Goddard Institute for Space Studies
- LASZLO, Istvan**  
National Oceanic and Atmospheric Administration
- LEULIETTE, Eric**  
University of Colorado, Boulder
- LEVY, Robert**  
Science Systems & Applications, Inc. (SSAI), NASA-GSFC
- LEWITT, Martin**
- LI, Zhanqing**  
University of Maryland, Department of Atmospheric and Oceanic Science and ESSIC
- LIU, Yangang**  
Brookhaven National Laboratory
- LOVEJOY, Edward R.**  
National Oceanic and Atmospheric Administration
- LUNCH, Claire**  
Stanford University, Carnegie Institution of Washington
- LUPO, Anthony**  
University of Missouri, Columbia
- MACCRACKEN, Michael**  
Climate Institute
- MAGI, Brian**  
University of Washington
- MAHLMAN, Jerry**  
National Center for Atmospheric Research
- MAHOWALD, Natalie**  
National Center for Atmospheric Research
- MANN, Michael**  
Pennsylvania State University
- MANNING, Martin**  
IPCC WGI TSU, National Oceanic and Atmospheric Administration, Earth System Research Laboratory
- MARQUIS, Melinda**  
IPCC WGI TSU, National Oceanic and Atmospheric Administration, Earth System Research Laboratory
- MARTIN, Scot**  
Harvard University
- MASSIE, Steven**  
National Center for Atmospheric Research
- MASTRANDREA, Michael**  
Stanford University
- MATSUMOTO, Katsumi**  
University of Minnesota, Twin Cities
- MATSUOKA, Kenichi**  
University of Washington
- MAURICE, Lourdes**  
Federal Aviation Administration
- MICHAELS, Patrick**  
University of Virginia
- MILLER, Charles**  
Jet Propulsion Laboratory, California Institute of Technology
- MILLER, Laury**  
National Oceanic and Atmospheric Administration, Lab for Satellite Altimetry
- MILLER, Ron**  
National Aeronautics and Space Administration, Goddard Institute for Space Studies
- MILLET, Dylan**  
Harvard University
- MILLY, Chris**  
United States Geological Survey
- MINNIS, Patrick**  
National Aeronautics and Space Administration, Langley Research Center
- MOLINARI, Robert**  
National Oceanic and Atmospheric Administration, Atlantic Oceanographic and Meteorological Laboratory
- MOTE, Philip**  
Climate Impacts Group, Joint Institute for the Study of the Atmosphere and Oceans (JIASO), University of Washington
- MURPHY, Daniel**  
National Oceanic and Atmospheric Administration, Earth System Research Laboratory
- MUSCHELER, Raimund**  
Goddard Earth Sciences and Technology Center, University of Maryland & NASA/Goddard Space Flight Center, Climate & Radiation Branch
- NEELIN, J. David**  
University of California, Los Angeles
- NELSON, Frederick**  
Department of Geography, University of Delaware
- NEREM, R. Steven**  
University of Colorado at Boulder
- NOLIN, Anne**  
Oregon State University
- NORRIS, Joel**  
Scripps Institution of Oceanography
- OPPENHEIMER, Michael**  
Princeton University
- OTTO-BLIESNER, Bette**  
Climate and Global Dynamics Division, National Center for Atmospheric Research
- OVERPECK, Jonathan**  
Institute for the Study of Planet Earth, University of Arizona
- OWENS, John**  
3M
- PATT, Anthony**  
Boston University
- PENNER, Joyce E.**  
Department of Atmospheric, Oceanic, and Space Sciences, University of Michigan
- PETERS, Halton**  
Carnegie Institution of Washington, Department of Global Ecology
- PRINN, Ronald**  
Department of Earth, Atmospheric and Planetary Sciences, Massachusetts Institute of Technology
- PROFETA, Timothy H.**  
Nicholas Institute of Environmental Policy Solutions, De University
- RAMANATHAN, Veerabhadran**  
Scripps Institution of Oceanography
- RAMASWAMY, Venkatachalam**  
National Oceanic and Atmospheric Administration, Geophysical Fluid Dynamics Laboratory
- RANDERSON, James**  
University of California, Irvine
- RAVISHANKARA, A. R.**  
National Oceanic and Atmospheric Administration
- RIGNOT, Eric**  
Jet Propulsion Laboratory

- RIND, David**  
National Aeronautics and Space Administration, Goddard Institute for Space Studies
- RITSON, David**  
Stanford University
- ROBOCK, Alan**  
Rutgers University
- RUSSO, Felicitia**  
UMBC/JCET
- SABINE, Christopher**  
National Oceanic and Atmospheric Administration, Pacific Marine Environmental Laboratory
- SCHIMEL, David**  
National Center for Atmospheric Research
- SCHMIDT, Gavin**  
National Aeronautics and Space Administration, Goddard Institute for Space Studies
- SCHWARTZ, Stephen E.**  
Brookhaven National Laboratory
- SCHWING, Franklin**  
National Oceanic and Atmospheric Administration Fisheries Service, SWFSC/ERD
- SEIDEL, Dian**  
National Oceanic and Atmospheric Administration, Air Resources Laboratory
- SEINFELD, John**  
California Institute of Technology
- SETH, Anji**  
University of Connecticut, Department of Geography
- SEVERINGHAUS, Jeffrey**  
Scripps Institution of Oceanography, University of California, San Diego
- SHERWOOD, Steven**  
Yale University
- SHINDELL, Drew**  
National Aeronautics and Space Administration, Goddard Institute for Space Studies
- SHUKLA, Jagadish**  
Center for Ocean-Land-Atmosphere Studies, George Mason University
- SIEVERING, Herman**  
University of Colorado - Boulder and Denver
- SODEN, Brian**  
University of Miami, Rosentiel School for Marine and Atmospheric Science
- SOLOMON, Susan**  
Co-Chair, IPCC WGI, National Oceanic and Atmospheric Administration, Earth System Research Laboratory
- SOULEN, Richard**
- STEFFAN, Konrad**  
University of Colorado
- STEIG, Eric**  
University of Washington
- STEVENS, Bjorn**  
UCLA Department of Atmospheric & Oceanic Sciences
- STONE, Peter**  
Massachusetts Institute of Technology
- STOUFFER, Ronald J.**  
National Oceanic and Atmospheric Administration, Geophysical Fluid Dynamics Laboratory
- TAKLE, Eugene**  
Iowa State University
- TAMISIEA, Mark**  
Harvard-Smithsonian Center for Astrophysics
- TERRY, Joyce**  
Woods Hole Oceanographic Institution
- THOMPSON, Anne**  
Pennsylvania State University, Department of Meteorology
- THOMPSON, David**  
Department of Atmospheric Science, Colorado State University
- THOMPSON, LuAnne**  
University of Washington
- THOMPSON, Robert**  
United States Geological Survey
- TRENBERTH, Kevin E.**  
Climate Analysis Section, National Center for Atmospheric Research
- VINNIKOV, Konstantin**  
University of Maryland
- VONDER HAAR, Thomas**  
Colorado State University
- WAITZ, Ian**  
Massachusetts Institute of Technology
- WANG, James S.**  
Environmental Defense
- WEBB, Robert**  
National Oceanic and Atmospheric Administration, Earth System Research Laboratory
- WEISS, Ray**  
Scripps Institution of Oceanography, University of California, San Diego
- WELTON, Ellsworth**  
National Aeronautics and Space Administration, Goddard Space Flight Center
- WIELICKI, Bruce**  
National Aeronautics and Space Administration, Langley Research Center
- WILES, Gregory**  
The College of Wooster
- WINTON, Michael**  
Geophysical Fluid Dynamics Laboratory, National Oceanic and Atmospheric Administration
- WOODHOUSE, Connie**  
National Climatic Data Center
- YU, Hongbin**  
National Aeronautics and Space Administration, Goddard Space Flight Center
- YU, Jin-Yi**  
University of California, Irvine
- ZENDER, Charles**  
University of California, Irvine
- ZHAO, Xuepeng**  
ESSIC/UMCP & National Oceanic and Atmospheric Administration

## International Organizations

**PALMER, Timothy**  
European Centre for Medium-Range Weather Forecasting

**RIXEN, Michel**  
University of Liege and NATO Undersea Research Center

**SIMMONS, Adrian**  
European Centre for Medium-Range Weather Forecasts





# Annex IV

## Acronyms & Regional Abbreviations

### Acronyms

<b>μmol</b>	micromole	<b>ASOS</b>	Automated Surface Observation Systems
<b>20C3M</b>	20th Century Climate in Coupled Models	<b>ASTEX</b>	Atlantic Stratocumulus Transition Experiment
<b>AABW</b>	Antarctic Bottom Water	<b>ATCM</b>	Atmospheric Transport and Chemical Model
<b>AAIW</b>	Antarctic Intermediate Water	<b>ATSR</b>	Along Track Scanning Radiometer
<b>AAO</b>	Antarctic Oscillation	<b>AVHRR</b>	Advanced Very High Resolution Radiometer
<b>AATSR</b>	Advanced Along Track Scanning Radiometer	<b>BATS</b>	Bermuda Atlantic Time-series Study
<b>ACC</b>	Antarctic Circumpolar Current	<b>BC</b>	black carbon
<b>ACCENT</b>	Atmospheric Composition Change: a European Network	<b>BCC</b>	Beijing Climate Center
<b>ACE</b>	Accumulated Cyclone Energy or Aerosol Characterization Experiment	<b>BCCR</b>	Bjerknes Centre for Climate Research
<b>ACRIM</b>	Active Cavity Radiometer Irradiance Monitor	<b>BIOME 6000</b>	Global Palaeovegetation Mapping project
<b>ACRIMSAT</b>	Active Cavity Radiometer Irradiance Monitor Satellite	<b>BMRC</b>	Bureau of Meteorology Research Centre
<b>ACW</b>	Antarctic circumpolar wave	<b>C<sup>4</sup>MIP</b>	Coupled Carbon Cycle Climate Model Intercomparison Project
<b>ADEC</b>	Aeolian Dust Experiment on Climate	<b>CaCO<sub>3</sub></b>	calcium carbonate
<b>ADNET</b>	Asian Dust Network	<b>CAMS</b>	Climate Anomaly Monitoring System (NOAA)
<b>AeroCom</b>	Aerosol Model Intercomparison	<b>CAPE</b>	Convective Available Potential Energy
<b>AERONET</b>	Aerosol RObotic NETwork	<b>CCl<sub>4</sub></b>	carbon tetrachloride
<b>AGAGE</b>	Advanced Global Atmospheric Gases Experiment	<b>CCM</b>	Chemistry-Climate Model
<b>AGCM</b>	Atmospheric General Circulation Model	<b>CCCma</b>	Canadian Centre for Climate Modelling and Analysis
<b>AGWP</b>	Absolute Global Warming Potential	<b>CCN</b>	cloud condensation nuclei
<b>AIACC</b>	Assessments of Impacts and Adaptations to Climate Change in Multiple Regions and Sectors	<b>CCSR</b>	Centre for Climate System Research
<b>AIC</b>	aviation-induced cloudiness	<b>CDIAC</b>	Carbon Dioxide Information Analysis Center
<b>ALAS</b>	Autonomous Lagrangian Current Explorer	<b>CDW</b>	Circumpolar Deep Water
<b>ALE</b>	Atmospheric Lifetime Experiment	<b>CERES</b>	Clouds and the Earth's Radiant Energy System
<b>AMIP</b>	Atmospheric Model Intercomparison Project	<b>CERFACS</b>	Centre Europeen de Recherche et de Formation Avancee en Calcul Scientific
<b>AMO</b>	Atlantic Multi-decadal Oscillation	<b>CF<sub>4</sub></b>	perfluoromethane
<b>AMSU</b>	Advanced Microwave Sounding Unit	<b>CFC</b>	chlorofluorocarbon
<b>AO</b>	Arctic Oscillation	<b>CFCI<sub>3</sub></b>	CFC-11
<b>AOGCM</b>	Atmosphere-Ocean General Circulation Model	<b>CH<sub>2</sub>I<sub>2</sub></b>	di-iodomethane (methylene iodide)
<b>APEX</b>	Atmospheric Particulate Environment Change Studies	<b>CH<sub>2</sub>O</b>	formaldehyde
<b>AR4</b>	Fourth Assessment Report	<b>CH<sub>3</sub>CCl<sub>3</sub></b>	methyl chloroform
<b>ARM</b>	Atmospheric Radiation Measurement	<b>CH<sub>3</sub>COOH</b>	acetic acid
		<b>CH<sub>4</sub></b>	methane

<b>CLAMS</b>	Chesapeake Lighthouse and Aircraft Measurements for Satellites	<b>DTR</b>	diurnal temperature range
<b>CLARIS</b>	Europe-South America Network for Climate Change Assessment and Impact Studies	<b>DU</b>	Dobson unit
<b>CLIMAP</b>	Climate: Long-range Investigation, Mapping, and Prediction	<b>EARLINET</b>	European Aerosol Research Lidar Network
<b>CLIVAR</b>	Climate Variability and Predictability Programme	<b>EBM</b>	Energy Balance Model
<b>CMAP</b>	CPC Merged Analysis of Precipitation	<b>ECMWF</b>	European Centre for Medium Range Weather Forecasts
<b>CMDL</b>	Climate Monitoring and Diagnostics Laboratory (NOAA)	<b>ECS</b>	equilibrium climate sensitivity
<b>CMIP</b>	Coupled Model Intercomparison Project	<b>EDGAR</b>	Emission Database for Global Atmospheric Research
<b>CNRM</b>	Centre National de Recherches Météorologiques	<b>EMIC</b>	Earth System Model of Intermediate Complexity
<b>CO</b>	carbon monoxide	<b>ENSO</b>	El Niño-Southern Oscillation
<b>CO<sub>2</sub></b>	carbon dioxide	<b>EOF</b>	Empirical Orthogonal Function
<b>CO<sub>3</sub><sup>2-</sup></b>	carbonate	<b>EOS</b>	Earth Observing System
<b>COADS</b>	Comprehensive Ocean-Atmosphere Data Set	<b>EPICA</b>	European Programme for Ice Coring in Antarctica
<b>COARE</b>	Coupled Ocean-Atmosphere Response Experiment	<b>ERA-15</b>	ECMWF 15-year reanalysis
<b>COBE-SST</b>	Centennial in-situ Observation-Based Estimates of SSTs	<b>ERA-40</b>	ECMWF 40-year reanalysis
<b>COWL</b>	Cold Ocean-Warm Land	<b>ERBE</b>	Earth Radiation Budget Experiment
<b>CPC</b>	Climate Prediction Center (NOAA)	<b>ERBS</b>	Earth Radiation Budget Satellite
<b>CREAS</b>	Regional Climate Change Scenarios for South America	<b>ERS</b>	European Remote Sensing satellite
<b>CRIEPI</b>	Central Research Institute of Electric Power Industry	<b>ESRL</b>	Earth System Research Library (NOAA)
<b>CRUTEM2v</b>	CRU/Hadley Centre gridded land-surface air temperature version 2v	<b>ESTOC</b>	European Station for Time-series in the Ocean
<b>CRUTEM3</b>	CRU/Hadley Centre gridded land-surface air temperature version 3	<b>EUROCS</b>	EUROpean Cloud Systems
<b>CSIRO</b>	Commonwealth Scientific and Industrial Research Organization	<b>FACE</b>	Free Air CO <sub>2</sub> Enrichment
<b>CTM</b>	Chemical Transport Model	<b>FAO</b>	Food and Agriculture Organization (UN)
<b>DEMETER</b>	Development of a European Multimodel Ensemble System for Seasonal to Interannual Prediction	<b>FAR</b>	First Assessment Report
<b>DIC</b>	dissolved inorganic carbon	<b>FRGCG</b>	Frontier Research Center for Global Change
<b>DJF</b>	December, January, February	<b>FRSGC</b>	Frontier Research System for Global Change
<b>DLR</b>	Deutsches Zentrum für Luft- und Raumfahrt	<b>GAGE</b>	Global Atmospheric Gases Experiment
<b>DMS</b>	dimethyl sulphide	<b>GARP</b>	Global Atmospheric Research Program
<b>D-O</b>	Dansgaard-Oeschger	<b>GATE</b>	GARP Atlantic Tropical Experiment
<b>DOC</b>	dissolved organic carbon	<b>GAW</b>	Global Atmosphere Watch
<b>DORIS</b>	Determination d'Orbite et Radiopositionnement Intégrés par Satellite	<b>GCM</b>	General Circulation Model
<b>DSOW</b>	Denmark Strait Overflow Water	<b>GCOS</b>	Global Climate Observing System
<b>DSP</b>	Dynamical Seasonal Prediction	<b>GCSS</b>	GEWEX Cloud System Study
		<b>GEIA</b>	Global Emissions Inventory Activity
		<b>GEOS</b>	Goddard Earth Observing System
		<b>GEWEX</b>	Global Energy and Water Cycle Experiment
		<b>GFDL</b>	Geophysical Fluid Dynamics Laboratory

<b>GHCN</b>	Global Historical Climatology Network	<b>HCO<sub>3</sub><sup>-</sup></b>	bicarbonate
<b>GHG</b>	greenhouse gas	<b>HFC</b>	hydrofluorocarbon
<b>GIA</b>	glacial isostatic adjustment	<b>HIRS</b>	High Resolution Infrared Radiation Sounder
<b>GIN Sea</b>	Greenland-Iceland-Norwegian Sea	<b>HLM</b>	High Latitude Mode
<b>GISP2</b>	Greenland Ice Sheet Project 2	<b>HNO<sub>3</sub></b>	nitric acid
<b>GISS</b>	Goddard Institute for Space Studies	<b>HO<sub>2</sub></b>	hydroperoxyl radical
<b>GLACE</b>	Global Land Atmosphere Coupling Experiment	<b>HONO</b>	nitrous acid
<b>GLAMAP</b>	Glacial Ocean Mapping	<b>HOT</b>	Hawaii Ocean Time-Series
<b>GLAS</b>	Geoscience Laser Altimeter System	<b>hPa</b>	hectopascal
<b>GLODAP</b>	Global Ocean Data Analysis Project	<b>HYDE</b>	HistorY Database of the Environment
<b>GLOSS</b>	Global Sea Level Observing System	<b>IABP</b>	International Arctic Buoy Programme
<b>GMD</b>	Global Monitoring Division (NOAA)	<b>ICESat</b>	Ice, Cloud and land Elevation Satellite
<b>GOME</b>	Global Ozone Monitoring Experiment	<b>ICOADS</b>	International Comprehensive Ocean-Atmosphere Data Set
<b>GPCC</b>	Global Precipitation Climatology Centre	<b>ICSTM</b>	Imperial College of Science, Technology and Medicine
<b>GPCP</b>	Global Precipitation Climatology Project	<b>IGBP</b>	International Geosphere-Biosphere Programme
<b>GPS</b>	Global Positioning System	<b>IGBP-DIS</b>	IGBP Data and Information System
<b>GRACE</b>	Gravity Recovery and Climate Experiment	<b>IGRA</b>	Integrated Global Radiosonde Archive
<b>GRIP</b>	Greenland Ice Core Project	<b>IMO</b>	International Meteorological Organization
<b>GSA</b>	Great Salinity Anomaly	<b>INDOEX</b>	Indian Ocean Experiment
<b>Gt</b>	gigatonne (10 <sup>9</sup> tonnes)	<b>InSAR</b>	Interferometric Synthetic Aperture Radar
<b>GWE</b>	Global Weather Experiment	<b>IO</b>	iodine monoxide
<b>GWP</b>	Global Warming Potential	<b>IOCI</b>	Indian Ocean Climate Initiative
<b>H<sub>2</sub></b>	molecular hydrogen	<b>IOD</b>	Indian Ocean Dipole
<b>HadAT</b>	Hadley Centre Atmospheric Temperature data set	<b>IOZM</b>	Indian Ocean Zonal Mode
<b>HadAT2</b>	Hadley Centre Atmospheric Temperature data set Version 2	<b>IPAB</b>	International Programme for Antarctic Buoys
<b>HadCRUT2v</b>	Hadley Centre/CRU gridded surface temperature data set version 2v	<b>IPO</b>	Inter-decadal Pacific Oscillation
<b>HadCRUT3</b>	Hadley Centre/CRU gridded surface temperature data set version 3	<b>IPSL</b>	Institut Pierre Simon Laplace
<b>HadISST</b>	Hadley Centre Sea Ice and Sea Surface Temperature data set	<b>IS92</b>	IPCC Scenarios 1992
<b>HadMAT</b>	Hadley Centre Marine Air Temperature data set	<b>ISCCP</b>	International Satellite Cloud Climatology Project
<b>HadRT</b>	Hadley Centre Radiosonde Temperature data set	<b>ITCZ</b>	Inter-Tropical Convergence Zone
<b>HadRT2</b>	Hadley Centre Radiosonde Temperature data set	<b>JAMSTEC</b>	Japan Marine Science and Technology Center
<b>HadSLP2</b>	Hadley Centre MSLP data set version 2	<b>JJA</b>	June, July, August
<b>HadSST2</b>	Hadley Centre SST data set version 2	<b>JMA</b>	Japan Meteorological Agency
<b>HALOE</b>	Halogen Occultation Experiment	<b>ka</b>	thousand years ago
<b>HCFC</b>	hydrochlorofluorocarbon	<b>KMA</b>	Korea Meteorological Administration
		<b>KNMI</b>	Royal Netherlands Meteorological Institute
		<b>kyr</b>	thousand years

<b>LASG</b>	National Key Laboratory of Numerical Modeling for Atmospheric Sciences and Geophysical Fluid Dynamics	<b>MODIS</b>	Moderate Resolution Imaging Spectrometer
<b>LBA</b>	Large-Scale Biosphere-Atmosphere Experiment in Amazonia	<b>mol</b>	mole
<b>LBC</b>	lateral boundary condition	<b>MONEX</b>	Monsoon Experiment
<b>LBL</b>	line-by-line	<b>MOPITT</b>	Measurements of Pollution in the Troposphere
<b>LGM</b>	Last Glacial Maximum	<b>MOZAIC</b>	Measurement of Ozone by Airbus In-service Aircraft
<b>LIG</b>	Last Interglacial	<b>MPI</b>	Max Planck Institute
<b>LKS</b>	Lanzante-Klein-Seidel	<b>MPIC</b>	Max Planck Institute for Chemistry
<b>LLGHG</b>	long-lived greenhouse gas	<b>MPLNET</b>	Micro-Pulse Lidar Network
<b>LLJ</b>	Low-Level Jet	<b>MRI</b>	Meteorological Research Institute of JMA
<b>LLNL</b>	Lawrence Livermore National Laboratory	<b>MSLP</b>	mean sea level pressure
<b>LMD</b>	Laboratoire de Météorologie Dynamique	<b>MSU</b>	Microwave Sounding Unit
<b>LOA</b>	Laboratoire d'Optique Atmosphérique	<b>Myr</b>	million years
<b>LOSU</b>	level of scientific understanding	<b>N<sub>2</sub></b>	molecular nitrogen
<b>LSCE</b>	Laboratoire des Sciences du Climat et de l'Environnement	<b>N<sub>2</sub>O</b>	nitrous oxide
<b>LSM</b>	land surface model	<b>N<sub>2</sub>O<sub>5</sub></b>	dinitrogen pentoxide
<b>LSW</b>	Labrador Sea Water	<b>NADW</b>	North Atlantic Deep Water
<b>LW</b>	longwave	<b>NAH</b>	North Atlantic subtropical high
<b>LWP</b>	liquid water path	<b>NAM</b>	Northern Annular Mode
<b>Ma</b>	million years ago	<b>NAMS</b>	North American Monsoon System
<b>MAM</b>	March, April, May	<b>NAO</b>	North Atlantic Oscillation
<b>MARGO</b>	Multiproxy Approach for the Reconstruction of the Glacial Ocean surface	<b>NARCCAP</b>	North American Regional Climate Change Assessment Program
<b>mb</b>	millibar	<b>NASA</b>	National Aeronautics and Space Administration
<b>MDI</b>	Michelson Doppler Imager	<b>NCAR</b>	National Center for Atmospheric Research
<b>Meteosat</b>	European geostationary meteorological satellite	<b>NCDC</b>	National Climatic Data Center
<b>MFR</b>	Maximum Feasible Reduction	<b>NCEP</b>	National Centers for Environmental Prediction
<b>MHT</b>	meridional heat transport	<b>NEAQS</b>	New England Air Quality Study
<b>MINOS</b>	Mediterranean Intensive Oxidants Study	<b>NEP</b>	net ecosystem production
<b>MIP</b>	Model Intercomparison Project	<b>NESDIS</b>	National Environmental Satellite, Data and Information Service
<b>MIRAGE</b>	Megacity Impacts on Regional and Global Environments	<b>NGRIP</b>	North Greenland Ice Core Project
<b>MISO</b>	Monsoon Intra-Seasonal Oscillation	<b>NH</b>	Northern Hemisphere
<b>MISR</b>	Multi-angle Imaging Spectro-Radiometer	<b>NH<sub>3</sub></b>	ammonia
<b>MJO</b>	Madden-Julian Oscillation	<b>NH<sub>4</sub><sup>+</sup></b>	ammonium ion
<b>MLS</b>	Microwave Limb Sounder	<b>NIES</b>	National Institute for Environmental Studies
<b>MMD</b>	Multi-Model Data set (at PCMDI)	<b>NIWA</b>	National Institute of Water and Atmospheric Research
<b>MOC</b>	Meridional Overturning Circulation	<b>NMAT</b>	Nighttime Marine Air Temperature

<b>NMHC</b>	non-methane hydrocarbon	<b>PMOD</b>	Physikalisch-Meteorologisches Observatorium Davos
<b>NMVOC</b>	non-methane volatile organic compound	<b>PNA</b>	Pacific-North American pattern
<b>NO</b>	nitric oxide	<b>PNNL</b>	Pacific Northwest National Laboratory
<b>NO<sub>2</sub></b>	nitrogen dioxide	<b>PNV</b>	potential natural vegetation
<b>NO<sub>3</sub></b>	nitrate radical	<b>POA</b>	primary organic aerosol
<b>NOAA</b>	National Oceanic and Atmospheric Administration	<b>POC</b>	particulate organic carbon
<b>NO<sub>x</sub></b>	reactive nitrogen oxides (the sum of NO and NO <sub>2</sub> )	<b>POLDER</b>	Polarization and Directionality of the Earth's Reflectance
<b>NPI</b>	North Pacific Index	<b>POM</b>	particulate organic matter
<b>NPIW</b>	North Pacific Intermediate Water	<b>ppb</b>	parts per billion
<b>NPP</b>	net primary productivity	<b>ppm</b>	parts per million
<b>NRA</b>	NCEP/NCAR reanalysis	<b>PR</b>	Precipitation Radar
<b>NVAP</b>	NASA Water Vapor Project	<b>PREC/L</b>	Precipitation Reconstruction over Land (PREC/L)
<b>O('D)</b>	oxygen radical in the 1D excited state	<b>PROVOST</b>	Prediction of Climate Variations on Seasonal to Interannual Time Scales
<b>O<sub>2</sub></b>	molecular oxygen	<b>PRP</b>	Partial Radiative Perturbation
<b>O<sub>3</sub></b>	ozone	<b>PSA</b>	Pacific-South American pattern
<b>OASIS</b>	Ocean Atmosphere Sea Ice Soil	<b>PSC</b>	polar stratospheric cloud
<b>OCTS</b>	Ocean Colour and Temperature Scanner	<b>PSMSL</b>	Permanent Service for Mean Sea Level
<b>ODS</b>	ozone-depleting substances	<b>PSU</b>	Pennsylvania State University
<b>OECD</b>	Organisation for Economic Co-operation and Development	<b>psu</b>	Practical Salinity Unit
<b>OGCM</b>	Ocean General Circulation Model	<b>QBO</b>	Quasi-Biennial Oscillation
<b>OH</b>	hydroxyl radical	<b>RATPAC</b>	Radiosonde Atmospheric Temperature Products for Assessing Climate
<b>OIO</b>	iodine dioxide	<b>RCM</b>	Regional Climate Model
<b>OLR</b>	outgoing longwave radiation	<b>REA</b>	Reliability Ensemble Average
<b>OMI</b>	Ozone Monitoring Instrument	<b>REML</b>	restricted maximum likelihood
<b>OPAC</b>	Optical Parameters of Aerosols and Clouds	<b>RF</b>	radiative forcing
<b>PCMDI</b>	Program for Climate Model Diagnosis and Intercomparison	<b>RFI</b>	Radiative Forcing Index
<b>pCO<sub>2</sub></b>	partial pressure of CO <sub>2</sub>	<b>RH</b>	relative humidity
<b>PDF</b>	probability density function	<b>RMS</b>	root-mean square
<b>PDI</b>	Power Dissipation Index	<b>RSL</b>	relative sea level
<b>PDO</b>	Pacific Decadal Oscillation	<b>RSS</b>	Remote Sensing Systems
<b>PDSI</b>	Palmer Drought Severity Index	<b>RTMIP</b>	Radiative-Transfer Model Intercomparison Project
<b>PET</b>	potential evapotranspiration	<b>SACZ</b>	South Atlantic Convergence Zone
<b>PETM</b>	Palaeocene-Eocene Thermal Maximum	<b>SAFARI</b>	Southern African Regional Science Initiative
<b>PFC</b>	perfluorocarbon	<b>SAGE</b>	Stratospheric Aerosol and Gas Experiment or Centre for Sustainability and the Global Environment
<b>Pg</b>	petagram (10 <sup>15</sup> grams)	<b>SAM</b>	Southern Annular Mode or Stratospheric Aerosol Measurement
<b>PMIP</b>	Paleoclimate Modelling Intercomparison Project		

<b>SAMS</b>	South American Monsoon System	<b>STARDEX</b>	STAtistical and Regional dynamical Downscaling of EXtremes for European regions
<b>SAMW</b>	Subantarctic Mode Water	<b>STE</b>	stratosphere-troposphere exchange
<b>SAR</b>	Second Assessment Report or Synthetic Aperture Radar	<b>STMW</b>	Subtropical Mode Water
<b>SARB</b>	Surface and Atmosphere Radiation Budget	<b>SUNY</b>	State University of New York
<b>SARR</b>	Space Absolute Radiometric Reference	<b>Sv</b>	Sverdrup ( $10^6 \text{ m}^3 \text{ s}^{-1}$ )
<b>SAT</b>	surface air temperature	<b>SW</b>	shortwave
<b>SCA</b>	snow-covered area	<b>SWE</b>	snow water equivalent
<b>SCIAMACHY</b>	SCanning Imaging Absorption SpectroMeter for Atmospheric CHartographY	<b>SWH</b>	significant wave height
<b>SCM</b>	Simple Climate Model	<b>T/P</b>	TOPEX/Poseidon
<b>SeaWiFs</b>	Sea-Viewing Wide Field-of-View Sensor	<b>T12</b>	HIRS channel 12
<b>SF<sub>6</sub></b>	sulphur hexafluoride	<b>T2</b>	MSU channel 2
<b>SH</b>	Southern Hemisphere	<b>T2<sub>L</sub></b>	MSU lower-troposphere channel
<b>SIO</b>	Scripps Institution of Oceanography	<b>T3</b>	MSU channel 3
<b>SIS</b>	Small Island States	<b>T4</b>	MSU channel 4
<b>SLE</b>	sea level equivalent	<b>TAR</b>	Third Assessment Report
<b>SLP</b>	sea level pressure	<b>TARFOX</b>	Tropospheric Aerosol Radiative Forcing Experiment
<b>SMB</b>	surface mass balance	<b>TBO</b>	Tropospheric Biennial Oscillation
<b>SMM</b>	Solar Maximum Mission	<b>TCR</b>	transient climate response
<b>SMMR</b>	Scanning Multichannel Microwave Radiometer	<b>TEAP</b>	Technology and Economic Assessment Panel
<b>SO</b>	Southern Oscillation	<b>TGBM</b>	Tide Gauge Bench Mark
<b>SO<sub>2</sub></b>	sulphur dioxide	<b>TGICA</b>	Task Group on Data and Scenario Support for Impact and Climate Analysis (IPCC)
<b>SO<sub>4</sub></b>	sulphate	<b>THC</b>	Thermohaline Circulation
<b>SOA</b>	secondary organic aerosol	<b>THIR</b>	Temperature Humidity Infrared Radiometer
<b>SOHO</b>	Solar Heliospheric Observatory	<b>TIM</b>	Total Solar Irradiance Monitor
<b>SOI</b>	Southern Oscillation Index	<b>TIROS</b>	Television InfraRed Observation Satellite
<b>SOM</b>	soil organic matter	<b>TMI</b>	TRMM microwave imager
<b>SON</b>	September, October, November	<b>TOA</b>	top of the atmosphere
<b>SORCE</b>	Solar Radiation and Climate Experiment	<b>TOGA</b>	Tropical Ocean Global Atmosphere
<b>SPARC</b>	Stratospheric Processes and their Role in Climate	<b>TOM</b>	top of the model
<b>SPCZ</b>	South Pacific Convergence Zone	<b>TOMS</b>	Total Ozone Mapping Spectrometer
<b>SPM</b>	Summary for Policymakers	<b>TOPEX</b>	TOPOgraphy EXperiment
<b>SRALT</b>	Satellite radar altimetry	<b>TOVS</b>	TIROS Operational Vertical Sounder
<b>SRES</b>	Special Report on Emission Scenarios	<b>TransCom 3</b>	Atmospheric Tracer Transport Model Intercomparison Project
<b>SSM/I</b>	Special Sensor Microwave/Imager	<b>TRMM</b>	Tropical Rainfall Measuring Mission
<b>SST</b>	sea surface temperature	<b>TSI</b>	total solar irradiance
		<b>UAH</b>	University of Alabama in Huntsville

<b>UARS</b>	Upper Atmosphere Research Satellite
<b>UCDW</b>	Upper Circumpolar Deep Water
<b>UCI</b>	University of California at Irvine
<b>UEA</b>	University of East Anglia
<b>UHI</b>	Urban Heat Island
<b>UIO</b>	University of Oslo
<b>UKMO</b>	United Kingdom Meteorological Office
<b>ULAQ</b>	University of L'Aquila
<b>UMD</b>	University of Maryland
<b>UMI</b>	University of Michigan
<b>UNEP</b>	United Nations Environment Programme
<b>UNFCCC</b>	United Nations Framework Convention on Climate Change
<b>USHCN</b>	US Historical Climatology Network
<b>UTC</b>	Coordinated Universal Time
<b>UTRH</b>	upper-tropospheric relative humidity
<b>UV</b>	ultraviolet
<b>UVic</b>	University of Victoria
<b>VIRGO</b>	Variability of Irradiance and Gravity Oscillations
<b>VIRS</b>	Visible Infrared Scanner
<b>VOC</b>	volatile organic compound
<b>VOS</b>	Voluntary Observing Ships
<b>VRGCM</b>	Variable-Resolution General Circulation Model
<b>W</b>	watt
<b>WAIS</b>	West Antarctic Ice Sheet
<b>WCRP</b>	World Climate Research Programme
<b>WDCGG</b>	World Data Centre for Greenhouse Gases
<b>WGI</b>	IPCC Working Group I
<b>WGII</b>	IPCC Working Group II
<b>WGIII</b>	IPCC Working Group III
<b>WGMS</b>	World Glacier Monitoring Service
<b>WMDW</b>	Western Mediterranean Deep Water
<b>WMO</b>	World Meteorological Organization
<b>WOCE</b>	World Ocean Circulation Experiment
<b>WRE</b>	Wigley, Richels and Edmonds (1996)
<b>WWR</b>	World Weather Records
<b>ZIA</b>	0°C isotherm altitude
$\tau_{aer}$	aerosol optical depth

### *Regional Abbreviations used in Chapter 11*

<b>ALA</b>	Alaska
<b>AMZ</b>	Amazonia
<b>ANT</b>	Antarctic
<b>ARC</b>	Arctic
<b>CAM</b>	Central America
<b>CAR</b>	Caribbean
<b>CAS</b>	Central Asia
<b>CGI</b>	East Canada, Greenland and Iceland
<b>CNA</b>	Central North America
<b>EAF</b>	East Africa
<b>EAS</b>	East Asia
<b>ENA</b>	Eastern North America
<b>IND</b>	Indian Ocean
<b>MED</b>	Mediterranean Basin
<b>NAS</b>	Northern Asia
<b>NAU</b>	North Australia
<b>NEU</b>	Northern Europe
<b>NPA</b>	North Pacific Ocean
<b>SAF</b>	South Africa
<b>SAH</b>	Sahara
<b>SAS</b>	South Asia
<b>SAU</b>	South Australia
<b>SEA</b>	Southeast Asia
<b>SEM</b>	Southern Europe and Mediterranean
<b>SPA</b>	South Pacific Ocean
<b>SSA</b>	Southern South America
<b>TIB</b>	Tibetan Plateau
<b>TNE</b>	Tropical Northeast Atlantic
<b>WAF</b>	West Africa
<b>WNA</b>	Western North America

